

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102919\
 Data File : BM023486.D
 Acq On : 30 Oct 2019 17:39
 Operator : JU
 Sample : K5434-12
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 JLNH3

Manual Integrations
 APPROVED

mohammad
 10/31/2019 5:10:20 PM

Quant Time: Oct 31 06:00:36 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM102319MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Oct 31 05:46:17 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	396317	20.00	ng/ul	0.00
18) Naphthalene-d8	10.39	136	1599775	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.26	164	966168	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.01	188	1975973	20.00	ng/ul	0.00
78) Chrysene-d12	21.21	240	2044189	20.00	ng/ul	0.00
86) Perylene-d12	23.40	264	2409721	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.16	96	6312m	0.76	ng/uL	0.01
5) Phenol-d5	6.80	99	72001	2.16	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.96	67	53682	2.75	ng/ul	0.00
9) 2-Chlorophenol-d4	7.16	132	63466	2.44	ng/ul	0.00
13) 4-Methylphenol-d8	8.33	113	57649	2.13	ng/ul	0.00
19) Nitrobenzene-d5	8.77	128	32371	2.69	ng/ul	0.00
22) 2-Nitrophenol-d4	9.49	143	29366	2.20	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.03	165	52342	1.99	ng/ul	0.00
29) 4-Chloroaniline-d4	10.54	131	75940	2.52	ng/ul	0.00
44) Dimethylphthalate-d6	13.68	166	217455	2.96	ng/ul	0.00
47) Acenaphthylene-d8	13.96	160	219383	2.61	ng/ul	0.00
52) 4-Nitrophenol-d4	14.50	143	5568	0.44	ng/ul	0.02
58) Fluorene-d10	15.26	176	179841	2.89	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.39	200	4516	0.37	ng/ul	0.00
71) Anthracene-d10	17.11	188	297873	3.19	ng/ul	0.00
79) Pyrene-d10	19.41	212	343265	3.05	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.26	264	411234	3.35	ng/ul	0.00

Target Compounds					Ovalue	
45) Dimethylphthalate	13.73	163	114689	1.557	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102919\
Data File : BM023486.D
Acq On : 30 Oct 2019 17:39
Operator : JU
Sample : K5434-12
Misc :
ALS Vial : 52 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
JLNH3

Quant Time: Oct 31 06:00:36 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM102319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Oct 31 05:46:17 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

mohammad
10/31/2019 5:10:20 PM





#45
 Dimethylphthalate
 Concen: 1.557 ng/ul
 RT: 13.73 min Scan# 1826
 Delta R.T. -0.01 min
 Lab File: BM023486.D
 Acq: 30 Oct 2019 17:39

Instrument :
 BNA_M
 ClientSampleId :
 JLNH3

Tot Ion	Ratio	Resp	Lower	Upper
163	100	114689		
194	3.7		3.3	4.9
164	10.3		7.9	11.9

Manual Integrations
 APPROVED

mohammad
 10/31/2019 5:10:20 PM

