


Quantitation Report (QT Reviewed)

Data Path : Z:\HPCHEM1\BNA M\DATA\BM103117\
 Data File : BM012608.D
 Acq On : 31 Oct 2017 18:12
 Operator : SJ/JU
 Sample : PB103806BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1




Quant Time: Nov 01 05:33:16 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM102417.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Nov 01 05:26:13 2017
 Response via : Initial Calibration



Quantitation Report (Qedit)

Data Path : Z:\HPCHEM1\BNA M\DATA\BM103117\
 Data File : BM012608.D
 Acq On : 31 Oct 2017 18:12
 Operator : SJ/JU
 Sample : PB103806BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Nov 01 05:26:31 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM102417.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Nov 01 05:26:13 2017
 Response via : Initial Calibration



(3) 1,4-Dioxane-d8 (S)

3.346min (+0.006) 7.41ng/uL




response 49331

Ion	Exp%	Act%
96.00	100	100
64.00	74.90	67.57
34.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : Z:\HPCHEM1\BNA M\DATA\BM103117\
 Data File : BM012608.D
 Acq On : 31 Oct 2017 18:12
 Operator : SJ/JU
 Sample : PB103806BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Nov 01 05:26:31 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM102417.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Nov 01 05:26:13 2017
 Response via : Initial Calibration



(3) 1,4-Dioxane-d8 (S)

3.346min (+0.006) 7.76ng/uL m

response 51710

Ion	Exp%	Act%
96.00	100	100
64.00	74.90	64.46
34.00	0.00	0.00
0.00	0.00	0.00

⇒ 11/01/17

Quantitation Report (QT Reviewed)

Data Path : Z:\HPCHEM1\BNA M\DATA\BM103117\
 Data File : BM012608.D
 Acq On : 31 Oct 2017 18:12
 Operator : SJ/JU
 Sample : PB103806BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Nov 01 05:33:16 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM102417.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Nov 01 05:26:13 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.85	152	340229	20.00	ng/ul	0.00
18) Naphthalene-d8	10.65	136	1333334	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.49	164	822072	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.23	188	1972039	20.00	ng/ul	0.00
75) Chrysene-d12	21.40	240	2418028	20.00	ng/ul	0.00
83) Perylene-d12	23.70	264	2674645	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.35	96	51710m	7.76	ng/uL	0.00
5) Phenol-d5	7.02	99	828345	29.14	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.19	67	492988	29.22	ng/ul	0.00
9) 2-Chlorophenol-d4	7.39	132	665166	31.25	ng/ul	0.00
13) 4-Methylphenol-d8	8.56	113	689149	28.37	ng/ul	0.00
19) Nitrobenzene-d5	9.01	128	322462	38.62	ng/ul	0.00
22) 2-Nitrophenol-d4	9.73	143	375179	43.61	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.27	165	686717	30.14	ng/ul	0.00
29) 4-Chloroaniline-d4	10.78	131	882964	36.75	ng/ul	0.00
43) Dimethylphthalate-d6	13.89	166	2151433	29.96	ng/ul	0.00
46) Acenaphthylene-d8	14.18	160	2639027	31.07	ng/ul	0.00
51) 4-Nitrophenol-d4	14.69	143	371252	34.78	ng/ul	0.00
57) Fluorene-d10	15.48	176	1808451	29.75	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.60	200	310000	32.48	ng/ul	0.00
70) Anthracene-d10	17.33	188	2932266	31.20	ng/ul	0.00
76) Pyrene-d10	19.62	212	3332155	30.04	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.56	264	3853950	30.33	ng/ul	0.00

as 11/01/17

Target Compounds Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed