

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM103122\
 Data File : BM037292.D
 Acq On : 31 Oct 2022 16:33
 Operator : CG/JU
 Sample : N5341-04
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 WC-2

Quant Time: Nov 01 05:03:44 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM102822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 31 01:34:15 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.869	152	292903	20.000	ng	0.00
21) Naphthalene-d8	10.669	136	1098537	20.000	ng	0.00
39) Acenaphthene-d10	14.504	164	583676	20.000	ng	0.00
64) Phenanthrene-d10	17.245	188	1079646	20.000	ng	0.00
76) Chrysene-d12	21.415	240	1009520	20.000	ng	0.00
86) Perylene-d12	23.780	264	1201169	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.440	112	2418518	142.652	ng	0.00
7) Phenol-d6	7.045	99	2989778	129.933	ng	0.00
23) Nitrobenzene-d5	9.039	82	1767820	81.191	ng	0.00
42) 2,4,6-Tribromophenol	15.992	330	977079	142.050	ng	0.00
45) 2-Fluorobiphenyl	13.133	172	3657050	83.250	ng	0.00
79) Terphenyl-d14	19.862	244	4554738	80.909	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM103122\
Data File : BM037292.D
Acq On : 31 Oct 2022 16:33
Operator : CG/JU
Sample : N5341-04
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
WC-2

Quant Time: Nov 01 05:03:44 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM102822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 31 01:34:15 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.869 min Scan# 814
Delta R.T. -0.006 min
Lab File: BM037292.D
Acq: 31 Oct 2022 16:33




Instrument :
BNA_M
ClientSampleId :
WC-2


Tgt Ion:152 Resp: 292903
Ion Ratio Lower Upper
152 100
150 155.9 124.8 187.2
115 57.3 47.0 70.4



#5
2-Fluorophenol
Concen: 142.652 ng
RT: 5.440 min Scan# 400
Delta R.T. -0.000 min
Lab File: BM037292.D
Acq: 31 Oct 2022 16:33

Tgt Ion:112 Resp: 2418518
Ion Ratio Lower Upper
112 100
64 57.4 46.8 70.2
63 29.9 24.4 36.6









#7
Phenol-d6
Concen: 129.933 ng
RT: 7.045 min Scan# 61
Delta R.T. -0.001 min
Lab File: BM037292.D
Acq: 31 Oct 2022 16:33




Instrument :
BNA_M
ClientSampleId :
WC-2


Tgt Ion: 99 Resp: 2989778
Ion Ratio Lower Upper
99 100
42 17.1 14.8 22.2
71 31.2 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.669 min Scan# 1289
Delta R.T. -0.006 min
Lab File: BM037292.D
Acq: 31 Oct 2022 16:33

Tgt Ion:136 Resp: 1098537
Ion Ratio Lower Upper
136 100
137 11.1 9.0 13.4
54 8.3 7.0 10.4
68 6.6 5.4 8.0









#23
 Nitrobenzene-d5
 Concen: 81.191 ng
 RT: 9.039 min Scan# 1012
 Delta R.T. -0.006 min
 Lab File: BM037292.D
 Acq: 31 Oct 2022 16:33




Instrument :
 BNA_M
 ClientSampleId :
 WC-2


Tgt Ion: 82 Resp: 1767820
 Ion Ratio Lower Upper
 82 100
 128 44.4 35.2 52.8
 54 49.6 40.4 60.6



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.504 min Scan# 1941
 Delta R.T. -0.006 min
 Lab File: BM037292.D
 Acq: 31 Oct 2022 16:33

Tgt Ion: 164 Resp: 583676
 Ion Ratio Lower Upper
 164 100
 162 101.9 80.6 120.8
 160 45.5 36.2 54.4









#42
2,4,6-Tribromophenol
Concen: 142.050 ng
RT: 15.992 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM037292.D
Acq: 31 Oct 2022 16:33




Instrument :
BNA_M
ClientSampleId :
WC-2


Tgt Ion:330 Resp: 977079
Ion Ratio Lower Upper
330 100
332 95.9 78.0 117.0
141 32.6 27.5 41.3



#45
2-Fluorobiphenyl
Concen: 83.250 ng
RT: 13.133 min Scan# 1708
Delta R.T. -0.006 min
Lab File: BM037292.D
Acq: 31 Oct 2022 16:33

Tgt Ion:172 Resp: 3657050
Ion Ratio Lower Upper
172 100
171 35.5 28.1 42.1
170 23.7 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.245 min Scan# 2407
Delta R.T. -0.006 min
Lab File: BM037292.D
Acq: 31 Oct 2022 16:33




Instrument :
BNA_M
ClientSampleId :
WC-2


Tgt Ion:188 Resp: 1079646
Ion Ratio Lower Upper
188 100
94 9.6 7.9 11.9
80 10.6 8.5 12.7



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.415 min Scan# 3116
Delta R.T. -0.006 min
Lab File: BM037292.D
Acq: 31 Oct 2022 16:33

Tgt Ion:240 Resp: 1009520
Ion Ratio Lower Upper
240 100
120 12.1 9.9 14.9
236 25.6 20.3 30.5





#79

Terphenyl-d14

Concen: 80.909 ng

RT: 19.862 min Scan# 2853

Delta R.T. -0.006 min

Lab File: BM037292.D

Acq: 31 Oct 2022 16:33

Instrument :

BNA_M

ClientSampleId :

WC-2





Tgt Ion:244 Resp: 4554738

Ion Ratio Lower Upper

244 100

212 6.7 5.4 8.2

122 11.5 9.4 14.2



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.780 min Scan# 3518

Delta R.T. -0.006 min

Lab File: BM037292.D

Acq: 31 Oct 2022 16:33

Tgt Ion:264 Resp: 1201169

Ion Ratio Lower Upper

264 100

260 23.9 18.9 28.3

265 22.4 17.7 26.5

