

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM103122\
 Data File : BM037299.D
 Acq On : 31 Oct 2022 20:45
 Operator : CG/JU
 Sample : N5336-03
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SB-01-16.5-17.0-DUP

Quant Time: Nov 01 05:05:44 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM102822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 31 01:34:15 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.869	152	301103	20.000	ng	0.00
21) Naphthalene-d8	10.669	136	1141502	20.000	ng	0.00
39) Acenaphthene-d10	14.504	164	600831	20.000	ng	0.00
64) Phenanthrene-d10	17.245	188	1161999	20.000	ng	0.00
76) Chrysene-d12	21.415	240	1301460	20.000	ng	0.00
86) Perylene-d12	23.774	264	1506051	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.440	112	1863383	106.915	ng	0.00
7) Phenol-d6	7.040	99	2297312	97.120	ng	0.00
23) Nitrobenzene-d5	9.039	82	1358566	60.046	ng	0.00
42) 2,4,6-Tribromophenol	15.992	330	711287	100.456	ng	0.00
45) 2-Fluorobiphenyl	13.127	172	2850307	63.032	ng	-0.01
79) Terphenyl-d14	19.862	244	4129138	56.895	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM103122\
Data File : BM037299.D
Acq On : 31 Oct 2022 20:45
Operator : CG/JU
Sample : N5336-03
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SB-01-16.5-17.0-DUP

Quant Time: Nov 01 05:05:44 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM102822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 31 01:34:15 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.869 min Scan# 814
Delta R.T. -0.006 min
Lab File: BM037299.D
Acq: 31 Oct 2022 20:45




Instrument :
BNA_M
ClientSampleId :
SB-01-16.5-17.0-DUP


Tgt Ion:152 Resp: 301103
Ion Ratio Lower Upper
152 100
150 155.6 124.8 187.2
115 57.1 47.0 70.4



#5
2-Fluorophenol
Concen: 106.915 ng
RT: 5.440 min Scan# 400
Delta R.T. -0.000 min
Lab File: BM037299.D
Acq: 31 Oct 2022 20:45

Tgt Ion:112 Resp: 1863383
Ion Ratio Lower Upper
112 100
64 57.1 46.8 70.2
63 29.6 24.4 36.6









#7
Phenol-d6
Concen: 97.120 ng
RT: 7.040 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM037299.D
Acq: 31 Oct 2022 20:45

Instrument :
BNA_M
ClientSampleId :
SB-01-16.5-17.0-DUP

Tgt Ion: 99 Resp: 2297312




Ion	Ratio	Lower	Upper
99	100		
42	17.8	14.8	22.2
71	32.1	25.6	38.4




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.669 min Scan# 1289
Delta R.T. -0.006 min
Lab File: BM037299.D
Acq: 31 Oct 2022 20:45

Tgt Ion: 136 Resp: 1141502

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.0	13.4
54	8.6	7.0	10.4
68	6.6	5.4	8.0









#23
Nitrobenzene-d5
Concen: 60.046 ng
RT: 9.039 min Scan# 1012
Delta R.T. -0.006 min
Lab File: BM037299.D
Acq: 31 Oct 2022 20:45




Instrument :
BNA_M
ClientSampleId :
SB-01-16.5-17.0-DUP


Tgt Ion: 82 Resp: 1358566
Ion Ratio Lower Upper
82 100
128 44.6 35.2 52.8
54 49.8 40.4 60.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.504 min Scan# 1941
Delta R.T. -0.006 min
Lab File: BM037299.D
Acq: 31 Oct 2022 20:45

Tgt Ion:164 Resp: 600831
Ion Ratio Lower Upper
164 100
162 102.3 80.6 120.8
160 45.5 36.2 54.4









#42
2,4,6-Tribromophenol
Concen: 100.456 ng
RT: 15.992 min Scan# 2195
Delta R.T. -0.006 min
Lab File: BM037299.D
Acq: 31 Oct 2022 20:45




Instrument :
BNA_M
ClientSampleId :
SB-01-16.5-17.0-DUP


Tgt Ion:330 Resp: 711287
Ion Ratio Lower Upper
330 100
332 96.7 78.0 117.0
141 33.7 27.5 41.3



#45
2-Fluorobiphenyl
Concen: 63.032 ng
RT: 13.127 min Scan# 1707
Delta R.T. -0.012 min
Lab File: BM037299.D
Acq: 31 Oct 2022 20:45

Tgt Ion:172 Resp: 2850307
Ion Ratio Lower Upper
172 100
171 35.3 28.1 42.1
170 23.5 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.245 min Scan# 2407
Delta R.T. -0.006 min
Lab File: BM037299.D
Acq: 31 Oct 2022 20:45




Instrument :
BNA_M
ClientSampleId :
SB-01-16.5-17.0-DUP


Tgt Ion:188 Resp: 1161999
Ion Ratio Lower Upper
188 100
94 9.8 7.9 11.9
80 10.4 8.5 12.7



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.415 min Scan# 3116
Delta R.T. -0.006 min
Lab File: BM037299.D
Acq: 31 Oct 2022 20:45

Tgt Ion:240 Resp: 1301460
Ion Ratio Lower Upper
240 100
120 12.8 9.9 14.9
236 25.5 20.3 30.5









#79
 Terphenyl-d14
 Concen: 56.895 ng
 RT: 19.862 min Scan# 2853
 Delta R.T. -0.006 min
 Lab File: BM037299.D
 Acq: 31 Oct 2022 20:45

Instrument :
 BNA_M
 ClientSampleId :
 SB-01-16.5-17.0-DUP

Tgt Ion:244 Resp: 4129138
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.4 8.2
 122 11.6 9.4 14.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.774 min Scan# 3517
 Delta R.T. -0.012 min
 Lab File: BM037299.D
 Acq: 31 Oct 2022 20:45

Tgt Ion:264 Resp: 1506051
 Ion Ratio Lower Upper
 264 100
 260 23.9 18.9 28.3
 265 21.9 17.7 26.5

