

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM110423\
 Data File : BM042597.D
 Acq On : 04 Nov 2023 18:29
 Operator : MA/JU
 Sample : 05229-01 5X
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 HR-1-110223

Quant Time: Nov 06 01:48:09 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM103023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 03 15:52:20 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.910	152	55138	20.000	ng	0.00
21) Naphthalene-d8	10.728	136	202154	20.000	ng	0.00
39) Acenaphthene-d10	14.563	164	125508	20.000	ng	0.00
64) Phenanthrene-d10	17.316	188	280573	20.000	ng	# 0.00
76) Chrysene-d12	21.498	240	294834	20.000	ng	# 0.00
86) Perylene-d12	23.921	264	328960	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	60666	17.757	ng	0.00
7) Phenol-d6	7.081	99	77241	16.485	ng	0.00
23) Nitrobenzene-d5	9.110	82	53221	12.273	ng	0.00
42) 2,4,6-Tribromophenol	16.063	330	32694	19.952	ng	0.00
45) 2-Fluorobiphenyl	13.186	172	108196	11.600	ng	0.00
79) Terphenyl-d14	19.927	244	178761	10.281	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM110423\
Data File : BM042597.D
Acq On : 04 Nov 2023 18:29
Operator : MA/JU
Sample : 05229-01 5X
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
HR-1-110223

Quant Time: Nov 06 01:48:09 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM103023.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 03 15:52:20 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.910 min Scan# 806
Delta R.T. 0.000 min
Lab File: BM042597.D
Acq: 04 Nov 2023 18:29




Instrument :
BNA_M
ClientSampleId :
HR-1-110223


Tgt Ion:152 Resp: 55138
Ion Ratio Lower Upper
152 100
150 151.0 127.4 191.0
115 59.8 47.9 71.9



#5
2-Fluorophenol
Concen: 17.757 ng
RT: 5.446 min Scan# 384
Delta R.T. 0.006 min
Lab File: BM042597.D
Acq: 04 Nov 2023 18:29

Tgt Ion:112 Resp: 60666
Ion Ratio Lower Upper
112 100
64 68.4 52.1 78.1
63 41.5 28.3 42.5









#7
Phenol-d6
Concen: 16.485 ng
RT: 7.081 min Scan# 60
Delta R.T. 0.006 min
Lab File: BM042597.D
Acq: 04 Nov 2023 18:29




Instrument :
BNA_M
ClientSampleId :
HR-1-110223


Tgt Ion: 99 Resp: 77241
Ion Ratio Lower Upper
99 100
42 25.9 18.7 28.1
71 40.4 29.1 43.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.728 min Scan# 1282
Delta R.T. -0.000 min
Lab File: BM042597.D
Acq: 04 Nov 2023 18:29

Tgt Ion: 136 Resp: 202154
Ion Ratio Lower Upper
136 100
137 10.6 9.0 13.6
54 11.3 8.0 12.0
68 6.2 5.7 8.5









#23
Nitrobenzene-d5
Concen: 12.273 ng
RT: 9.110 min Scan# 1011
Delta R.T. -0.000 min
Lab File: BM042597.D
Acq: 04 Nov 2023 18:29




Instrument :
BNA_M
ClientSampleId :
HR-1-110223


Tgt Ion: 82 Resp: 53221
Ion Ratio Lower Upper
82 100
128 38.1 30.7 46.1
54 58.6 45.3 67.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.563 min Scan# 1934
Delta R.T. -0.000 min
Lab File: BM042597.D
Acq: 04 Nov 2023 18:29

Tgt Ion:164 Resp: 125508
Ion Ratio Lower Upper
164 100
162 99.6 81.6 122.4
160 45.5 36.2 54.4









#42
2,4,6-Tribromophenol
Concen: 19.952 ng
RT: 16.063 min Scan# 2191
Delta R.T. -0.000 min
Lab File: BM042597.D
Acq: 04 Nov 2023 18:29




Instrument :
BNA_M
ClientSampleId :
HR-1-110223


Tgt Ion:	330	Resp:	32694
Ion Ratio	Lower	Upper	
330	100		
332	95.8	78.8	118.2
141	38.6	31.1	46.7



#45
2-Fluorobiphenyl
Concen: 11.600 ng
RT: 13.186 min Scan# 1700
Delta R.T. -0.000 min
Lab File: BM042597.D
Acq: 04 Nov 2023 18:29

Tgt Ion:	172	Resp:	108196
Ion Ratio	Lower	Upper	
172	100		
171	35.9	28.2	42.2
170	23.4	19.0	28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.316 min Scan# 24

Delta R.T. -0.000 min

Lab File: BM042597.D

Acq: 04 Nov 2023 18:29

Instrument :

BNA_M

ClientSampleId :

HR-1-110223





Tgt Ion:188 Resp: 280573

Ion Ratio Lower Upper

188 100

94 8.0 8.2 12.4#

80 9.1 9.4 14.2#



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.498 min Scan# 3113

Delta R.T. -0.006 min

Lab File: BM042597.D

Acq: 04 Nov 2023 18:29




Tgt Ion:240 Resp: 294834


Ion Ratio Lower Upper

240 100

120 8.2 8.3 12.5#

236 26.9 20.8 31.2









#79
 Terphenyl-d14
 Concen: 10.281 ng
 RT: 19.927 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM042597.D
 Acq: 04 Nov 2023 18:29

Instrument :
 BNA_M
 ClientSampleId :
 HR-1-110223

Tgt Ion:244 Resp: 178761
 Ion Ratio Lower Upper
 244 100
 212 7.6 5.4 8.2
 122 9.9 7.2 10.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.921 min Scan# 3525
 Delta R.T. 0.006 min
 Lab File: BM042597.D
 Acq: 04 Nov 2023 18:29

Tgt Ion:264 Resp: 328960
 Ion Ratio Lower Upper
 264 100
 260 25.0 19.0 28.4
 265 22.3 18.7 28.1

