

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM110517\
 Data File : BM012759.D
 Acq On : 06 Nov 2017 03:24
 Operator : SJ/JU
 Sample : I5825-10
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 B-64(2.5-4.5)-101117

Manual Integrations
 APPROVED

Sohil
 11/6/2017 4:28:55 PM

Quant Time: Nov 06 07:36:01 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM110417MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Nov 06 07:19:57 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.81	152	143694	20.00	ng/ul	0.00
18) Naphthalene-d8	10.60	136	608316	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.45	164	381998	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.19	188	800557	20.00	ng/ul	0.00
77) Chrysene-d12	21.37	240	644590	20.00	ng/ul	0.00
85) Perylene-d12	23.66	264	708100	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.30	96	12200	4.59	ng/uL	0.00
5) Phenol-d5	6.99	99	286246	26.77	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.15	67	165363	28.54	ng/ul	0.00
9) 2-Chlorophenol-d4	7.35	132	252670	28.37	ng/ul	0.00
13) 4-Methylphenol-d8	8.52	113	116999	12.68	ng/ul	0.00
19) Nitrobenzene-d5	8.97	128	132048	29.38	ng/ul	0.00
22) 2-Nitrophenol-d4	9.69	143	155379	30.21	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.23	165	274747	26.06	ng/ul	0.00
29) 4-Chloroaniline-d4	10.75	131	67580	6.64	ng/ul	0.00
43) Dimethylphthalate-d6	13.86	166	942174	29.81	ng/ul	0.00
46) Acenaphthylene-d8	14.14	160	1150147	29.42	ng/ul	0.00
51) 4-Nitrophenol-d4	14.66	143	97829	19.31	ng/ul	0.00
57) Fluorene-d10	15.45	176	831481	30.71	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.57	200	68042m	12.87	ng/ul	0.00
70) Anthracene-d10	17.29	188	1180715	30.53	ng/ul	0.00
78) Pyrene-d10	19.59	212	1063396	35.55	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.52	264	1029477	30.75	ng/ul	0.01
Target Compounds						
4) Benzaldehyde	6.96	77	7018	1.234	ng/ul#	84
6) Phenol	7.02	94	48939	4.459	ng/ul	95
44) Dimethylphthalate	13.90	163	509851	16.254	ng/ul	100
69) Phenanthrene	17.23	178	99022	2.263	ng/ul	98
75) Di-n-butylphthalate	18.16	149	115117	2.596	ng/ul	99
76) Fluoranthene	19.25	202	219496m	4.174	ng/ul	
79) Pyrene	19.62	202	246107	6.399	ng/ul#	91
82) Benzo(a)anthracene	21.36	228	141573	3.630	ng/ul#	92
83) Bis(2-ethylhexyl)phthalate	21.29	149	54685	2.677	ng/ul#	87
84) Chrysene	21.41	228	196433	5.557	ng/ul#	93
87) Benzo(b)fluoranthene	22.97	252	350626	8.103	ng/ul#	88
88) Benzo(k)fluoranthene	23.02	252	107258m	2.608	ng/ul	
90) Benzo(a)pyrene	23.56	252	219443	5.329	ng/ul#	90
91) Indeno(1,2,3-cd)pyrene	25.98	276	249388	5.025	ng/ul#	87
92) Dibenzo(a,h)anthracene	25.99	278	64242	1.529	ng/ul#	69
93) Benzo(g,h,i)perylene	26.70	276	261389	6.392	ng/ul#	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM110517\
Data File : BM012759.D
Acq On : 06 Nov 2017 03:24
Operator : SJ/JU
Sample : I5825-10
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
B-64(2.5-4.5)-101117

Quant Time: Nov 06 07:36:01 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM110417MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Nov 06 07:19:57 2017
Response via : Initial Calibration

Manual Integrations
APPROVED

Sohil
11/6/2017 4:28:55 PM

