

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM110722\
 Data File : BM037392.D
 Acq On : 07 Nov 2022 15:21
 Operator : CG/JU
 Sample : N5277-05MS
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 EW4W5MS

Quant Time: Nov 07 23:07:28 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM110522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 07 00:30:18 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.841	152	4475	0.400	ng/ul	0.00
4) Naphthalene-d8	10.638	136	15225	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.474	164	8782	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.213	188	18223	0.400	ng/ul	0.00
17) Chrysene-d12	21.385	240	13984	0.400	ng/ul	0.00
23) Perylene-d12	23.723	264	11689	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.260	96	932	0.164	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.228	152	7171	0.313	ng/ul	0.00
18) Fluoranthene-d10	19.239	212	17732	0.405	ng/ul	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.293	88	2698	0.480	ng/ul	98
5) Naphthalene	10.688	128	13981	0.317	ng/ul	98
7) 2-Methylnaphthalene	12.299	142	9028	0.326	ng/ul	100
8) 1-Methylnaphthalene	12.519	142	9812	0.345	ng/ul	100
10) Acenaphthylene	14.197	152	12762	0.341	ng/ul	100
11) Acenaphthene	14.534	153	11136	0.337	ng/ul	99
12) Fluorene	15.520	166	12826	0.339	ng/ul	100
14) Pentachlorophenol	16.871	266	4176	0.868	ng/ul	99
15) Phenanthrene	17.255	178	21904	0.351	ng/ul	99
16) Anthracene	17.348	178	18581	0.365	ng/ul	99
19) Fluoranthene	19.267	202	26122	0.394	ng/ul	97
20) Pyrene	19.629	202	27736	0.400	ng/ul	99
21) Benzo(a)anthracene	21.368	228	22915	0.380	ng/ul	99
22) Chrysene	21.420	228	24037	0.357	ng/ul	100
24) Benzo(b)fluoranthene	23.007	252	24724	0.369	ng/ul	96
25) Benzo(k)fluoranthene	23.054	252	23278	0.362	ng/ul	97
26) Benzo(a)pyrene	23.615	252	19639	0.350	ng/ul	95
27) Indeno(1,2,3-cd)pyrene	26.134	276	24614	0.330	ng/ul#	99
28) Dibenzo(a,h)anthracene	26.151	278	19103	0.332	ng/ul	96
29) Benzo(g,h,i)perylene	26.879	276	20928	0.324	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM110722\
Data File : BM037392.D
Acq On : 07 Nov 2022 15:21
Operator : CG/JU
Sample : N5277-05MS
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
EW4W5MS

Quant Time: Nov 07 23:07:28 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM110522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 07 00:30:18 2022
Response via : Initial Calibration









#2
1,4-Dioxane
Concen: 0.480 ng/ul
RT: 3.293 min Scan# 50
Delta R.T. 0.000 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21




Instrument :
BNA_M
ClientSampleId :
EW4W5MS


Tgt Ion: 88 Resp: 2698
Ion Ratio Lower Upper
88 100
43 48.0 39.9 59.9
58 64.2 50.2 75.2



#5
Naphthalene
Concen: 0.317 ng/ul
RT: 10.688 min Scan# 1768
Delta R.T. 0.000 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21

Tgt Ion: 128 Resp: 13981
Ion Ratio Lower Upper
128 100
129 12.0 9.2 13.8
127 13.5 10.2 15.4









#7
2-Methylnaphthalene
Concen: 0.326 ng/ul
RT: 12.299 min Scan# 2061
Delta R.T. -0.005 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21




Instrument :
BNA_M
ClientSampleId :
EW4W5MS


Tgt Ion:142 Resp: 9028
Ion Ratio Lower Upper
142 100
141 88.1 70.6 105.8



#8
1-Methylnaphthalene
Concen: 0.345 ng/ul
RT: 12.519 min Scan# 2101
Delta R.T. 0.000 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21

Tgt Ion:142 Resp: 9812
Ion Ratio Lower Upper
142 100
141 92.3 73.9 110.9









#10
Acenaphthylene
Concen: 0.341 ng/ul
RT: 14.197 min Scan# 2433
Delta R.T. 0.001 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21




Instrument :
BNA_M
ClientSampleId :
EW4W5MS


Tgt Ion:152 Resp: 12762
Ion Ratio Lower Upper
152 100
151 20.0 16.1 24.1
153 13.6 11.0 16.4



#11
Acenaphthene
Concen: 0.337 ng/ul
RT: 14.534 min Scan# 2506
Delta R.T. -0.004 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21

Tgt Ion:153 Resp: 11136
Ion Ratio Lower Upper
153 100
152 51.1 40.2 60.4
154 87.3 70.4 105.6









#12
Fluorene
Concen: 0.339 ng/ul
RT: 15.520 min Scan# 21
Delta R.T. -0.004 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21




Instrument :
BNA_M
ClientSampleId :
EW4W5MS


Tgt Ion:166 Resp: 12826
Ion Ratio Lower Upper
166 100
165 99.0 79.0 118.4
167 14.2 11.1 16.7



#14
Pentachlorophenol
Concen: 0.868 ng/ul
RT: 16.871 min Scan# 3029
Delta R.T. -0.008 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21

Tgt Ion:266 Resp: 4176
Ion Ratio Lower Upper
266 100
264 62.9 49.9 74.9
268 63.4 51.9 77.9









#15
Phenanthrene
Concen: 0.351 ng/ul
RT: 17.255 min Scan# 3120
Delta R.T. -0.003 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21




Instrument :
BNA_M
ClientSampleId :
EW4W5MS


Tgt Ion:178 Resp: 21904
Ion Ratio Lower Upper
178 100
179 16.2 12.9 19.3
176 20.4 16.0 24.0



#16
Anthracene
Concen: 0.365 ng/ul
RT: 17.348 min Scan# 3142
Delta R.T. -0.003 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21

Tgt Ion:178 Resp: 18581
Ion Ratio Lower Upper
178 100
179 16.9 13.0 19.4
176 19.7 15.5 23.3





#19

Fluoranthene

Concen: 0.394 ng/ul

RT: 19.267 min Scan# 3580

Delta R.T. -0.004 min

Lab File: BM037392.D

Acq: 07 Nov 2022 15:21

Instrument :

BNA_M

ClientSampleId :

EW4W5MS





Tgt Ion:202 Resp: 26122

Ion Ratio Lower Upper

202 100

101 11.8 8.7 13.1

100 9.3 6.6 10.0



#20

Pyrene

Concen: 0.400 ng/ul

RT: 19.629 min Scan# 3658

Delta R.T. 0.001 min

Lab File: BM037392.D

Acq: 07 Nov 2022 15:21




Tgt Ion:202 Resp: 27736


Ion Ratio Lower Upper

202 100

101 13.4 11.1 16.7

100 10.7 9.0 13.4









#21
Benzo(a)anthracene
Concen: 0.380 ng/ul
RT: 21.368 min Scan# 4143
Delta R.T. -0.001 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21




Instrument :
BNA_M
ClientSampleId :
EW4W5MS


Tgt Ion:228 Resp: 22915
Ion Ratio Lower Upper
228 100
229 19.8 15.7 23.5
226 28.7 22.6 33.8



#22
Chrysene
Concen: 0.357 ng/ul
RT: 21.420 min Scan# 4160
Delta R.T. -0.004 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21

Tgt Ion:228 Resp: 24037
Ion Ratio Lower Upper
228 100
226 31.2 24.8 37.2
229 19.7 15.6 23.4









#24
Benzo(b)fluoranthene
Concen: 0.369 ng/ul
RT: 23.007 min Scan# 4719
Delta R.T. -0.004 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21




Instrument :
BNA_M
ClientSampleId :
EW4W5MS


Tgt Ion:252 Resp: 24724
Ion Ratio Lower Upper
252 100
253 28.2 0.0 52.6
125 19.1 0.0 34.0



#25
Benzo(k)fluoranthene
Concen: 0.362 ng/ul
RT: 23.054 min Scan# 4719
Delta R.T. -0.004 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21

Tgt Ion:252 Resp: 23278
Ion Ratio Lower Upper
252 100
253 28.4 21.6 32.4
125 19.3 13.8 20.8





#26

Benzo(a)pyrene

Concen: 0.350 ng/ul

RT: 23.615 min Scan# 4911

Delta R.T. -0.004 min

Lab File: BM037392.D

Acq: 07 Nov 2022 15:21

Instrument :

BNA_M

ClientSampleId :

EW4W5MS





Tgt Ion:252 Resp: 19639

Ion Ratio Lower Upper

252 100

253 31.8 23.8 35.6

125 24.4 17.2 25.8



#27

Indeno(1,2,3-cd)pyrene

Concen: 0.330 ng/ul

RT: 26.134 min Scan# 5723

Delta R.T. -0.004 min

Lab File: BM037392.D

Acq: 07 Nov 2022 15:21




Tgt Ion:276 Resp: 24614


Ion Ratio Lower Upper

276 100

138 26.6 20.8 31.2

227 0.2 0.1 0.1#









#28
Dibenzo(a,h)anthracene
Concen: 0.332 ng/ul
RT: 26.151 min Scan# 51
Delta R.T. -0.004 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21

Instrument :
BNA_M
ClientSampleId :
EW4W5MS

Tgt Ion:278 Resp: 19103
Ion Ratio Lower Upper
278 100
139 21.0 15.2 22.8
279 29.7 22.2 33.2



#29
Benzo(g,h,i)perylene
Concen: 0.324 ng/ul
RT: 26.879 min Scan# 5945
Delta R.T. -0.001 min
Lab File: BM037392.D
Acq: 07 Nov 2022 15:21

Tgt Ion:276 Resp: 20928
Ion Ratio Lower Upper
276 100
138 26.1 19.6 29.4
277 25.3 20.1 30.1

