

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA M\DATA\BM111017\
 Data File : BM012928.D
 Acq On : 12 Nov 2017 06:37
 Operator : SJ/JU
 Sample : SSTDCCC020EC
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSTD02020

Manual Integrations
 APPROVED

SOHIL
 11/13/2017 4:50:15 PM

Quant Time: Nov 13 04:03:37 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111017MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Nov 13 02:06:47 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.78	152	76127	20.00	ng/ul	0.00
2) Naphthalene-d8	10.57	136	288505	20.00	ng/ul	0.00
6) Acenaphthene-d10	14.42	164	161414	20.00	ng/ul	0.00
12) Phenanthrene-d10	17.17	188	359919m	20.00	ng/ul	0.00
17) Chrysene-d12	21.36	240	426246m	20.00	ng/ul	0.00
22) Perylene-d12	23.63	264	478342	20.00	ng/ul	0.00
System Monitoring Compounds						
7) Acenaphthylene-d8	14.12	160	325306	19.38	ng/ul	0.00
10) Fluorene-d10	15.42	176	217277	18.92	ng/ul	0.00
14) Anthracene-d10	17.27	188	332550	19.11	ng/ul	0.00
18) Pyrene-d10	19.57	212	363084	19.04	ng/ul	0.00
25) Benzo(a)pyrene-d12	23.49	264	433807	19.21	ng/ul	0.01
Target Compounds						
					Ovalue	
3) Naphthalene	10.62	128	281248	19.253	ng/ul	99
4) 2-Methylnaphthalene	12.24	142	205181	19.075	ng/ul	98
5) 1-Methylnaphthalene	12.46	142	199263	18.901	ng/ul#	94
8) Acenaphthylene	14.15	152	317684	19.448	ng/ul	98
9) Acenaphthene	14.49	153	211588	19.340	ng/ul	93
11) Fluorene	15.47	166	252072	19.314	ng/ul	92
13) Phenanthrene	17.22	178	383836m	19.308	ng/ul	
15) Anthracene	17.30	178	399708	19.352	ng/ul	98
16) Fluoranthene	19.23	202	460010	18.811	ng/ul#	91
19) Pyrene	19.59	202	471487	19.270	ng/ul#	94
20) Benzo(a)anthracene	21.34	228	493271m	18.807	ng/ul	
21) Chrysene	21.39	228	442050	18.860	ng/ul	98
23) Benzo(b)fluoranthene	22.95	252	542289	19.064	ng/ul#	97
24) Benzo(k)fluoranthene	22.99	252	525795	19.341	ng/ul#	97
26) Benzo(a)pyrene	23.53	252	527865	19.134	ng/ul#	97
27) Indeno(1,2,3-cd)pyrene	25.94	276	682674	19.185	ng/ul	96
28) Dibenzo(a,h)anthracene	25.94	278	576564	19.275	ng/ul#	96
29) Benzo(g,h,i)perylene	26.65	276	572736	19.282	ng/ul#	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA M\DATA\BM111017\
Data File : BM012928.D
Acq On : 12 Nov 2017 06:37
Operator : SJ/JU
Sample : SSTDCCC020EC
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
Client Sampled :
SSTD02020

Manual Integrations
APPROVED

SOHIL
11/13/2017 4:50:15 PM

Quant Time: Nov 13 04:03:37 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111017MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Nov 13 02:06:47 2017
Response via : Initial Calibration

