

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111120\
 Data File : BM027785.D
 Acq On : 11 Nov 2020 11:23
 Operator : JU/CG
 Sample : L4661-01
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F4R00

Manual Integrations
 APPROVED

Sohil
 11/12/2020 8:19:46 AM

Quant Time: Nov 11 11:58:34 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM111020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 11 11:32:20 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.38	152	710	0.40	ng/ul	0.00
2) Naphthalene-d8	11.22	136	2527	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.99	164	1718	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.71	188	3564m	0.40	ng/ul	0.00
16) Chrysene-d12	21.81	240	3175	0.40	ng/ul	0.00
20) Perylene-d12	24.25	264	2838	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.78	152	1606	0.34	ng/ul	0.00
14) Fluoranthene-d10	19.69	212	4597	0.43	ng/ul	0.00
Target Compounds						
11) Pentachlorophenol	17.35	266	54	0.042	ng/ul#	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111120\
Data File : BM027785.D
Acq On : 11 Nov 2020 11:23
Operator : JU/CG
Sample : L4661-01
Misc :
ALS Vial : 4 Sample Multiplier: 1




Instrument :
BNA_M
ClientSampleId :
F4R00

Manual Integrations
APPROVED

Sohil
11/12/2020 8:19:46 AM

Quant Time: Nov 11 11:58:34 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM111020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 11 11:32:20 2020
Response via : Initial Calibration





#11
 Pentachlorophenol
 Concen: 0.042 ng/ul
 RT: 17.35 min Scan# 3807
 Delta R.T. -0.00 min
 Lab File: BM027785.D
 Acq: 11 Nov 2020 11:23

Tot Ion:	266	Resp:	54
Ion Ratio	Lower	Upper	
266	100		
264	48.1	49.3	73.9#
268	68.5	50.7	76.1

Instrument :
 BNA_M
 ClientSampleId :
 F4R00

Manual Integrations
 APPROVED

Sohil
 11/12/2020 8:19:46 AM

