

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM111222\
 Data File : BM037493.D
 Acq On : 12 Nov 2022 15:18
 Operator : CG/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050

Quant Time: Nov 14 00:37:26 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM111222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 14 00:33:11 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.798	152	181148	20.000	ng	0.00
21) Naphthalene-d8	10.598	136	786630	20.000	ng	0.00
39) Acenaphthene-d10	14.445	164	508190	20.000	ng	0.00
64) Phenanthrene-d10	17.192	188	1062872	20.000	ng	0.00
76) Chrysene-d12	21.380	240	1242801	20.000	ng	0.00
86) Perylene-d12	23.715	264	1307133	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.369	112	1019086	97.192	ng	0.00
7) Phenol-d6	6.981	99	1512082	106.254	ng	0.00
23) Nitrobenzene-d5	8.975	82	1697953	108.903	ng	0.00
42) 2,4,6-Tribromophenol	15.939	330	808985	135.082	ng	0.00
45) 2-Fluorobiphenyl	13.069	172	4070303	106.421	ng	0.00
79) Terphenyl-d14	19.821	244	7121613	102.760	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.246	88	200016	46.585	ng	99
3) Pyridine	3.657	79	651851	50.960	ng	99
4) n-Nitrosodimethylamine	3.569	42	286186	51.188	ng	99
6) Aniline	7.134	93	935487	53.772	ng	99
8) 2-Chlorophenol	7.363	128	693944	54.377	ng	99
9) Benzaldehyde	6.945	77	397630	55.201	ng	99
10) Phenol	7.010	94	845632	53.032	ng	99
11) bis(2-Chloroethyl)ether	7.234	93	664401	51.969	ng	99
12) 1,3-Dichlorobenzene	7.686	146	725500	52.026	ng	99
13) 1,4-Dichlorobenzene	7.834	146	746988	51.930	ng	99
14) 1,2-Dichlorobenzene	8.151	146	746528	54.037	ng	99
15) Benzyl Alcohol	8.057	79	597268	58.705	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.339	45	963520	52.865	ng	99
17) 2-Methylphenol	8.257	107	611230	58.655	ng	100
18) Hexachloroethane	8.869	117	284804	56.142	ng	96
19) n-Nitroso-di-n-propyla...	8.622	70	585074	59.773	ng	99
20) 3+4-Methylphenols	8.592	107	868145	60.651	ng	100
22) Acetophenone	8.633	105	1113400	54.456	ng	100
24) Nitrobenzene	9.016	77	858064	54.284	ng	99
25) Isophorone	9.545	82	1509756	57.938	ng	100
26) 2-Nitrophenol	9.722	139	411841	58.199	ng	98
27) 2,4-Dimethylphenol	9.786	122	578861	55.119	ng	99
28) bis(2-Chloroethoxy)met...	10.028	93	868880	53.592	ng	98
29) 2,4-Dichlorophenol	10.257	162	705208	58.497	ng	99
30) 1,2,4-Trichlorobenzene	10.463	180	739353	54.082	ng	100
31) Naphthalene	10.651	128	2384525	53.504	ng	100
32) Benzoic acid	9.963	122	547890	64.302	ng	97
33) 4-Chloroaniline	10.780	127	1008126	56.788	ng	100
34) Hexachlorobutadiene	10.922	225	428082	56.077	ng	97
35) Caprolactam	11.598	113	245860	67.083	ng	97
36) 4-Chloro-3-methylphenol	11.910	107	745585	60.014	ng	100
37) 2-Methylnaphthalene	12.269	142	1693399	56.081	ng	100
38) 1-Methylnaphthalene	12.486	142	1685396	57.124	ng	100
40) 1,2,4,5-Tetrachloroben...	12.633	216	816186	53.416	ng	100
41) Hexachlorocyclopentadiene	12.604	237	364920	50.126	ng	99
43) 2,4,6-Trichlorophenol	12.886	196	599178	56.963	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM111222\
 Data File : BM037493.D
 Acq On : 12 Nov 2022 15:18
 Operator : CG/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050

Quant Time: Nov 14 00:37:26 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM111222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 14 00:33:11 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.957	196	673423	58.037	ng	99
46) 1,1'-Biphenyl	13.280	154	2133885	52.033	ng	100
47) 2-Chloronaphthalene	13.321	162	1734977	53.162	ng	99
48) 2-Nitroaniline	13.545	65	558937	59.266	ng	99
49) Acenaphthylene	14.168	152	2771136	54.700	ng	100
50) Dimethylphthalate	13.921	163	2203760	56.774	ng	100
51) 2,6-Dinitrotoluene	14.045	165	488846	59.469	ng	99
52) Acenaphthene	14.510	154	1693274	54.064	ng	99
53) 3-Nitroaniline	14.374	138	545986	59.454	ng	98
54) 2,4-Dinitrophenol	14.586	184	296140	64.771	ng	99
55) Dibenzofuran	14.845	168	2681146	55.580	ng	100
56) 4-Nitrophenol	14.692	139	431538	58.905	ng	99
57) 2,4-Dinitrotoluene	14.833	165	692749	64.045	ng	100
58) Fluorene	15.498	166	2297185	57.051	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.074	232	595900	61.272	ng	100
60) Diethylphthalate	15.280	149	2248969	59.612	ng	98
61) 4-Chlorophenyl-phenyle...	15.492	204	1069784	57.427	ng	99
62) 4-Nitroaniline	15.539	138	525742	57.083	ng	100
63) Azobenzene	15.786	77	2125972	57.202	ng	99
65) 4,6-Dinitro-2-methylph...	15.592	198	404916	59.295	ng	99
66) n-Nitrosodiphenylamine	15.715	169	1886282	52.504	ng	100
67) 4-Bromophenyl-phenylether	16.386	248	652583	54.713	ng	99
68) Hexachlorobenzene	16.492	284	816902	56.594	ng	100
69) Atrazine	16.668	200	518456	57.355	ng	99
70) Pentachlorophenol	16.845	266	498825	59.389	ng	100
71) Phenanthrene	17.239	178	3542319	53.719	ng	100
72) Anthracene	17.327	178	3463287	55.477	ng	100
73) Carbazole	17.609	167	3233067	56.460	ng	100
74) Di-n-butylphthalate	18.162	149	3983990	63.007	ng	100
75) Fluoranthene	19.250	202	4248343	60.948	ng	100
77) Benzidine	19.450	184	1000496	53.988	ng	99
78) Pyrene	19.615	202	4524177	47.340	ng	100
80) Butylbenzylphthalate	20.521	149	1964048	57.547	ng	94
81) Benzo(a)anthracene	21.368	228	4764013	53.843	ng	100
82) 3,3'-Dichlorobenzidine	21.303	252	1599235	61.540	ng	99
83) Chrysene	21.421	228	4564511	53.546	ng	100
84) Bis(2-ethylhexyl)phtha...	21.291	149	2877094	62.809	ng	99
85) Di-n-octyl phthalate	22.197	149	4899725	67.918	ng	100
87) Indeno(1,2,3-cd)pyrene	26.144	276	6196552	57.898	ng	100
88) Benzo(b)fluoranthene	23.009	252	4879267	53.767	ng	100
89) Benzo(k)fluoranthene	23.056	252	4884339	52.767	ng	99
90) Benzo(a)pyrene	23.615	252	4074822	55.110	ng	99
91) Dibenzo(a,h)anthracene	26.156	278	5189074	58.385	ng	99
92) Benzo(g,h,i)perylene	26.885	276	4909208	56.754	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM111222\
Data File : BM037493.D
Acq On : 12 Nov 2022 15:18
Operator : CG/JU
Sample : SSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SSTDICC050

Quant Time: Nov 14 00:37:26 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM111222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 14 00:33:11 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.798 min Scan# 80
 Delta R.T. 0.000 min
 Lab File: BM037493.D
 Acq: 12 Nov 2022 15:18




Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050


Tgt Ion:152 Resp: 181148
 Ion Ratio Lower Upper
 152 100
 150 157.3 129.8 194.6
 115 57.5 46.6 69.8



#2
 1,4-Dioxane
 Concen: 46.585 ng
 RT: 3.246 min Scan# 27
 Delta R.T. 0.000 min
 Lab File: BM037493.D
 Acq: 12 Nov 2022 15:18

Tgt Ion: 88 Resp: 200016
 Ion Ratio Lower Upper
 88 100
 58 75.6 61.6 92.4
 43 31.0 24.6 37.0









#3
 Pyridine
 Concen: 50.960 ng
 RT: 3.657 min Scan# 91
 Delta R.T. 0.000 min
 Lab File: BM037493.D
 Acq: 12 Nov 2022 15:18




Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050


Tgt Ion: 79 Resp: 651851
 Ion Ratio Lower Upper
 79 100
 52 70.1 56.3 84.5
 51 37.0 30.1 45.1



#4
 n-Nitrosodimethylamine
 Concen: 51.188 ng
 RT: 3.569 min Scan# 82
 Delta R.T. -0.006 min
 Lab File: BM037493.D
 Acq: 12 Nov 2022 15:18

Tgt Ion: 42 Resp: 286186
 Ion Ratio Lower Upper
 42 100
 74 124.4 100.9 151.3
 44 6.9 5.7 8.5









#5
2-Fluorophenol
Concen: 97.192 ng
RT: 5.369 min Scan# 388
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:112 Resp: 1019086
Ion Ratio Lower Upper
112 100
64 56.6 45.9 68.9
63 30.6 24.2 36.4



#6
Aniline
Concen: 53.772 ng
RT: 7.134 min Scan# 688
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion: 93 Resp: 935487
Ion Ratio Lower Upper
93 100
66 39.7 31.6 47.4
65 20.6 16.9 25.3









#7
Phenol-d6
Concen: 106.254 ng
RT: 6.981 min Scan# 662
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Instrument :
BNA_M
ClientSampleId :
SSTDICC050

Tgt Ion: 99 Resp: 1512082




Ion	Ratio	Lower	Upper
99	100		
42	18.8	15.0	22.6
71	32.7	26.2	39.2




#8
2-Chlorophenol
Concen: 54.377 ng
RT: 7.363 min Scan# 727
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion: 128 Resp: 693944

Ion	Ratio	Lower	Upper
128	100		
130	31.8	12.3	52.3
64	46.3	26.7	66.7









#9
Benzaldehyde
Concen: 55.201 ng
RT: 6.945 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion: 77 Resp: 397630
Ion Ratio Lower Upper
77 100
105 95.8 77.8 117.8
106 93.4 73.8 113.8



#10
Phenol
Concen: 53.032 ng
RT: 7.010 min Scan# 667
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion: 94 Resp: 845632
Ion Ratio Lower Upper
94 100
65 28.2 8.6 48.6
66 36.0 16.5 56.5









#11
bis(2-Chloroethyl)ether
Concen: 51.969 ng
RT: 7.234 min Scan# 705
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion: 93 Resp: 664401
Ion Ratio Lower Upper
93 100
63 79.4 58.3 98.3
95 31.8 12.6 52.6



#12
1,3-Dichlorobenzene
Concen: 52.026 ng
RT: 7.686 min Scan# 782
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion: 146 Resp: 725500
Ion Ratio Lower Upper
146 100
148 65.2 51.7 77.5
75 30.7 23.8 35.6





#13

1,4-Dichlorobenzene

Concen: 51.930 ng

RT: 7.834 min Scan# 807

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:146 Resp: 746988

Ion Ratio Lower Upper

146 100

148 65.0 51.6 77.4

111 39.0 31.8 47.8



#14

1,2-Dichlorobenzene

Concen: 54.037 ng

RT: 8.151 min Scan# 861

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18




Tgt Ion:146 Resp: 746528


Ion Ratio Lower Upper

146 100

148 65.4 51.7 77.5

111 41.0 31.9 47.9









#15
Benzyl Alcohol
Concen: 58.705 ng
RT: 8.057 min Scan# 845
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion: 79 Resp: 597268
Ion Ratio Lower Upper
79 100
108 78.9 63.7 95.5
77 65.5 52.7 79.1



#16
2,2'-oxybis(1-Chloropropane)
Concen: 52.865 ng
RT: 8.339 min Scan# 893
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion: 45 Resp: 963520
Ion Ratio Lower Upper
45 100
77 14.1 0.0 34.3
79 11.7 0.0 31.1









#17
2-Methylphenol
Concen: 58.655 ng
RT: 8.257 min Scan# 879
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Instrument :
BNA_M
ClientSampleId :
SSTDICC050

Tgt Ion:107 Resp: 611230




Ion	Ratio	Lower	Upper
107	100		
108	110.8	88.7	133.1
77	47.0	37.8	56.6
79	44.5	35.3	52.9




#18
Hexachloroethane
Concen: 56.142 ng
RT: 8.869 min Scan# 983
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:117 Resp: 284804

Ion	Ratio	Lower	Upper
117	100		
119	93.0	78.5	117.7
201	93.9	77.2	115.8









#19
n-Nitroso-di-n-propylamine
Concen: 59.773 ng
RT: 8.622 min Scan# 941
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:	70	Resp:	585074
Ion	Ratio	Lower	Upper
70	100		
42	59.7	48.5	72.7
101	9.5	7.8	11.6
130	22.8	18.6	28.0



#20
3+4-Methylphenols
Concen: 60.651 ng
RT: 8.592 min Scan# 936
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:	107	Resp:	868145
Ion	Ratio	Lower	Upper
107	100		
108	89.3	69.2	109.2
77	33.3	12.8	52.8
79	28.5	8.9	48.9









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.598 min Scan# 1277
Delta R.T. -0.006 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:	136	Resp:	786630
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	12.8
54	8.2	6.3	9.5
68	6.1	4.8	7.2



#22
Acetophenone
Concen: 54.456 ng
RT: 8.633 min Scan# 943
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:	105	Resp:	1113400
Ion	Ratio	Lower	Upper
105	100		
71	3.6	2.9	4.3
51	28.4	22.9	34.3
120	22.7	18.4	27.6





#23

Nitrobenzene-d5

Concen: 108.903 ng

RT: 8.975 min Scan# 1001

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :





BNA_M

ClientSampleId :

SSTDICC050

Tgt Ion: 82 Resp: 1697953

Ion	Ratio	Lower	Upper
82	100		
128	44.3	36.3	54.5
54	49.9	40.7	61.1



#24

Nitrobenzene

Concen: 54.284 ng

RT: 9.016 min Scan# 1008




Delta R.T. 0.000 min


Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Tgt Ion: 77 Resp: 858064

Ion	Ratio	Lower	Upper
77	100		
123	46.7	36.7	55.1
65	13.3	10.7	16.1









#25
Isophorone
Concen: 57.938 ng
RT: 9.545 min Scan# 1098
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion: 82 Resp: 1509756
Ion Ratio Lower Upper
82 100
95 6.6 5.4 8.2
138 18.8 14.9 22.3



#26
2-Nitrophenol
Concen: 58.199 ng
RT: 9.722 min Scan# 1128
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion: 139 Resp: 411841
Ion Ratio Lower Upper
139 100
109 28.8 22.8 34.2
65 51.5 39.4 59.2





#27

2,4-Dimethylphenol

Concen: 55.119 ng

RT: 9.786 min Scan# 1139

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:122 Resp: 578861

Ion Ratio Lower Upper

122 100

107 114.9 93.0 139.6

121 58.7 47.4 71.2



#28

bis(2-Chloroethoxy)methane

Concen: 53.592 ng

RT: 10.028 min Scan# 1180

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18




Tgt Ion: 93 Resp: 868880


Ion Ratio Lower Upper

93 100

95 31.7 26.2 39.4

123 11.4 9.4 14.0









#29
2,4-Dichlorophenol
Concen: 58.497 ng
RT: 10.257 min Scan# 1219
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:162 Resp: 705208
Ion Ratio Lower Upper
162 100
164 63.4 44.1 84.1
98 34.2 14.7 54.7



#30
1,2,4-Trichlorobenzene
Concen: 54.082 ng
RT: 10.463 min Scan# 1254
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:180 Resp: 739353
Ion Ratio Lower Upper
180 100
182 95.8 77.0 115.4
145 29.4 23.9 35.9









#31
Naphthalene
Concen: 53.504 ng
RT: 10.651 min Scan# 111
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDIC050


Tgt Ion:128 Resp: 2384525
Ion Ratio Lower Upper
128 100
129 11.2 8.9 13.3
127 13.3 10.4 15.6



#32
Benzoic acid
Concen: 64.302 ng
RT: 9.963 min Scan# 1169
Delta R.T. 0.006 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:122 Resp: 547890
Ion Ratio Lower Upper
122 100
105 123.2 100.5 140.5
77 91.0 74.1 114.1









#33
4-Chloroaniline
Concen: 56.788 ng
RT: 10.780 min Scan# 1308
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Instrument :
BNA_M
ClientSampleId :
SSTDICC050

Tgt Ion:127 Resp: 1008126




Ion	Ratio	Lower	Upper
127	100		
129	32.4	26.0	39.0
65	29.4	23.6	35.4
92	17.2	13.8	20.8




#34
Hexachlorobutadiene
Concen: 56.077 ng
RT: 10.922 min Scan# 1332
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:225 Resp: 428082

Ion	Ratio	Lower	Upper
225	100		
223	62.1	51.4	77.2
227	62.9	52.0	78.0









#35
Caprolactam
Concen: 67.083 ng
RT: 11.598 min Scan# 1447
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:113 Resp: 245860
Ion Ratio Lower Upper
113 100
55 178.6 153.6 193.6
56 123.5 101.4 141.4



#36
4-Chloro-3-methylphenol
Concen: 60.014 ng
RT: 11.910 min Scan# 1500
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:107 Resp: 745585
Ion Ratio Lower Upper
107 100
144 27.3 22.1 33.1
142 85.6 68.2 102.4









#37
2-Methylnaphthalene
Concen: 56.081 ng
RT: 12.269 min Scan# 1561
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:142 Resp: 1693399
Ion Ratio Lower Upper
142 100
141 89.0 71.5 107.3
115 33.4 26.9 40.3



#38
1-Methylnaphthalene
Concen: 57.124 ng
RT: 12.486 min Scan# 1598
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:142 Resp: 1685396
Ion Ratio Lower Upper
142 100
141 91.4 73.5 110.3
116 3.7 2.9 4.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.445 min Scan# 1931

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:164 Resp: 508190

Ion Ratio Lower Upper

164 100

162 101.4 79.9 119.9

160 44.7 35.7 53.5



#40

1,2,4,5-Tetrachlorobenzene

Concen: 53.416 ng

RT: 12.633 min Scan# 1623

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Tgt Ion:216 Resp: 816186




Ion Ratio Lower Upper


216 100

214 78.5 62.6 94.0

179 20.4 16.5 24.7

108 19.2 15.4 23.2









#41
Hexachlorocyclopentadiene
Concen: 50.126 ng
RT: 12.604 min Scan# 1618
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:237 Resp: 364920
Ion Ratio Lower Upper
237 100
235 63.3 42.3 82.3
272 13.7 0.0 33.6



#42
2,4,6-Tribromophenol
Concen: 135.082 ng
RT: 15.939 min Scan# 2185
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:330 Resp: 808985
Ion Ratio Lower Upper
330 100
332 96.7 77.7 116.5
141 32.3 26.2 39.2









#43
2,4,6-Trichlorophenol
Concen: 56.963 ng
RT: 12.886 min Scan# 1665
Delta R.T. 0.006 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:196 Resp: 599178
Ion Ratio Lower Upper
196 100
198 96.2 77.0 115.6
200 31.2 24.5 36.7



#44
2,4,5-Trichlorophenol
Concen: 58.037 ng
RT: 12.957 min Scan# 1678
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:196 Resp: 673423
Ion Ratio Lower Upper
196 100
198 95.9 76.4 114.6
97 48.6 39.3 58.9
132 27.5 21.7 32.5









#45
2-Fluorobiphenyl
Concen: 106.421 ng
RT: 13.069 min Scan# 1697
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:172 Resp: 4070303
Ion Ratio Lower Upper
172 100
171 35.5 28.4 42.6
170 23.6 18.9 28.3



#46
1,1'-Biphenyl
Concen: 52.033 ng
RT: 13.280 min Scan# 1733
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:154 Resp: 2133885
Ion Ratio Lower Upper
154 100
153 40.4 20.7 60.7
76 13.2 0.0 33.3





#47

2-Chloronaphthalene

Concen: 53.162 ng

RT: 13.321 min Scan# 1740

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:162 Resp: 1734977

Ion Ratio Lower Upper

162 100

127 36.9 29.8 44.8

164 32.5 26.3 39.5



#48

2-Nitroaniline

Concen: 59.266 ng

RT: 13.545 min Scan# 1778

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18




Tgt Ion: 65 Resp: 558937


Ion Ratio Lower Upper

65 100

92 68.6 55.0 82.4

138 110.9 87.5 131.3





#49

Acenaphthylene

Concen: 54.700 ng

RT: 14.168 min Scan# 1884

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:152 Resp: 2771136

Ion Ratio Lower Upper

152 100

151 20.1 15.9 23.9

153 13.3 10.6 16.0



#50

Dimethylphthalate

Concen: 56.774 ng

RT: 13.921 min Scan# 1842

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18




Tgt Ion:163 Resp: 2203760


Ion Ratio Lower Upper

163 100

194 4.1 3.3 4.9

164 9.9 7.9 11.9









#51
2,6-Dinitrotoluene
Concen: 59.469 ng
RT: 14.045 min Scan# 1863
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:165 Resp: 488846
Ion Ratio Lower Upper
165 100
63 56.2 46.2 69.2
89 56.1 45.4 68.2



#52
Acenaphthene
Concen: 54.064 ng
RT: 14.510 min Scan# 1942
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:154 Resp: 1693274
Ion Ratio Lower Upper
154 100
153 112.6 90.8 136.2
152 53.9 43.3 64.9









#53
3-Nitroaniline
Concen: 59.454 ng
RT: 14.374 min Scan# 1919
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:138 Resp: 545986
Ion Ratio Lower Upper
138 100
108 8.5 7.2 10.8
92 108.7 89.0 133.6



#54
2,4-Dinitrophenol
Concen: 64.771 ng
RT: 14.586 min Scan# 1955
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:184 Resp: 296140
Ion Ratio Lower Upper
184 100
63 65.2 52.2 78.4
154 58.4 48.2 72.2









#55
Dibenzofuran
Concen: 55.580 ng
RT: 14.845 min Scan# 1999
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:168 Resp: 2681146
Ion Ratio Lower Upper
168 100
139 37.5 29.8 44.8
169 13.6 10.8 16.2



#56
4-Nitrophenol
Concen: 58.905 ng
RT: 14.692 min Scan# 1973
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:139 Resp: 431538
Ion Ratio Lower Upper
139 100
109 71.3 52.1 92.1
65 95.1 74.4 114.4









#57
2,4-Dinitrotoluene
Concen: 64.045 ng
RT: 14.833 min Scan# 1997
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:165 Resp: 692749
Ion Ratio Lower Upper
165 100
63 49.2 39.5 59.3
89 72.4 58.4 87.6
182 2.5 2.0 3.0



#58
Fluorene
Concen: 57.051 ng
RT: 15.498 min Scan# 2110
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:166 Resp: 2297185
Ion Ratio Lower Upper
166 100
165 98.4 77.8 116.8
167 13.6 10.8 16.2









#59
2,3,4,6-Tetrachlorophenol
Concen: 61.272 ng
RT: 15.074 min Scan# 2038
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDIC050


Tgt Ion:232 Resp: 595900
Ion Ratio Lower Upper
232 100
131 45.1 36.0 54.0
130 2.4 1.9 2.9
166 30.4 24.2 36.2



#60
Diethylphthalate
Concen: 59.612 ng
RT: 15.280 min Scan# 2073
Delta R.T. 0.006 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:149 Resp: 2248969
Ion Ratio Lower Upper
149 100
177 22.1 17.0 25.4
150 12.2 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 57.427 ng
RT: 15.492 min Scan# 2109
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:204 Resp: 1069784
Ion Ratio Lower Upper
204 100
206 33.2 25.8 38.8
141 54.7 43.6 65.4



#62
4-Nitroaniline
Concen: 57.083 ng
RT: 15.539 min Scan# 2117
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:138 Resp: 525742
Ion Ratio Lower Upper
138 100
92 49.7 28.9 68.9
108 76.7 56.8 96.8





#63

Azobenzene

Concen: 57.202 ng

RT: 15.786 min Scan# 2159

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050

Tgt Ion: 77 Resp: 2125972





Ion Ratio Lower Upper

77 100

182 25.9 5.0 45.0

105 20.0 0.0 39.6

51 30.4 10.3 50.3



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.192 min Scan# 2398

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18




Tgt Ion: 188 Resp: 1062872


Ion Ratio Lower Upper

188 100

94 9.9 7.8 11.6

80 10.2 8.2 12.4









#65
4,6-Dinitro-2-methylphenol
Concen: 59.295 ng
RT: 15.592 min Scan# 2126
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:198 Resp: 404916
Ion Ratio Lower Upper
198 100
51 46.2 26.3 66.3
105 42.9 23.8 63.8



#66
n-Nitrosodiphenylamine
Concen: 52.504 ng
RT: 15.715 min Scan# 2147
Delta R.T. 0.006 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:169 Resp: 1886282
Ion Ratio Lower Upper
169 100
168 68.0 53.9 80.9
167 36.5 29.2 43.8









#67
4-Bromophenyl-phenylether
Concen: 54.713 ng
RT: 16.386 min Scan# 2261
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:248 Resp: 652583
Ion Ratio Lower Upper
248 100
250 98.3 77.8 116.8
141 66.0 52.2 78.2



#68
Hexachlorobenzene
Concen: 56.594 ng
RT: 16.492 min Scan# 2279
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:284 Resp: 816902
Ion Ratio Lower Upper
284 100
142 33.6 26.9 40.3
249 28.6 22.9 34.3





#69

Atrazine

Concen: 57.355 ng

RT: 16.668 min Scan# 2309

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:200 Resp: 518456

Ion Ratio Lower Upper

200 100

173 26.7 6.5 46.5

215 49.3 28.3 68.3



#70

Pentachlorophenol

Concen: 59.389 ng

RT: 16.845 min Scan# 2339

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18




Tgt Ion:266 Resp: 498825


Ion Ratio Lower Upper

266 100

268 63.5 50.6 75.8

264 62.3 49.5 74.3





#71

Phenanthrene

Concen: 53.719 ng

RT: 17.239 min Scan# 2406

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:178 Resp: 3542319

Ion Ratio Lower Upper

178 100

176 19.4 15.6 23.4

179 15.4 12.2 18.4



#72

Anthracene

Concen: 55.477 ng

RT: 17.327 min Scan# 2421

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18




Tgt Ion:178 Resp: 3463287


Ion Ratio Lower Upper

178 100

176 19.1 15.0 22.6

179 15.6 12.4 18.6





#73

Carbazole

Concen: 56.460 ng

RT: 17.609 min Scan# 24

Delta R.T. 0.006 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:167 Resp: 3233067

Ion Ratio Lower Upper

167 100

166 21.6 17.3 25.9

139 12.7 10.2 15.2



#74

Di-n-butylphthalate

Concen: 63.007 ng

RT: 18.162 min Scan# 2563

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18




Tgt Ion:149 Resp: 3983990


Ion Ratio Lower Upper

149 100

150 9.4 7.4 11.2

104 5.0 4.1 6.1





#75

Fluoranthene

Concen: 60.948 ng

RT: 19.250 min Scan# 21

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:202 Resp: 4248343

Ion Ratio Lower Upper

202 100

101 11.9 0.0 31.8

203 17.8 0.0 37.7



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.380 min Scan# 3110

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18




Tgt Ion:240 Resp: 1242801


Ion Ratio Lower Upper

240 100

120 10.8 8.6 13.0

236 25.4 20.8 31.2









#77
Benzidine
Concen: 53.988 ng
RT: 19.450 min Scan# 2782
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:184 Resp: 1000496
Ion Ratio Lower Upper
184 100
185 14.1 11.1 16.7
183 11.5 9.0 13.6



#78
Pyrene
Concen: 47.340 ng
RT: 19.615 min Scan# 2810
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:202 Resp: 4524177
Ion Ratio Lower Upper
202 100
200 21.5 17.2 25.8
203 17.7 14.3 21.5





#79

Terphenyl-d14

Concen: 102.760 ng

RT: 19.821 min Scan# 2845

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:244 Resp: 7121613

Ion Ratio Lower Upper

244 100

212 7.1 5.5 8.3

122 10.9 8.7 13.1



#80

Butylbenzylphthalate

Concen: 57.547 ng

RT: 20.521 min Scan# 2964

Delta R.T. 0.006 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18




Tgt Ion:149 Resp: 1964048


Ion Ratio Lower Upper

149 100

91 65.1 56.6 85.0

206 20.8 15.4 23.2





#81

Benzo(a)anthracene

Concen: 53.843 ng

RT: 21.368 min Scan# 31

Delta R.T. 0.006 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:228 Resp: 4764013

Ion Ratio Lower Upper

228 100

226 27.9 22.4 33.6

229 20.1 16.2 24.2



#82

3,3'-Dichlorobenzidine

Concen: 61.540 ng

RT: 21.303 min Scan# 3097

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18




Tgt Ion:252 Resp: 1599235


Ion Ratio Lower Upper

252 100

254 65.1 52.3 78.5

126 11.6 8.8 13.2





#83

Chrysene

Concen: 53.546 ng

RT: 21.421 min Scan# 3116

Delta R.T. 0.006 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:228 Resp: 4564511

Ion Ratio Lower Upper

228 100

226 31.0 25.0 37.4

229 20.0 16.2 24.2



#84

Bis(2-ethylhexyl)phthalate

Concen: 62.809 ng

RT: 21.291 min Scan# 3095

Delta R.T. 0.000 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18




Tgt Ion:149 Resp: 2877094


Ion Ratio Lower Upper

149 100

167 27.5 22.3 33.5

279 4.6 3.8 5.6









#85
Di-n-octyl phthalate
Concen: 67.918 ng
RT: 22.197 min Scan# 31
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:149 Resp: 4899725
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 9.3 7.6 11.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.715 min Scan# 3507
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:264 Resp: 1307133
Ion Ratio Lower Upper
264 100
260 23.6 19.1 28.7
265 22.1 17.5 26.3









#87
 Indeno(1,2,3-cd)pyrene
 Concen: 57.898 ng
 RT: 26.144 min Scan# 3920
 Delta R.T. 0.000 min
 Lab File: BM037493.D
 Acq: 12 Nov 2022 15:18




Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050


Tgt Ion:276 Resp: 6196552
 Ion Ratio Lower Upper
 276 100
 138 24.4 19.7 29.5
 277 25.2 20.1 30.1



#88
 Benzo(b)fluoranthene
 Concen: 53.767 ng
 RT: 23.009 min Scan# 3387
 Delta R.T. 0.000 min
 Lab File: BM037493.D
 Acq: 12 Nov 2022 15:18

Tgt Ion:252 Resp: 4879267
 Ion Ratio Lower Upper
 252 100
 253 22.4 17.8 26.8
 125 9.9 7.8 11.6









#89
Benzo(k)fluoranthene
Concen: 52.767 ng
RT: 23.056 min Scan# 3395
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:252 Resp: 4884339
Ion Ratio Lower Upper
252 100
253 22.4 17.8 26.8
125 10.0 7.7 11.5



#90
Benzo(a)pyrene
Concen: 55.110 ng
RT: 23.615 min Scan# 3490
Delta R.T. 0.000 min
Lab File: BM037493.D
Acq: 12 Nov 2022 15:18

Tgt Ion:252 Resp: 4074822
Ion Ratio Lower Upper
252 100
253 22.1 17.4 26.2
125 11.1 8.8 13.2





#91

Dibenzo(a,h)anthracene

Concen: 58.385 ng

RT: 26.156 min Scan# 39

Delta R.T. 0.006 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:278 Resp: 5189074

Ion Ratio Lower Upper

278 100

139 15.5 12.6 18.8

279 24.1 19.0 28.4



#92

Benzo(g,h,i)perylene

Concen: 56.754 ng

RT: 26.885 min Scan# 4046

Delta R.T. 0.006 min

Lab File: BM037493.D

Acq: 12 Nov 2022 15:18

Tgt Ion:276 Resp: 4909208

Ion Ratio Lower Upper

276 100

277 24.0 19.5 29.3

138 21.0 17.0 25.6

