

Data Path : Z:\HPCHEM1\BNA M\DATA\BM111317\
 Data File : BM012950.D
 Acq On : 14 Nov 2017 00:20
 Operator : SJ/JU
 Sample : I6363-11
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Nov 14 04:25:30 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM110417MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 14 04:22:37 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.78	152	86129	20.00	ng/ul	0.00
18) Naphthalene-d8	10.57	136	342495	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.42	164	207620	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.17	188	489938	20.00	ng/ul	0.00
77) Chrysene-d12	21.35	240	581402	20.00	ng/ul	0.00
85) Perylene-d12	23.63	264	639414	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.28	96	6697	4.20	ng/uL	0.00
5) Phenol-d5	6.96	99	120837	18.86	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.12	67	71911	20.70	ng/ul	0.00
9) 2-Chlorophenol-d4	7.32	132	102594	19.22	ng/ul	0.00
13) 4-Methylphenol-d8	8.49	113	98786	17.86	ng/ul	0.00
19) Nitrobenzene-d5	8.94	128	48790	19.28	ng/ul	0.00
22) 2-Nitrophenol-d4	9.66	143	55266	19.09	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.20	165	103232	17.39	ng/ul	0.00
29) 4-Chloroaniline-d4	10.72	131	93510	16.32	ng/ul	0.00
43) Dimethylphthalate-d6	13.83	166	340605	19.82	ng/ul	0.00
46) Acenaphthylene-d8	14.11	160	414006	19.48	ng/ul	0.00
51) 4-Nitrophenol-d4	14.65	143	30774	11.18	ng/ul	0.00
57) Fluorene-d10	15.42	176	302639	20.57	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.56	200	38608	11.94	ng/ul	0.00
70) Anthracene-d10	17.27	188	472058	19.94	ng/ul	0.00
78) Pyrene-d10	19.56	212	520632	19.30	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.48	264	605746	20.04	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
6) Phenol	6.99	94	19880	3.02	ng/ul	96
44) Dimethylphthalate	13.87	163	115248	6.76	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM111317\
Data File : BM012950.D
Acq On : 14 Nov 2017 00:20
Operator : SJ/JU
Sample : I6363-11
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Nov 14 04:25:30 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM110417MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Nov 14 04:22:37 2017
Response via : Initial Calibration





#6

Phenol

Concen: 3.02 ng/ul

RT: 6.99 min Scan# 663

Delta R.T. -0.00 min

Lab File: BM012950.D

Acq: 14 Nov 2017 00:20

Instrument :

BNA_M

ClientSampleId :


Tot Ion: 94 Resp: 19880

Ion Ratio Lower Upper

94 100

65 26.9 21.0 31.6




66 40.3 29.3 43.9



Abundance Ion 94.00 (93.70 to 94.70): BM012946.D (-657) (-)

Ion 65.00 (64.70 to 65.70): BM012946.D (-657) (-)

Ion 66.00 (65.70 to 66.70): BM012946.D (-657) (-)



#44

Dimethylphthalate

Concen: 6.76 ng/ul

RT: 13.87 min Scan# 1834

Delta R.T. -0.01 min

Lab File: BM012950.D

Acq: 14 Nov 2017 00:20


Tgt Ion: 163 Resp: 115248

Ion Ratio Lower Upper

163 100

194 4.6 3.2 4.8

164 10.4 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): BM012946.D (-1828) (-)

Ion 194.00 (193.70 to 194.70): BM012946.D (-1828) (-)

Ion 164.00 (163.70 to 164.70): BM012946.D (-1828) (-)

