

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA M\DATA\BM111317\
 Data File : BM012944.D
 Acq On : 13 Nov 2017 20:46
 Operator : SJ/JU
 Sample : I6363-06
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 B0FB7

Quant Time: Nov 14 03:01:37 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM110417MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 14 02:57:44 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.78	152	107712	20.00	ng/ul	0.00
18) Naphthalene-d8	10.57	136	460092	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.42	164	301455	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.17	188	707910	20.00	ng/ul	0.00
77) Chrysene-d12	21.35	240	682717	20.00	ng/ul	0.00
85) Perylene-d12	23.63	264	688944	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.27	96	5943	2.98	ng/uL	0.00
5) Phenol-d5	6.96	99	118381	14.77	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.12	67	69369	15.97	ng/ul	0.00
9) 2-Chlorophenol-d4	7.32	132	96844	14.51	ng/ul	0.00
13) 4-Methylphenol-d8	8.49	113	98589	14.25	ng/ul	0.00
19) Nitrobenzene-d5	8.94	128	49125	14.45	ng/ul	0.00
22) 2-Nitrophenol-d4	9.66	143	56962	14.64	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.20	165	104982	13.17	ng/ul	0.00
29) 4-Chloroaniline-d4	10.72	131	114976	14.94	ng/ul	0.00
43) Dimethylphthalate-d6	13.83	166	387083	15.52	ng/ul	0.00
46) Acenaphthylene-d8	14.12	160	444842	14.42	ng/ul	0.00
51) 4-Nitrophenol-d4	14.65	143	43022	10.76	ng/ul	0.00
57) Fluorene-d10	15.42	176	328979	15.40	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.56	200	43512	9.31	ng/ul	0.00
70) Anthracene-d10	17.27	188	514144	15.03	ng/ul	0.00
78) Pyrene-d10	19.56	212	526269	16.61	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.48	264	497207	15.26	ng/ul	0.00

Target Compounds


					Ovalue
6) Phenol	6.99	94	18092	2.199 ng/ul	93
44) Dimethylphthalate	13.88	163	197425	7.975 ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA M\DATA\BM111317\
Data File : BM012944.D
Acq On : 13 Nov 2017 20:46
Operator : SJ/JU
Sample : I6363-06
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
B0FB7

Quant Time: Nov 14 03:01:37 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM110417MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Nov 14 02:57:44 2017
Response via : Initial Calibration









#6

Phenol

Concen: 2.199 ng/ul
 RT: 6.99 min Scan# 663
 Delta R.T. -0.00 min
 Lab File: BM012944.D
 Acq: 13 Nov 2017 20:46

Instrument :
 BNA_M
 ClientSampleId :
 B0FB7

Tot Ion	Ratio	Lower	Upper
94	100		
65	29.5	21.0	31.6
66	41.1	29.3	43.9



#44

Dimethylphthalate

Concen: 7.975 ng/ul
 RT: 13.88 min Scan# 1835
 Delta R.T. -0.00 min
 Lab File: BM012944.D
 Acq: 13 Nov 2017 20:46

Tgt Ion	Ratio	Lower	Upper
163	100		
194	4.5	3.2	4.8
164	9.8	7.8	11.8

