

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM111416\
 Data File : BM007875.D
 Acq On : 15 Nov 2016 03:04
 Operator : UM/SJ
 Sample : H5610-20
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BD4M3

Quant Time: Nov 15 03:48:40 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM102016.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 15 03:45:58 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.73	152	192828	20.00	ng/ul	0.00
18) Naphthalene-d8	10.51	136	738158	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.37	164	459187	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.12	188	898054	20.00	ng/ul	0.00
75) Chrysene-d12	21.30	240	1093029	20.00	ng/ul	0.00
83) Perylene-d12	23.55	264	1115284	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.29	96	16191	3.60	ng/uL	0.00
5) Phenol-d5	6.91	99	306771	20.61	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.07	67	190389	21.56	ng/ul	0.00
9) 2-Chlorophenol-d4	7.27	132	251189	22.01	ng/ul	0.00
13) 4-Methylphenol-d8	8.44	113	191877	16.48	ng/ul	0.00
19) Nitrobenzene-d5	8.89	128	118636	22.33	ng/ul	0.00
22) 2-Nitrophenol-d4	9.61	143	126777	22.51	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.15	165	229635	20.74	ng/ul	0.00
29) 4-Chloroaniline-d4	10.66	131	256240	20.29	ng/ul	0.00
43) Dimethylphthalate-d6	13.78	166	748642	23.94	ng/ul	0.00
46) Acenaphthylene-d8	14.06	160	858292	22.81	ng/ul	0.00
51) 4-Nitrophenol-d4	14.60	143	75625	15.30	ng/ul	0.01
57) Fluorene-d10	15.36	176	642522	23.45	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.50	200	78103	14.64	ng/ul	0.00
70) Anthracene-d10	17.22	188	923571	22.82	ng/ul	0.00
76) Pyrene-d10	19.51	212	1108035	24.67	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.41	264	1156821	23.76	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
6) Phenol	6.94	94	37797	2.47	ng/ul	94
44) Dimethylphthalate	13.83	163	348191	11.47	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM111416\
Data File : BM007875.D
Acq On : 15 Nov 2016 03:04
Operator : UM/SJ
Sample : H5610-20
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BD4M3

Quant Time: Nov 15 03:48:40 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM102016.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Nov 15 03:45:58 2016
Response via : Initial Calibration





#6

Phenol

Concen: 2.47 ng/ul

RT: 6.94 min Scan# 740

Delta R.T. 0.00 min

Lab File: BM007875.D

Acq: 15 Nov 2016 03:04

Instrument :

BNA_M

ClientSampleId :

BD4M3


Tgt Ion: 94 Resp: 37797

Ion Ratio Lower Upper




94 100

65 31.9 23.9 35.9

66 46.6 33.5 50.3



Abundance Ion 94.00 (93.70 to 94.70): BM007875.D (-706) (-)



#44

Dimethylphthalate

Concen: 11.47 ng/ul

RT: 13.83 min Scan# 1911

Delta R.T. 0.00 min

Lab File: BM007875.D

Acq: 15 Nov 2016 03:04


Tgt Ion: 163 Resp: 348191

Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.2

164 10.1 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): BM007875.D (-1877) (-)

