

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111618\
 Data File : BM017679.D
 Acq On : 16 Nov 2018 14:18
 Operator : MJ/SJ
 Sample : J5959-02
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Nov 16 15:53:01 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM111218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 12 18:37:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.61	152	197836	20.00	ng	0.00
21) Naphthalene-d8	10.38	136	802854	20.00	ng	0.00
39) Acenaphthene-d10	14.26	164	462116	20.00	ng	0.00
64) Phenanthrene-d10	17.01	188	1092812	20.00	ng	0.00
76) Chrysene-d12	21.22	240	1108134	20.00	ng	0.00
87) Perylene-d12	23.41	264	980986	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.23	112	422414	36.03	ng	0.00
7) Phenol-d6	6.79	99	317892	19.42	ng	-0.01
23) Nitrobenzene-d5	8.76	82	1533380	98.60	ng	-0.01
42) 2,4,6-Tribromophenol	15.76	330	549433	82.75	ng	0.00
45) 2-Fluorobiphenyl	12.87	172	3577261	100.43	ng	0.00
79) Terphenyl-d14	19.66	244	4516833	92.38	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111618\
Data File : BM017679.D
Acq On : 16 Nov 2018 14:18
Operator : MJ/SJ
Sample : J5959-02
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Nov 16 15:53:01 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM111218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 12 18:37:25 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.61 min Scan# 786
Delta R.T. -0.01 min
Lab File: BM017679.D
Acq: 16 Nov 2018 14:18

Instrument :
BNA_M
ClientSampled :




Tot Ion	Ratio	Lower	Upper
152	100		
150	157.3	126.4	189.6
115	61.9	49.4	74.0




#5

2-Fluorophenol
Concen: 36.034 ng
RT: 5.23 min Scan# 382
Delta R.T. -0.01 min
Lab File: BM017679.D
Acq: 16 Nov 2018 14:18

Tgt Ion	Ratio	Lower	Upper
112	100		
64	60.2	49.3	73.9
63	34.2	26.2	39.4





#7

Phenol-d6

Concen: 19.416 ng

RT: 6.79 min Scan# 647

Delta R.T. -0.01 min

Lab File: BM017679.D

Acq: 16 Nov 2018 14:18

Instrument :

BNA_M

ClientSampled :


Tot Ion: 99 Resp: 317892

Ion Ratio Lower Upper

99 100

42 21.6 16.3 24.5

71 39.4 29.8 44.8






Abundance

Ion 99.00 (98.70 to 99.70): BM017679.D (-632) (-)

Ion 42.00 (41.70 to 42.70): BM017679.D (-632) (-)

Ion 71.00 (70.70 to 71.70): BM017679.D (-632) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.38 min Scan# 1257

Delta R.T. -0.01 min

Lab File: BM017679.D

Acq: 16 Nov 2018 14:18

Tgt Ion: 136 Resp: 802854


Ion Ratio Lower Upper

136 100

137 10.7 8.6 12.8

54 8.6 7.0 10.6

68 5.9 4.9 7.3





Abundance

Ion 136.00 (135.70 to 136.70): BM017679.D (-1241) (-)

Ion 137.00 (136.70 to 137.70): BM017679.D (-1241) (-)

Ion 54.00 (53.70 to 54.70): BM017679.D (-1241) (-)

Ion 68.00 (67.70 to 68.70): BM017679.D (-1241) (-)








#23
Nitrobenzene-d5
Concen: 98.600 ng
RT: 8.76 min Scan# 982
Delta R.T. -0.01 min
Lab File: BM017679.D
Acq: 16 Nov 2018 14:18




Instrument :
BNA_M
ClientSampled :

Tot Ion: 82 Resp: 1533380
Ion Ratio Lower Upper
82 100
128 40.5 33.0 49.4
54 50.9 41.4 62.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.26 min Scan# 1916
Delta R.T. -0.01 min
Lab File: BM017679.D
Acq: 16 Nov 2018 14:18

Tgt Ion:164 Resp: 462116
Ion Ratio Lower Upper
164 100
162 104.5 81.4 122.0
160 47.0 35.6 53.4





#42

2,4,6-Tribromophenol

Concen: 82.746 ng

RT: 15.76 min Scan# 2171

Delta R.T. -0.01 min

Lab File: BM017679.D

Acq: 16 Nov 2018 14:18

Instrument :

BNA_M

ClientSampleId :


Tot Ion:330 Resp: 549433

Ion Ratio Lower Upper

330 100

332 97.2 77.9 116.9




141 37.3 27.5 41.3



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 100.427 ng

RT: 12.87 min Scan# 1680

Delta R.T. -0.01 min

Lab File: BM017679.D

Acq: 16 Nov 2018 14:18


Tgt Ion:172 Resp: 3577261

Ion Ratio Lower Upper

172 100

171 35.4 28.7 43.1



170 22.8 18.3 27.5




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.01 min Scan# 2384
Delta R.T. -0.01 min
Lab File: BM017679.D
Acq: 16 Nov 2018 14:18

Instrument :
BNA_M
ClientSampled :

Tot Ion:188 Resp: 1092812
Ion Ratio Lower Upper
188 100
94 8.4 7.5 11.3
80 10.6 8.6 13.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM
Ion 80.00 (79.70 to 80.70): BM






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.22 min Scan# 3099
Delta R.T. -0.00 min
Lab File: BM017679.D
Acq: 16 Nov 2018 14:18

Tgt Ion:240 Resp: 1108134
Ion Ratio Lower Upper
240 100
120 9.7 8.5 12.7
236 25.5 20.4 30.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 92.381 ng

RT: 19.66 min Scan# 2834

Delta R.T. -0.00 min

Lab File: BM017679.D

Acq: 16 Nov 2018 14:18

Instrument :

BNA_M

ClientSampled :


Tot Ion:244 Resp: 4516833

Ion Ratio Lower Upper




244 100

212 7.4 5.8 8.6

122 10.2 9.0 13.6



Abundance Ion 244.00 (243.70 to 244.70): E
5000000
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.41 min Scan# 3472

Delta R.T. -0.00 min

Lab File: BM017679.D

Acq: 16 Nov 2018 14:18


Tgt Ion:264 Resp: 980986

Ion Ratio Lower Upper

264 100

260 23.2 18.2 27.2

265 21.8 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
600000
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

