

Data Path : Z:\HPCHEM1\BNA M\DATA\BM111717\
 Data File : BM012999.D
 Acq On : 17 Nov 2017 14:07
 Operator : SJ/JU
 Sample : I6361-16
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BE2R8

Quant Time: Nov 17 22:18:27 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111617.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Nov 17 22:17:15 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	158492	20.00	ng/ul	0.00
18) Naphthalene-d8	10.50	136	634203	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.36	164	374035	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.11	188	885205	20.00	ng/ul	0.00
75) Chrysene-d12	21.29	240	1014642	20.00	ng/ul	0.00
83) Perylene-d12	23.53	264	1003444	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.25	96	19420	5.68	ng/uL	0.00
5) Phenol-d5	6.89	99	58834	4.29	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	157867	20.26	ng/ul	0.00
9) 2-Chlorophenol-d4	7.26	132	179541	16.36	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	113437	10.09	ng/ul	0.00
19) Nitrobenzene-d5	8.87	128	110161	24.37	ng/ul	0.00
22) 2-Nitrophenol-d4	9.59	143	113337	26.36	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.12	165	203945	18.69	ng/ul	0.00
29) 4-Chloroaniline-d4	10.64	131	4260	0.37	ng/ul	0.00
43) Dimethylphthalate-d6	13.77	166	729477	22.23	ng/ul	0.00
46) Acenaphthylene-d8	14.05	160	895276	21.42	ng/ul	0.00
51) 4-Nitrophenol-d4	14.55	143	23477	4.72	ng/ul	0.00
57) Fluorene-d10	15.36	176	613897	22.02	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.47	200	84865	22.11	ng/ul	0.00
70) Anthracene-d10	17.20	188	972264	21.45	ng/ul	0.00
76) Pyrene-d10	19.50	212	1117538	21.56	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.39	264	1143349	22.47	ng/ul	0.00


Target Compounds					Ovalue
45) 2,6-Dinitrotoluene	13.78	165	4940	1.03 ng/ul#	24




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM111717\
Data File : BM012999.D
Acq On : 17 Nov 2017 14:07
Operator : SJ/JU
Sample : I6361-16
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BE2R8

Quant Time: Nov 17 22:18:27 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111617.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Nov 17 22:17:15 2017
Response via : Initial Calibration





#45

2,6-Dinitrotoluene

Concen: 1.03 ng/ul

RT: 13.78 min Scan# 1818

Delta R.T. -0.16 min

Lab File: BM012999.D

Acq: 17 Nov 2017 14:07

Instrument :

BNA_M

ClientSampleId :

BE2R8

Tot Ion:165 Resp: 4940

Ion Ratio Lower Upper

165 100

89 0.0 52.6 79.0#

121 40.1 14.6 22.0#

Abundance Ion 165.00 (164.70 to 165.70): E

Ion 89.00 (88.70 to 89.70): BM0

Ion 121.00 (120.70 to 121.70): E

