

Data Path : Z:\HPCHEM1\BNA M\DATA\BM111717\
 Data File : BM013006.D
 Acq On : 17 Nov 2017 19:04
 Operator : SJ/JU
 Sample : I6451-04
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BE2W7

Quant Time: Nov 17 23:32:21 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111617.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Nov 17 23:30:05 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	181064	20.00	ng/ul	0.00
18) Naphthalene-d8	10.50	136	732574	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.36	164	414080	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.10	188	877924	20.00	ng/ul	0.00
75) Chrysene-d12	21.29	240	832420	20.00	ng/ul	0.00
83) Perylene-d12	23.52	264	804905	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.25	96	21213	5.43	ng/uL	0.00
5) Phenol-d5	6.89	99	111361	7.10	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	308981	34.72	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	338135	26.97	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	214258	16.68	ng/ul	0.00
19) Nitrobenzene-d5	8.87	128	217153	41.59	ng/ul	0.00
22) 2-Nitrophenol-d4	9.59	143	221195	44.54	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.12	165	400988	31.81	ng/ul	0.00
29) 4-Chloroaniline-d4	10.64	131	4642	0.35	ng/ul	0.00
43) Dimethylphthalate-d6	13.77	166	1353105	37.25	ng/ul	0.00
46) Acenaphthylene-d8	14.05	160	1718809	37.14	ng/ul	0.00
51) 4-Nitrophenol-d4	14.55	143	33862	6.15	ng/ul	0.00
57) Fluorene-d10	15.36	176	1161038	37.61	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.47	200	153679	40.37	ng/ul	0.00
70) Anthracene-d10	17.20	188	1732699	38.55	ng/ul	0.00
76) Pyrene-d10	19.50	212	1734479	40.79	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.38	264	1648512	40.39	ng/ul	0.00


Target Compounds					Ovalue
45) 2,6-Dinitrotoluene	13.78	165	8815	1.66 ng/ul#	27




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM111717\
Data File : BM013006.D
Acq On : 17 Nov 2017 19:04
Operator : SJ/JU
Sample : I6451-04
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BE2W7

Quant Time: Nov 17 23:32:21 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111617.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Nov 17 23:30:05 2017
Response via : Initial Calibration





#45

2,6-Dinitrotoluene

Concen: 1.66 ng/ul

RT: 13.78 min Scan# 1818

Delta R.T. -0.16 min

Lab File: BM013006.D

Acq: 17 Nov 2017 19:04

Instrument :

BNA_M

ClientSampleId :

BE2W7

Tot Ion:165 Resp: 8815

Ion Ratio Lower Upper

165 100

89 0.0 52.6 79.0#

121 36.0 14.6 22.0#

Abundance Ion 165.00 (164.70 to 165.70): E

Ion 89.00 (88.70 to 89.70): BM0

Ion 121.00 (120.70 to 121.70): E

