

Data Path : Z:\HPCHEM1\BNA M\DATA\BM112017\  
 Data File : BM013071.D  
 Acq On : 21 Nov 2017 07:41  
 Operator : SJ/JU  
 Sample : I6405-19  
 Misc :  
 ALS Vial : 28 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 BE2W0

Manual Integrations  
 APPROVED

Sohil  
 11/22/2017 10:44:59 AM

Quant Time: Nov 21 14:11:07 2017  
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111617.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Tue Nov 21 07:39:32 2017  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.72  | 152  | 249044   | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.50 | 136  | 1106201  | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.35 | 164  | 662498   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.10 | 188  | 1434740  | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12          | 21.28 | 240  | 1143619  | 20.00 | ng/ul | 0.00     |
| 83) Perylene-d12          | 23.51 | 264  | 973945   | 20.00 | ng/ul | 0.00     |

## System Monitoring Compounds

|                                |       |     |         |       |       |       |
|--------------------------------|-------|-----|---------|-------|-------|-------|
| 3) 1,4-Dioxane-d8              | 3.25  | 96  | 34588   | 6.43  | ng/uL | 0.00  |
| 5) Phenol-d5                   | 6.89  | 99  | 195680  | 9.07  | ng/ul | 0.00  |
| 7) Bis-(2-Chloroethyl)ether-d  | 7.05  | 67  | 461308  | 37.69 | ng/ul | 0.00  |
| 9) 2-Chlorophenol-d4           | 7.25  | 132 | 560051  | 32.48 | ng/ul | 0.00  |
| 13) 4-Methylphenol-d8          | 8.42  | 113 | 388698  | 22.00 | ng/ul | 0.00  |
| 19) Nitrobenzene-d5            | 8.87  | 128 | 347782  | 44.11 | ng/ul | 0.00  |
| 22) 2-Nitrophenol-d4           | 9.58  | 143 | 396811  | 52.91 | ng/ul | 0.00  |
| 26) 2,4-Dichlorophenol-d3      | 10.12 | 165 | 701068  | 36.83 | ng/ul | 0.00  |
| 29) 4-Chloroaniline-d4         | 10.60 | 131 | 5789m   | 0.29  | ng/ul | -0.03 |
| 43) Dimethylphthalate-d6       | 13.77 | 166 | 2277867 | 39.20 | ng/ul | 0.00  |
| 46) Acenaphthylene-d8          | 14.04 | 160 | 2736627 | 36.96 | ng/ul | 0.00  |
| 51) 4-Nitrophenol-d4           | 14.57 | 143 | 79235   | 8.99  | ng/ul | 0.02  |
| 57) Fluorene-d10               | 15.35 | 176 | 1900178 | 38.48 | ng/ul | 0.00  |
| 62) 4,6-Dinitro-2-methylphenol | 15.47 | 200 | 289019  | 46.46 | ng/ul | 0.00  |
| 70) Anthracene-d10             | 17.20 | 188 | 2822976 | 38.43 | ng/ul | 0.00  |
| 76) Pyrene-d10                 | 19.49 | 212 | 2721427 | 46.58 | ng/ul | 0.00  |
| 87) Benzo(a)pyrene-d12         | 23.37 | 264 | 1990258 | 40.30 | ng/ul | 0.00  |

## Target Compounds

|                            |       |     |         |        | Ovalue |     |
|----------------------------|-------|-----|---------|--------|--------|-----|
| 2) 1,4-Dioxane             | 3.29  | 88  | 9967    | 1.687  | ng/uL# | 69  |
| 6) Phenol                  | 6.92  | 94  | 38505   | 1.808  | ng/ul# | 85  |
| 8) Bis(2-Chloroethyl)ether | 7.15  | 93  | 18744   | 1.169  | ng/ul  | 97  |
| 28) Naphthalene            | 10.55 | 128 | 2760535 | 48.431 | ng/ul  | 99  |
| 34) 2-Methylnaphthalene    | 12.16 | 142 | 322356  | 7.730  | ng/ul  | 99  |
| 49) Acenaphthene           | 14.42 | 153 | 165376  | 3.608  | ng/ul  | 100 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM112017\  
Data File : BM013071.D  
Acq On : 21 Nov 2017 07:41  
Operator : SJ/JU  
Sample : I6405-19  
Misc :  
ALS Vial : 28 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
BE2W0

Quant Time: Nov 21 14:11:07 2017  
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111617.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Tue Nov 21 07:39:32 2017  
Response via : Initial Calibration

Manual Integrations  
APPROVED

Sohil  
11/22/2017 10:44:59 AM

