

Data Path : V:\HPCHEM1\BNA M\DATA\BM112115\
 Data File : BM003264.D
 Acq On : 22 Nov 2015 00:40
 Operator : UM/IZ
 Sample : G4345-08
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4J50

Manual Integrations
 APPROVED

Mmdadoda
 11/23/2015 7:04:31 PM

Quant Time: Nov 23 13:09:09 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-SIM-BM111815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Nov 22 04:42:03 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.74	152	14349	0.40	ng/ul	0.00
4) Naphthalene-d8	10.53	136	57722	0.40	ng/ul	0.00
8) Acenaphthene-d10	14.38	164	33548	0.40	ng/ul	0.00
12) Phenanthrene-d10	17.12	188	64714m	0.40	ng/ul	0.00
18) Chrysene-d12	21.33	240	56686	0.40	ng/ul	0.00
22) Perylene-d12	23.59	264	40760m	0.40	ng/ul	0.00
System Monitoring Compounds						
2) 1,4-Dioxane-d8	3.20	96	80899	5.28	ng/uL	0.00
6) 2-Methylnaphthalene-d10	12.12	152	24820	0.32	ng/ul	0.00
16) Fluoranthene-d10	19.16	212	44188	0.28	ng/ul	0.00
Target Compounds						
13) Pentachlorophenol	16.78	266	636	0.04	ng/ul	Ovalue 94
14) Phenanthrene	17.16	178	8790m	0.05	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : V:\HPCHEM1\BNA M\DATA\BM112115\
Data File : BM003264.D
Acq On : 22 Nov 2015 00:40
Operator : UM/IZ
Sample : G4345-08
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A4J50

Manual Integrations
APPROVED

Mmdadoda
11/23/2015 7:04:31 PM

Quant Time: Nov 23 13:09:09 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-SIM-BM111815.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Nov 22 04:42:03 2015
Response via : Initial Calibration

