

Data Path : V:\HPCHEM1\BNA M\DATA\BM112115\
 Data File : BM003267.D
 Acq On : 22 Nov 2015 02:28
 Operator : UM/IZ
 Sample : G4345-11
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4J53

Manual Integrations
 APPROVED

Mmdadoda
 11/23/2015 7:04:33 PM

Quant Time: Nov 22 05:25:34 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-SIM-BM111815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Nov 22 04:42:03 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.74	152	12711	0.40	ng/ul	0.00
4) Naphthalene-d8	10.53	136	48753	0.40	ng/ul	0.00
8) Acenaphthene-d10	14.38	164	27244	0.40	ng/ul	0.00
12) Phenanthrene-d10	17.12	188	56817m	0.40	ng/ul	0.00
18) Chrysene-d12	21.32	240	55207	0.40	ng/ul	0.00
22) Perylene-d12	23.58	264	48349m	0.40	ng/ul	0.00
System Monitoring Compounds						
2) 1,4-Dioxane-d8	3.20	96	75229	5.54	ng/uL	0.00
6) 2-Methylnaphthalene-d10	12.12	152	18357	0.28	ng/ul	0.00
16) Fluoranthene-d10	19.17	212	33835	0.24	ng/ul	0.00
Target Compounds						
5) Naphthalene	10.57	128	3364	0.03	ng/ul#	86
13) Pentachlorophenol	16.78	266	622	0.05	ng/ul	95
14) Phenanthrene	17.16	178	7902m	0.05	ng/ul	
17) Fluoranthene	19.19	202	5396	0.03	ng/ul	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : V:\HPCHEM1\BNA M\DATA\BM112115\
Data File : BM003267.D
Acq On : 22 Nov 2015 02:28
Operator : UM/IZ
Sample : G4345-11
Misc :
ALS Vial : 27 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
A4J53

Manual Integrations
APPROVED

Mmdadoda
11/23/2015 7:04:33 PM

Quant Time: Nov 22 05:25:34 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-SIM-BM111815.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Nov 22 04:42:03 2015
Response via : Initial Calibration





#5

Naphthalene

Concen: 0.03 ng/ul

RT: 10.57 min Scan# 495

Delta R.T. -0.00 min

Lab File: BM003267.D

Acq: 22 Nov 2015 02:28

Instrument :

BNA_M


ClientSampleId :

A4J53




Manual Integrations
APPROVED

Mmdadoda

11/23/2015 7:04:33 PM



Tot Ion:	128	Resp:	3364
Ion Ratio	Lower	Upper	
128	100		
129	17.3	9.0	13.6#
127	17.1	9.6	14.4#



#13

Pentachlorophenol

Concen: 0.05 ng/ul




RT: 16.78 min Scan# 981


Delta R.T. -0.00 min

Lab File: BM003267.D

Acq: 22 Nov 2015 02:28

Tgt Ion:	266	Resp:	622
Ion Ratio	Lower	Upper	
266	100		
264	60.6	51.8	77.8
268	61.9	46.8	70.2





#14

Phenanthrene

Concen: 0.05 ng/ul m

RT: 17.16 min Scan# 1003

Delta R.T. -0.00 min

Lab File: BM003267.D

Acq: 22 Nov 2015 02:28

Instrument :

BNA_M


ClientSampleId :

A4J53



Manual Integrations
APPROVED

Mmdadoda

11/23/2015 7:04:33 PM



Tot Ion:	178	Resp:	7902
Ion	Ratio	Lower	Upper
178	100		
176	24.8	13.0	19.4#
179	19.2	14.2	21.2



#17

Fluoranthene

Concen: 0.03 ng/ul

RT: 19.19 min Scan# 1126

Delta R.T. -0.00 min

Lab File: BM003267.D

Acq: 22 Nov 2015 02:28

Tgt Ion:	202	Resp:	5396
Ion	Ratio	Lower	Upper
202	100		
101	13.9	0.0	29.6
203	21.0	0.0	36.3

