

Data Path : Z:\HPCHEM1\BNA_M\Data\BM112216\
 Data File : BM008022.D
 Acq On : 23 Nov 2016 07:41
 Operator : UM/SJ
 Sample : H5699-21
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4WE7

Quant Time: Nov 23 10:54:38 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM112116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 23 01:26:48 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.73	152	619	0.40	ng/ul	0.00
2) Naphthalene-d8	10.49	136	2129	0.40	ng/ul	-0.02
6) Acenaphthene-d10	14.35	164	1365	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.19	188	187764	0.40	ng/ul	0.09
16) Chrysene-d12	21.30	240	2656	0.40	ng/ul	0.00
20) Perylene-d12	23.39	264	154263	0.40	ng/ul	-0.16
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.11	152	904	0.30	ng/ul	0.00
14) Fluoranthene-d10	19.13	212	2211	0.00	ng/ul	-0.01
Target Compounds						
17) Pyrene	19.50	202	389	0.04	ng/ul#	Qvalue 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\Data\BM112216\
Data File : BM008022.D
Acq On : 23 Nov 2016 07:41
Operator : UM/SJ
Sample : H5699-21
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A4WE7

Quant Time: Nov 23 10:54:38 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM112116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 23 01:26:48 2016
Response via : Initial Calibration

