

Data Path : Z:\HPCHEM1\BNA M\DATA\BM112217\
 Data File : BM013091.D
 Acq On : 22 Nov 2017 18:32
 Operator : SJ/JU
 Sample : I6514-02
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0AB3

Manual Integrations
 APPROVED

Sohil
 11/27/2017 3:23:42 PM

Quant Time: Nov 23 06:29:24 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111617.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Nov 23 06:16:43 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	209235	20.00	ng/ul	0.00
18) Naphthalene-d8	10.49	136	913664	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.35	164	543419	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.10	188	1169345	20.00	ng/ul	0.00
75) Chrysene-d12	21.28	240	943884	20.00	ng/ul	0.00
83) Perylene-d12	23.51	264	818891	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.25	96	35111m	7.77	ng/uL	0.00
5) Phenol-d5	6.89	99	293461	16.19	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.05	67	194032	18.87	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	256168	17.68	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	174468	11.75	ng/ul	0.00
19) Nitrobenzene-d5	8.86	128	133759	20.54	ng/ul	0.00
22) 2-Nitrophenol-d4	9.58	143	140806	22.73	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.12	165	259735	16.52	ng/ul	0.00
29) 4-Chloroaniline-d4	10.64	131	35013	2.13	ng/ul	0.00
43) Dimethylphthalate-d6	13.77	166	899422	18.87	ng/ul	0.00
46) Acenaphthylene-d8	14.04	160	1067946	17.58	ng/ul	0.00
51) 4-Nitrophenol-d4	14.56	143	96344	13.33	ng/ul	0.00
57) Fluorene-d10	15.35	176	749178	18.49	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.46	200	92864	18.32	ng/ul	0.00
70) Anthracene-d10	17.20	188	1116769	18.66	ng/ul	0.00
76) Pyrene-d10	19.49	212	1009289	20.93	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.37	264	741866	17.87	ng/ul	0.00
Target Compounds						
6) Phenol	6.92	94	33808	1.890	ng/ul#	84
44) Dimethylphthalate	13.81	163	134278	2.946	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA M\DATA\BM112217\
Data File : BM013091.D
Acq On : 22 Nov 2017 18:32
Operator : SJ/JU
Sample : I6514-02
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
C0AB3

Quant Time: Nov 23 06:29:24 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111617.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Nov 23 06:16:43 2017
Response via : Initial Calibration

Manual Integrations
APPROVED

Sohil
11/27/2017 3:23:42 PM





#6

Phenol

Concen: 1.890 ng/ul

RT: 6.92 min Scan# 651

Delta R.T. 0.00 min

Lab File: BM013091.D

Acq: 22 Nov 2017 18:32

Instrument :

BNA_M

ClientSampled :

C0AB3

Tot Ion: 94 Resp: 33808

Ion Ratio Lower Upper

94 100

65 27.6 28.2 42.4#





66 45.2 47.2 70.8#

Manual Integrations

APPROVED

Sohil

11/27/2017 3:23:42 PM



#44

Dimethylphthalate

Concen: 2.946 ng/ul

RT: 13.81 min Scan# 1823

Delta R.T. -0.01 min

Lab File: BM013091.D

Acq: 22 Nov 2017 18:32

Tgt Ion: 163 Resp: 134278

Ion Ratio Lower Upper

163 100

194 3.9 3.5 5.3

164 9.4 8.2 12.4

