

Data Path : Z:\HPCHEM1\BNA M\DATA\BM112316\
 Data File : BM008072.D
 Acq On : 24 Nov 2016 13:53
 Operator : UM/SJ
 Sample : H5701-06
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4WD0

Manual Integrations
 APPROVED

Umangi
 11/28/2016 5:29:47 PM

Quant Time: Nov 28 11:07:08 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM112116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 25 01:27:01 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	724	0.40	ng/ul	-0.02
2) Naphthalene-d8	10.49	136	2515	0.40	ng/ul	-0.01
6) Acenaphthene-d10	14.35	164	1487	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.09	188	2842	0.40	ng/ul	-0.02
16) Chrysene-d12	21.29	240	2893	0.40	ng/ul	0.00
20) Perylene-d12	23.52	264	2483m	0.40	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
4) 2-Methylnaphthalene-d10	12.10	152	560	0.16	ng/ul	0.00
14) Fluoranthene-d10	19.13	212	1286	0.16	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
7) Acenaphthylene	14.06	152	994	0.15	ng/ul#	90
12) Phenanthrene	17.12	178	2151	0.24	ng/ul	98
13) Anthracene	17.23	178	651m	0.08	ng/ul	
15) Fluoranthene	19.16	202	6731	0.59	ng/ul	95
17) Pyrene	19.52	202	6570	0.65	ng/ul	98
18) Benzo(a)anthracene	21.27	228	3707m	0.42	ng/ul	
19) Chrysene	21.32	228	4339	0.39	ng/ul	95
21) Benzo(b)fluoranthene	22.86	252	6052m	0.61	ng/ul	
22) Benzo(k)fluoranthene	22.89	252	2175m	0.21	ng/ul	
23) Benzo(a)pyrene	23.42	252	4182m	0.45	ng/ul	
24) Indeno(1,2,3-cd)pyrene	25.78	276	2947m	0.26	ng/ul	
25) Dibenzo(a,h)anthracene	25.78	278	941m	0.10	ng/ul	
26) Benzo(g,h,i)perylene	26.46	276	2541m	0.25	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM112316\
Data File : BM008072.D
Acq On : 24 Nov 2016 13:53
Operator : UM/SJ
Sample : H5701-06
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A4WD0

Manual Integrations
APPROVED

Umangi
11/28/2016 5:29:47 PM

Quant Time: Nov 28 11:07:08 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM112116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 25 01:27:01 2016
Response via : Initial Calibration

