

Data Path : Z:\HPCHEM1\BNA M\DATA\BM112717\
 Data File : BM013109.D
 Acq On : 27 Nov 2017 13:34
 Operator : SJ/JU
 Sample : I6496-09
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Nov 28 00:48:15 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111617.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Nov 28 00:44:11 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	217349	20.00	ng/ul	0.00
18) Naphthalene-d8	10.49	136	943084	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.35	164	541661	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.10	188	1180748	20.00	ng/ul	0.00
75) Chrysene-d12	21.28	240	1101050	20.00	ng/ul	0.00
83) Perylene-d12	23.51	264	958315	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.25	96	19150	4.08	ng/uL	0.00
5) Phenol-d5	6.90	99	517695	27.50	ng/ul	0.02
7) Bis-(2-Chloroethyl)ether-d	7.05	67	279578	26.17	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	422795	28.10	ng/ul	0.00
13) 4-Methylphenol-d8	8.43	113	437270	28.35	ng/ul	0.01
19) Nitrobenzene-d5	8.86	128	194126	28.88	ng/ul	0.00
22) 2-Nitrophenol-d4	9.58	143	215787	33.75	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.13	165	429655	26.47	ng/ul	0.01
29) 4-Chloroaniline-d4	10.63	131	480547	28.32	ng/ul	0.00
43) Dimethylphthalate-d6	13.76	166	1290907	27.17	ng/ul	0.00
46) Acenaphthylene-d8	14.04	160	1577889	26.06	ng/ul	0.00
51) 4-Nitrophenol-d4	14.58	143	205759	28.55	ng/ul	0.02
57) Fluorene-d10	15.34	176	1073123	26.58	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.46	200	36558	7.14	ng/ul	0.00
70) Anthracene-d10	17.19	188	1687247	27.91	ng/ul	0.00
76) Pyrene-d10	19.49	212	1813660	32.24	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.37	264	1434157	29.51	ng/ul	0.00

Target Compounds


						Ovalue
6) Phenol	6.93	94	85813	4.62	ng/ul#	85
44) Dimethylphthalate	13.81	163	229456	5.05	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM112717\
Data File : BM013109.D
Acq On : 27 Nov 2017 13:34
Operator : SJ/JU
Sample : I6496-09
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Nov 28 00:48:15 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111617.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Nov 28 00:44:11 2017
Response via : Initial Calibration





#6

Phenol

Concen: 4.62 ng/ul

RT: 6.93 min Scan# 653

Delta R.T. 0.02 min

Lab File: BM013109.D

Acq: 27 Nov 2017 13:34

Instrument :

BNA_M

ClientSampleId :


Tot Ion: 94 Resp: 85813

Ion Ratio Lower Upper

94 100

65 31.6 28.2 42.4




66 44.4 47.2 70.8#



Abundance Ion 94.00 (93.70 to 94.70): BM013105.D (-643) (-)

Ion 65.00 (64.70 to 65.70): BM013105.D (-643) (-)

Ion 66.00 (65.70 to 66.70): BM013105.D (-643) (-)



#44

Dimethylphthalate

Concen: 5.05 ng/ul

RT: 13.81 min Scan# 1823

Delta R.T. -0.00 min

Lab File: BM013109.D

Acq: 27 Nov 2017 13:34


Tgt Ion:163 Resp: 229456

Ion Ratio Lower Upper

163 100

194 4.4 3.5 5.3

164 11.3 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): BM013105.D (-1817) (-)

Ion 194.00 (193.70 to 194.70): BM013105.D (-1817) (-)

Ion 164.00 (163.70 to 164.70): BM013105.D (-1817) (-)

