

Data Path : Z:\HPCHEM1\BNA M\DATA\BM112817\
 Data File : BM013139.D
 Acq On : 28 Nov 2017 16:46
 Operator : SJ/JU
 Sample : I6556-02
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 B0GC4

Quant Time: Nov 29 03:46:10 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111617.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Nov 29 03:43:23 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	176193	20.00	ng/ul	0.00
18) Naphthalene-d8	10.49	136	802633	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.34	164	523831	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.09	188	1238306	20.00	ng/ul	0.00
75) Chrysene-d12	21.27	240	1478163	20.00	ng/ul	0.00
83) Perylene-d12	23.50	264	1406069	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.25	96	13455	3.54	ng/uL	0.00
5) Phenol-d5	6.89	99	309185	20.26	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.05	67	192589	22.24	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	253458	20.78	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	271340	21.70	ng/ul	0.00
19) Nitrobenzene-d5	8.86	128	140857	24.62	ng/ul	0.00
22) 2-Nitrophenol-d4	9.57	143	153960	28.29	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.11	165	277390	20.08	ng/ul	0.00
29) 4-Chloroaniline-d4	10.63	131	389142	26.94	ng/ul	0.00
43) Dimethylphthalate-d6	13.76	166	1102203	23.99	ng/ul	0.00
46) Acenaphthylene-d8	14.03	160	1286691	21.98	ng/ul	0.00
51) 4-Nitrophenol-d4	14.56	143	145596	20.89	ng/ul	0.00
57) Fluorene-d10	15.34	176	920974	23.59	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.46	200	148267	27.61	ng/ul	0.00
70) Anthracene-d10	17.19	188	1503457	23.72	ng/ul	0.00
76) Pyrene-d10	19.49	212	1678340	22.23	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.36	264	1712617	24.02	ng/ul	0.00

Target Compounds


						Ovalue
6) Phenol	6.91	94	34737	2.31	ng/ul	94
44) Dimethylphthalate	13.80	163	155979	3.55	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM112817\
Data File : BM013139.D
Acq On : 28 Nov 2017 16:46
Operator : SJ/JU
Sample : I6556-02
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
B0GC4

Quant Time: Nov 29 03:46:10 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM111617.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Nov 29 03:43:23 2017
Response via : Initial Calibration





#6

Phenol

Concen: 2.31 ng/ul

RT: 6.91 min Scan# 650

Delta R.T. -0.01 min

Lab File: BM013139.D

Acq: 28 Nov 2017 16:46

Instrument :


BNA_M

ClientSampleId :

B0GC4

Tot Ion: 94 Resp: 34737

Ion	Ratio	Lower	Upper
94	100		
65	31.8	28.2	42.4
66	55.1	47.2	70.8





Abundance

Ion 94.00 (93.70 to 94.70): BM013136.D (-644) (-)

Ion 65.00 (64.70 to 65.70): BM013136.D (-644) (-)

Ion 66.00 (65.70 to 66.70): BM013136.D (-644) (-)



#44

Dimethylphthalate

Concen: 3.55 ng/ul

RT: 13.80 min Scan# 1822

Delta R.T. -0.01 min

Lab File: BM013139.D

Acq: 28 Nov 2017 16:46

Tgt Ion:163 Resp: 155979

Ion	Ratio	Lower	Upper
163	100		
194	3.7	3.5	5.3
164	10.0	8.2	12.4

