

Data File : BM017780.D
Acq On : 28 Nov 2018 20:32
Operator : JU/SJ
Sample : J5979-02
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
ETO65

Quant Time: Nov 29 00:58:54 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Nov 29 00:55:29 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	179827	20.00	ng/ul	0.00
18) Naphthalene-d8	10.36	136	810303	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.23	164	499345	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.99	188	1142104	20.00	ng/ul	0.00
77) Chrysene-d12	21.20	240	1210299	20.00	ng/ul	0.00
85) Perylene-d12	23.38	264	1105692	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.19	96	19117	4.87	ng/uL	0.00
5) Phenol-d5	6.77	99	341358	20.78	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.94	67	249230	25.17	ng/ul	0.00
9) 2-Chlorophenol-d4	7.13	132	293500	22.84	ng/ul	0.00
13) 4-Methylphenol-d8	8.30	113	282885	21.08	ng/ul	0.00
19) Nitrobenzene-d5	8.75	128	151134	24.28	ng/ul	0.00
22) 2-Nitrophenol-d4	9.46	143	158556	22.23	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.99	165	263408	19.40	ng/ul	0.00
29) 4-Chloroaniline-d4	10.52	131	381582	32.75	ng/ul	0.00
43) Dimethylphthalate-d6	13.66	166	1135569	26.21	ng/ul	0.00
46) Acenaphthylene-d8	13.93	160	1178731	22.48	ng/ul	0.00
51) 4-Nitrophenol-d4	14.47	143	92785	11.78	ng/ul	0.00
57) Fluorene-d10	15.23	176	915738	24.48	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.37	200	122355	14.99	ng/ul	0.00
70) Anthracene-d10	17.09	188	1351923	23.78	ng/ul	0.00
78) Pyrene-d10	19.39	212	1494925	25.53	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.24	264	1360587	22.69	ng/ul	0.00


Target Compounds					Qvalue
6) Phenol	6.80	94	51633	3.150 ng/ul	93
44) Dimethylphthalate	13.70	163	180195	4.293 ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BM017780.D
Acq On : 28 Nov 2018 20:32
Operator : JU/SJ
Sample : J5979-02
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
ETO65

Quant Time: Nov 29 00:58:54 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Nov 29 00:55:29 2018
Response via : Initial Calibration





#6

Phenol

Concen: 3.150 ng/ul

RT: 6.80 min Scan# 648

Delta R.T. -0.01 min

Lab File: BM017780.D

Acq: 28 Nov 2018 20:32

Instrument :

BNA_M

ClientSampleId :

ETO65


Tgt Ion: 94 Resp: 51633

Ion Ratio Lower Upper

94 100

65 31.2 24.7 37.1




66 51.0 34.6 51.8



Abundance Ion 94.00 (93.70 to 94.70): BM017777.D (-642) (-)

Ion 65.00 (64.70 to 65.70): BM017777.D (-642) (-)

Ion 66.00 (65.70 to 66.70): BM017777.D (-642) (-)



#44

Dimethylphthalate

Concen: 4.293 ng/ul

RT: 13.70 min Scan# 1822

Delta R.T. 0.00 min

Lab File: BM017780.D

Acq: 28 Nov 2018 20:32


Tgt Ion: 163 Resp: 180195

Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.0

164 10.6 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): BM017777.D (-1816) (-)

Ion 194.00 (193.70 to 194.70): BM017777.D (-1816) (-)

Ion 164.00 (163.70 to 164.70): BM017777.D (-1816) (-)

