

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM113023\
 Data File : BM043164.D
 Acq On : 02 Dec 2023 17:38
 Operator : MA/JU
 Sample : PB157359BS
 Misc :
 ALS Vial : 83 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SLCS359

Quant Time: Dec 02 23:55:18 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM112423.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 02 23:54:55 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.847	152	860	0.400	ng/ul	-0.02
4) Naphthalene-d8	10.633	136	2683	0.400	ng/ul	# 0.00
9) Acenaphthene-d10	14.454	164	1487	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.228	188	3087	0.400	ng/ul	0.00
17) Chrysene-d12	21.412	240	1863	0.400	ng/ul	0.00
23) Perylene-d12	23.765	264	2315	0.400	ng/ul	# 0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.160	96	857	0.649	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.233	152	1327	0.370	ng/ul	-0.01
18) Fluoranthene-d10	19.252	212	2674	0.394	ng/ul	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.193	88	2476	1.747	ng/ul#	84
5) Naphthalene	10.677	128	2572	0.353	ng/ul	96
7) 2-Methylnaphthalene	12.310	142	1490	0.346	ng/ul	99
8) 1-Methylnaphthalene	12.508	142	1581	0.330	ng/ul	96
10) Acenaphthylene	14.191	152	2596	0.342	ng/ul	97
11) Acenaphthene	14.515	153	2013	0.350	ng/ul	94
12) Fluorene	15.528	166	2080	0.352	ng/ul	97
14) Pentachlorophenol	16.882	266	491	0.588	ng/ul	97
15) Phenanthrene	17.271	178	3004	0.341	ng/ul	100
16) Anthracene	17.380	178	2860	0.343	ng/ul	98
19) Fluoranthene	19.284	202	3895	0.369	ng/ul	97
20) Pyrene	19.647	202	4118	0.367	ng/ul	99
21) Benzo(a)anthracene	21.400	228	2280	0.377	ng/ul	98
22) Chrysene	21.447	228	4130	0.367	ng/ul	98
24) Benzo(b)fluoranthene	23.037	252	3163	0.405	ng/ul	97
25) Benzo(k)fluoranthene	23.086	252	4205	0.391	ng/ul	97
26) Benzo(a)pyrene	23.671	252	3122	0.366	ng/ul	95
27) Indeno(1,2,3-cd)pyrene	26.229	276	4420	0.383	ng/ul#	100
28) Dibenzo(a,h)anthracene	26.259	278	3415	0.383	ng/ul	95
29) Benzo(g,h,i)perylene	26.986	276	4239	0.378	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM113023\
Data File : BM043164.D
Acq On : 02 Dec 2023 17:38
Operator : MA/JU
Sample : PB157359BS
Misc :
ALS Vial : 83 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SLCS359


Quant Time: Dec 02 23:55:18 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM112423.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Dec 02 23:54:55 2023
Response via : Initial Calibration








#2
1,4-Dioxane
Concen: 1.747 ng/ul
RT: 3.193 min Scan# 50
Delta R.T. -0.000 min
Lab File: BM043164.D
Acq: 02 Dec 2023 17:38


Instrument :
BNA_M
ClientSampleId :
SLCS359





Tgt Ion: 88 Resp: 2476
Ion Ratio Lower Upper
88 100
43 28.1 22.8 34.2
58 50.3 26.8 40.2#




#5
Naphthalene
Concen: 0.353 ng/ul
RT: 10.677 min Scan# 1790
Delta R.T. -0.011 min
Lab File: BM043164.D
Acq: 02 Dec 2023 17:38



Tgt Ion: 128 Resp: 2572
Ion Ratio Lower Upper
128 100
129 17.3 16.0 24.0
127 19.5 16.5 24.7









#7
2-Methylnaphthalene
Concen: 0.346 ng/ul
RT: 12.310 min Scan# 2085
Delta R.T. -0.006 min
Lab File: BM043164.D
Acq: 02 Dec 2023 17:38




Instrument :
BNA_M
ClientSampleId :
SLCS359


Tgt Ion:142 Resp: 1490
Ion Ratio Lower Upper
142 100
141 94.4 76.1 114.1



#8
1-Methylnaphthalene
Concen: 0.330 ng/ul
RT: 12.508 min Scan# 2123
Delta R.T. -0.000 min
Lab File: BM043164.D
Acq: 02 Dec 2023 17:38

Tgt Ion:142 Resp: 1581
Ion Ratio Lower Upper
142 100
141 96.0 73.8 110.8









#10
Acenaphthylene
Concen: 0.342 ng/ul
RT: 14.191 min Scan# 2456
Delta R.T. -0.000 min
Lab File: BM043164.D
Acq: 02 Dec 2023 17:38




Instrument :
BNA_M
ClientSampleId :
SLCS359


Tgt Ion:152	Resp:	2596
Ion Ratio	Lower	Upper
152	100	
151	24.9	19.4 29.0
153	16.2	14.6 21.8



#11
Acenaphthene
Concen: 0.350 ng/ul
RT: 14.515 min Scan# 2526
Delta R.T. -0.005 min
Lab File: BM043164.D
Acq: 02 Dec 2023 17:38

Tgt Ion:153	Resp:	2013
Ion Ratio	Lower	Upper
153	100	
152	52.5	43.9 65.9
154	81.5	70.6 105.8









#12
 Fluorene
 Concen: 0.352 ng/ul
 RT: 15.528 min Scan# 21
 Delta R.T. -0.005 min
 Lab File: BM043164.D
 Acq: 02 Dec 2023 17:38




Instrument :
 BNA_M
 ClientSampleId :
 SLCS359


Tgt Ion:	166	Resp:	2080
Ion Ratio	Lower	Upper	
166	100		
165	102.7	79.9	119.9
167	19.7	14.2	21.4



#14
 Pentachlorophenol
 Concen: 0.588 ng/ul
 RT: 16.882 min Scan# 3056
 Delta R.T. -0.025 min
 Lab File: BM043164.D
 Acq: 02 Dec 2023 17:38

Tgt Ion:	266	Resp:	491
Ion Ratio	Lower	Upper	
266	100		
264	60.7	48.8	73.2
268	69.7	51.8	77.6





#15

Phenanthrene

Concen: 0.341 ng/ul

RT: 17.271 min Scan# 3148

Delta R.T. -0.004 min

Lab File: BM043164.D

Acq: 02 Dec 2023 17:38

Instrument :

BNA_M

ClientSampleId :

SLCS359





Tgt Ion:178 Resp: 3004

Ion Ratio Lower Upper

178 100

179 19.7 15.7 23.5

176 23.4 18.9 28.3



#16

Anthracene

Concen: 0.343 ng/ul

RT: 17.380 min Scan# 3174

Delta R.T. -0.004 min

Lab File: BM043164.D

Acq: 02 Dec 2023 17:38




Tgt Ion:178 Resp: 2860


Ion Ratio Lower Upper

178 100

179 22.8 17.3 25.9

176 25.0 20.5 30.7





#19

Fluoranthene

Concen: 0.369 ng/ul

RT: 19.284 min Scan# 3607

Delta R.T. 0.004 min

Lab File: BM043164.D

Acq: 02 Dec 2023 17:38

Instrument :

BNA_M

ClientSampleId :

SLCS359





Tgt Ion:202 Resp: 3895

Ion Ratio Lower Upper

202 100

101 8.7 7.8 11.8

100 8.1 7.1 10.7



#20

Pyrene

Concen: 0.367 ng/ul

RT: 19.647 min Scan# 3686

Delta R.T. -0.000 min

Lab File: BM043164.D

Acq: 02 Dec 2023 17:38




Tgt Ion:202 Resp: 4118


Ion Ratio Lower Upper

202 100

101 10.5 8.7 13.1

100 9.2 7.8 11.8









#21
Benzo(a)anthracene
Concen: 0.377 ng/ul
RT: 21.400 min Scan# 4177
Delta R.T. -0.000 min
Lab File: BM043164.D
Acq: 02 Dec 2023 17:38




Instrument :
BNA_M
ClientSampleId :
SLCS359


Tgt Ion:228	Resp:	2280
Ion Ratio	Lower	Upper
228	100	
229	22.3	19.4 29.0
226	31.2	24.9 37.3



#22
Chrysene
Concen: 0.367 ng/ul
RT: 21.447 min Scan# 4193
Delta R.T. -0.000 min
Lab File: BM043164.D
Acq: 02 Dec 2023 17:38

Tgt Ion:228	Resp:	4130
Ion Ratio	Lower	Upper
228	100	
226	32.7	27.2 40.8
229	22.0	18.0 27.0





#24

Benzo(b)fluoranthene

Concen: 0.405 ng/ul

RT: 23.037 min Scan# 4737

Delta R.T. -0.000 min

Lab File: BM043164.D

Acq: 02 Dec 2023 17:38

Instrument :

BNA_M

ClientSampleId :

SLCS359





Tgt Ion:252 Resp: 3163

Ion Ratio Lower Upper

252 100

253 34.0 0.0 71.8

125 14.0 0.0 29.0



#25

Benzo(k)fluoranthene

Concen: 0.391 ng/ul

RT: 23.086 min Scan# 4754

Delta R.T. 0.003 min

Lab File: BM043164.D

Acq: 02 Dec 2023 17:38




Tgt Ion:252 Resp: 4205


Ion Ratio Lower Upper

252 100

253 33.5 28.2 42.2

125 14.8 11.0 16.6





#26

Benzo(a)pyrene

Concen: 0.366 ng/ul

RT: 23.671 min Scan# 4954

Delta R.T. -0.000 min

Lab File: BM043164.D

Acq: 02 Dec 2023 17:38

Instrument :

BNM

ClientSampleId :

SLCS359





Tgt Ion:252 Resp: 3122

Ion Ratio Lower Upper

252 100

253 41.9 36.6 55.0

125 18.8 16.2 24.4



#27

Indeno(1,2,3-cd)pyrene

Concen: 0.383 ng/ul

RT: 26.229 min Scan# 5775

Delta R.T. -0.010 min

Lab File: BM043164.D

Acq: 02 Dec 2023 17:38




Tgt Ion:276 Resp: 4420


Ion Ratio Lower Upper

276 100

138 0.0 0.0 0.0

227 0.3 0.2 0.2#









#28
 Dibenzo(a,h)anthracene
 Concen: 0.383 ng/ul
 RT: 26.259 min Scan# 5781
 Delta R.T. -0.004 min
 Lab File: BM043164.D
 Acq: 02 Dec 2023 17:38

Instrument :
 BNA_M
 ClientSampleId :
 SLCS359

Tgt Ion:	278	Resp:	3415
Ion Ratio	Lower	Upper	
278	100		
139	20.2	18.1	27.1
279	39.9	34.4	51.6



#29
 Benzo(g,h,i)perylene
 Concen: 0.378 ng/ul
 RT: 26.986 min Scan# 6001
 Delta R.T. 0.007 min
 Lab File: BM043164.D
 Acq: 02 Dec 2023 17:38

Tgt Ion:	276	Resp:	4239
Ion Ratio	Lower	Upper	
276	100		
138	21.2	17.8	26.8
277	28.1	23.8	35.8

