

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA M\DATA\BM120417\
 Data File : BM013164.D
 Acq On : 04 Dec 2017 13:39
 Operator : SJ/JU
 Sample : I6646-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0268

Quant Time: Dec 05 04:21:14 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 05 04:17:47 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	210589	20.00	ng/ul	0.00
18) Naphthalene-d8	10.48	136	907696	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.34	164	550789	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.09	188	1305664	20.00	ng/ul	0.00
75) Chrysene-d12	21.27	240	1463709	20.00	ng/ul	0.00
83) Perylene-d12	23.50	264	1281142	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.25	96	17252	4.06	ng/uL	0.00
5) Phenol-d5	6.88	99	347321	19.06	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.05	67	224868	21.64	ng/ul	0.00
9) 2-Chlorophenol-d4	7.24	132	294309	20.67	ng/ul	0.00
13) 4-Methylphenol-d8	8.41	113	278288	17.88	ng/ul	0.00
19) Nitrobenzene-d5	8.86	128	161730	22.47	ng/ul	0.00
22) 2-Nitrophenol-d4	9.57	143	167988	21.80	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.10	165	306329	19.30	ng/ul	0.00
29) 4-Chloroaniline-d4	10.62	131	373201	25.58	ng/ul	0.00
43) Dimethylphthalate-d6	13.76	166	1156028	23.59	ng/ul	0.00
46) Acenaphthylene-d8	14.03	160	1356240	22.42	ng/ul	0.00
51) 4-Nitrophenol-d4	14.55	143	154350	18.13	ng/ul	0.00
57) Fluorene-d10	15.34	176	963160	22.85	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.46	200	160920	19.59	ng/ul	0.00
70) Anthracene-d10	17.19	188	1555274	23.78	ng/ul	0.00
76) Pyrene-d10	19.48	212	1751356	24.02	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.36	264	1517091	23.25	ng/ul	0.00

Target Compounds


					Ovalue	
6) Phenol	6.91	94	42965	2.385	ng/ul#	82
44) Dimethylphthalate	13.80	163	160421	3.422	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA M\DATA\BM120417\
Data File : BM013164.D
Acq On : 04 Dec 2017 13:39
Operator : SJ/JU
Sample : I6646-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampled :
C0268

Quant Time: Dec 05 04:21:14 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 05 04:17:47 2017
Response via : Initial Calibration





#6

Phenol

Concen: 2.385 ng/ul

RT: 6.91 min Scan# 650

Delta R.T. -0.00 min

Lab File: BM013164.D

Acq: 04 Dec 2017 13:39

Instrument :

BNA_M

ClientSampleId :

C0268


Tot Ion: 94 Resp: 42965

Ion Ratio Lower Upper

94 100

65 31.2 28.2 42.4




66 40.8 47.2 70.8#



Abundance Ion 94.00 (93.70 to 94.70): BM013159.D (-643) (-)

Ion 65.00 (64.70 to 65.70): BM013159.D (-643) (-)

Ion 66.00 (65.70 to 66.70): BM013159.D (-643) (-)



#44

Dimethylphthalate

Concen: 3.422 ng/ul

RT: 13.80 min Scan# 1822

Delta R.T. -0.00 min

Lab File: BM013164.D

Acq: 04 Dec 2017 13:39


Tgt Ion:163 Resp: 160421

Ion Ratio Lower Upper

163 100

194 3.5 3.5 5.3

164 9.7 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): BM013159.D (-1815) (-)

Ion 194.00 (193.70 to 194.70): BM013159.D (-1815) (-)

Ion 164.00 (163.70 to 164.70): BM013159.D (-1815) (-)

