

Data Path : Z:\HPCHEM1\BNA M\DATA\BM120717\  
 Data File : BM013248.D  
 Acq On : 07 Dec 2017 18:04  
 Operator : SJ/JU  
 Sample : I6719-11  
 Misc :  
 ALS Vial : 10 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 JHPG6

Quant Time: Dec 08 03:57:19 2017  
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Fri Dec 08 03:46:15 2017  
 Response via : Initial Calibration


| Internal Standards             | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|--------------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4      | 7.70  | 152  | 209479   | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8             | 10.48 | 136  | 831904   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10           | 14.34 | 164  | 441555   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10           | 17.09 | 188  | 907030   | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12               | 21.28 | 240  | 837026   | 20.00 | ng/ul | 0.00     |
| 83) Perylene-d12               | 23.52 | 264  | 876279   | 20.00 | ng/ul | 0.00     |
| System Monitoring Compounds    |       |      |          |       |       |          |
| 3) 1,4-Dioxane-d8              | 3.25  | 96   | 24171    | 5.71  | ng/uL | 0.00     |
| 5) Phenol-d5                   | 6.88  | 99   | 570597   | 31.48 | ng/ul | 0.00     |
| 7) Bis-(2-Chloroethyl)ether-d  | 7.04  | 67   | 344060   | 33.28 | ng/ul | 0.00     |
| 9) 2-Chlorophenol-d4           | 7.23  | 132  | 493915   | 34.87 | ng/ul | 0.00     |
| 13) 4-Methylphenol-d8          | 8.41  | 113  | 487838   | 31.51 | ng/ul | 0.00     |
| 19) Nitrobenzene-d5            | 8.85  | 128  | 244438   | 37.05 | ng/ul | 0.00     |
| 22) 2-Nitrophenol-d4           | 9.57  | 143  | 265632   | 37.62 | ng/ul | 0.00     |
| 26) 2,4-Dichlorophenol-d3      | 10.10 | 165  | 480039   | 32.99 | ng/ul | 0.00     |
| 29) 4-Chloroaniline-d4         | 10.62 | 131  | 621968   | 46.51 | ng/ul | 0.00     |
| 43) Dimethylphthalate-d6       | 13.76 | 166  | 1335076  | 33.98 | ng/ul | 0.00     |
| 46) Acenaphthylene-d8          | 14.03 | 160  | 1730488  | 35.69 | ng/ul | 0.00     |
| 51) 4-Nitrophenol-d4           | 14.56 | 143  | 152933   | 22.40 | ng/ul | 0.00     |
| 57) Fluorene-d10               | 15.34 | 176  | 1103317  | 32.65 | ng/ul | 0.00     |
| 62) 4,6-Dinitro-2-methylphenol | 15.46 | 200  | 105083   | 18.42 | ng/ul | 0.00     |
| 70) Anthracene-d10             | 17.19 | 188  | 1636120  | 36.02 | ng/ul | 0.00     |
| 76) Pyrene-d10                 | 19.49 | 212  | 1702309  | 40.82 | ng/ul | 0.00     |
| 87) Benzo(a)pyrene-d12         | 23.37 | 264  | 1609024  | 36.05 | ng/ul | 0.00     |
| Target Compounds               |       |      |          |       |       |          |
| 6) Phenol                      | 6.90  | 94   | 56693    | 3.164 | ng/ul | 93       |
| 44) Dimethylphthalate          | 13.80 | 163  | 352276   | 9.374 | ng/ul | 99       |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM120717\  
Data File : BM013248.D  
Acq On : 07 Dec 2017 18:04  
Operator : SJ/JU  
Sample : I6719-11  
Misc :  
ALS Vial : 10 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
JHPG6

Quant Time: Dec 08 03:57:19 2017  
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Fri Dec 08 03:46:15 2017  
Response via : Initial Calibration





#6

Phenol

Concen: 3.164 ng/ul

RT: 6.90 min Scan# 649

Delta R.T. -0.01 min

Lab File: BM013248.D

Acq: 07 Dec 2017 18:04

Instrument :

BNA\_M

ClientSampled :

JHPG6


Tot Ion: 94 Resp: 56693

Ion Ratio Lower Upper

94 100

65 33.9 28.2 42.4




66 51.5 47.2 70.8



Abundance Ion 94.00 (93.70 to 94.70): BM013246.D (-643) (-)

Ion 65.00 (64.70 to 65.70): BM013246.D (-643) (-)

Ion 66.00 (65.70 to 66.70): BM013246.D (-643) (-)



#44

Dimethylphthalate

Concen: 9.374 ng/ul

RT: 13.80 min Scan# 1822

Delta R.T. 0.00 min

Lab File: BM013248.D

Acq: 07 Dec 2017 18:04


Tgt Ion: 163 Resp: 352276

Ion Ratio Lower Upper

163 100

194 3.9 3.5 5.3

164 10.2 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): BM013246.D (-1816) (-)

Ion 194.00 (193.70 to 194.70): BM013246.D (-1816) (-)

Ion 164.00 (163.70 to 164.70): BM013246.D (-1816) (-)

