

Quantitation Report (QT Reviewed)


Data Path : Z:\HPCHEM1\BNA_M\Data\BM120816\
 Data File : BM008199.D
 Acq On : 08 Dec 2016 12:29
 Operator : UM/SJ
 Sample : H5847-02
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 YA905

Manual Integrations
 APPROVED

sohil
 12/8/2016 6:46:24 PM

Quant Time: Dec 08 14:53:48 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM112116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 08 14:43:27 2016
 Response via : Initial Calibration



Data Path : Z:\HPCHEM1\BNA_M\Data\BM120816\
Data File : BM008199.D
Acq On : 08 Dec 2016 12:29
Operator : UM/SJ
Sample : H5847-02
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Dec 08 14:53:48 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM112116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 08 14:43:27 2016
Response via : Initial Calibration

Instrument :
BNA_M
ClientSampleId :
YA905

Manual Integrations
APPROVED

sohil
12/8/2016 6:46:24 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	486	0.40	ng/ul	-0.02
2) Naphthalene-d8	10.46	136	1746	0.40	ng/ul	-0.04
6) Acenaphthene-d10	14.33	164	1130	0.40	ng/ul	-0.02
10) Phenanthrene-d10	17.07	188	2244m	0.40	ng/ul	-0.03
16) Chrysene-d12	21.30	240	1523	0.40	ng/ul	0.00
20) Perylene-d12	23.53	264	1869	0.40	ng/ul	-0.01
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.11	152	723	0.29	ng/ul	0.00
14) Fluoranthene-d10	19.12	212	1539	0.24	ng/ul	-0.02

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

U.M
12/12/2016

Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA_M\Data\BM120816\
 Data File : BM008199.D
 Acq On : 08 Dec 2016 12:29
 Operator : UM/SJ
 Sample : H5847-02
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 YA905

Manual Integrations
 APPROVED

sohil
 12/8/2016 6:46:24 PM

Quant Time: Dec 08 14:49:09 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM112116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 08 14:43:27 2016
 Response via : Initial Calibration



TIC: BM008199.D

(10) Phenanthrene-d10 (I)

17.073min (-0.034) 0.40ng/ul m

response 2244

Ion	Exp%	Act%
188.00	100	100
94.00	11.00	12.81
80.00	11.80	14.05
0.00	0.00	0.00

U.M.
12/12/2016

Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA_M\Data\BM120816\
 Data File : BM008199.D
 Acq On : 08 Dec 2016 12:29
 Operator : UM/SJ
 Sample : H5847-02
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Dec 08 14:49:09 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-SIM-BM112116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 08 14:43:27 2016
 Response via : Initial Calibration

Instrument :
 BNA_M
ClientSampleId :
 YA905

Manual Integrations
APPROVED

sohil
 12/8/2016 6:46:24 PM



(10) Phenanthrene-d10 (I)

17.176min (+0.069) 0.40ng/ul

response 150616

Ion	Exp%	Act%
188.00	100	100
94.00	11.00	6.20#
80.00	11.80	5.44#
0.00	0.00	0.00