


Data Path : Z:\HPCHEM1\BNA M\DATA\BM120817\
Data File : BM013292.D
Acq On : 09 Dec 2017 05:20
Operator : SJ/JU
Sample : I6758-14
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampled :
F9B15

Manual Integrations
APPROVED

Sohil
12/11/2017 6:16:22 PM

Quant Time: Dec 11 01:32:03 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 08 23:45:50 2017
Response via : Initial Calibration






Data Path : Z:\HPCHEM1\BNA M\DATA\BM120817\
Data File : BM013292.D
Acq On : 09 Dec 2017 05:20
Operator : SJ/JU
Sample : I6758-14
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9B15

Manual Integrations
APPROVED

Sohil
12/11/2017 6:16:22 PM

Quant Time: Dec 11 00:49:31 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 08 23:45:50 2017
Response via : Initial Calibration



TIC: BM013292.D

(3) 1,4-Dioxane-d8 (S)

3.234min (-0.006) 4.34ng/uL

response 16598

Ion	Exp%	Act%
96.00	100	100
64.00	74.90	68.59
34.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\HPCHEM1\BNA M\DATA\BM120817\
 Data File : BM013292.D
 Acq On : 09 Dec 2017 05:20
 Operator : SJ/JU
 Sample : I6758-14
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampled :
 F9B15

Manual Integrations
 APPROVED

Sohil
 12/11/2017 6:16:22 PM

Quant Time: Dec 11 00:49:31 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 08 23:45:50 2017
 Response via : Initial Calibration



(3) 1,4-Dioxane-d8 (S)

3.234min (-0.006) 4.56ng/uL m> SJ 12/11/17

response 17429

Ion	Exp%	Act%
96.00	100	100
64.00	74.90	65.32
34.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA M\DATA\BM120817\
 Data File : BM013292.D
 Acq On : 09 Dec 2017 05:20
 Operator : SJ/JU
 Sample : I6758-14
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampled :
 F9B15

Manual Integrations
 APPROVED

Sohil
 12/11/2017 6:16:22 PM

Quant Time: Dec 11 01:32:03 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 08 23:45:50 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	189407	20.00	ng/ul	0.00
18) Naphthalene-d8	10.47	136	863071	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.33	164	536465	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.08	188	1325820	20.00	ng/ul	0.00
75) Chrysene-d12	21.27	240	1600490	20.00	ng/ul	0.00
83) Perylene-d12	23.50	264	1540824	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.23	96	17429m	4.56	ng/uL	0.00
5) Phenol-d5	6.87	99	391802	23.91	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.03	67	231759	24.80	ng/ul	0.00
9) 2-Chlorophenol-d4	7.23	132	320848	25.05	ng/ul	0.00
13) 4-Methylphenol-d8	8.40	113	317778	22.70	ng/ul	0.00
19) Nitrobenzene-d5	8.85	128	174338	25.47	ng/ul	0.00
22) 2-Nitrophenol-d4	9.56	143	193494	26.41	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.09	165	353429	23.41	ng/ul	0.00
29) 4-Chloroaniline-d4	10.61	131	383212	27.62	ng/ul	0.00
43) Dimethylphthalate-d6	13.75	166	1209584	25.34	ng/ul	0.00
46) Acenaphthylene-d8	14.02	160	1485683	25.22	ng/ul	0.00
51) 4-Nitrophenol-d4	14.54	143	186028	22.43	ng/ul	0.00
57) Fluorene-d10	15.33	176	1026630	25.01	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.46	200	162295	19.46	ng/ul	0.00
70) Anthracene-d10	17.18	188	1627462	24.51	ng/ul	0.00
76) Pyrene-d10	19.48	212	1893053	23.74	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.36	264	1837190	23.41	ng/ul	0.00

52 12/11/17

Target Compounds

					Ovalue	
6) Phenol	6.90	94	60836	3.755	ng/ul#	81
44) Dimethylphthalate	13.79	163	129454	2.835	ng/ul#	98
85) Benzo(b)fluoranthene	22.83	252	193629	1.864	ng/ul#	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed