

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA M\DATA\BM120817\
 Data File : BM013269.D
 Acq On : 08 Dec 2017 15:32
 Operator : SJ/JU
 Sample : I6759-08
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F9A16

Quant Time: Dec 08 17:10:21 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 08 16:56:30 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	136006	20.00	ng/ul	0.00
18) Naphthalene-d8	10.47	136	597787	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.33	164	390205	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.09	188	947231	20.00	ng/ul	0.00
75) Chrysene-d12	21.27	240	1201902	20.00	ng/ul	0.00
83) Perylene-d12	23.50	264	1256210	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.23	96	16205	5.90	ng/uL	0.00
5) Phenol-d5	6.87	99	389637	33.11	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.03	67	230808	34.39	ng/ul	0.00
9) 2-Chlorophenol-d4	7.23	132	314909	34.25	ng/ul	0.00
13) 4-Methylphenol-d8	8.40	113	343158	34.14	ng/ul	0.00
19) Nitrobenzene-d5	8.85	128	170238	35.91	ng/ul	0.00
22) 2-Nitrophenol-d4	9.56	143	193597	38.15	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.10	165	344748	32.97	ng/ul	0.00
29) 4-Chloroaniline-d4	10.62	131	463283	48.21	ng/ul	0.00
43) Dimethylphthalate-d6	13.75	166	1239725	35.70	ng/ul	0.00
46) Acenaphthylene-d8	14.03	160	1468108	34.26	ng/ul	0.00
51) 4-Nitrophenol-d4	14.55	143	202270	33.53	ng/ul	0.00
57) Fluorene-d10	15.33	176	1008017	33.76	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.46	200	189174	31.75	ng/ul	0.00
70) Anthracene-d10	17.18	188	1660387	35.00	ng/ul	0.00
76) Pyrene-d10	19.48	212	1967526	32.86	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.36	264	2245551	35.09	ng/ul	0.00

Target Compounds


					Ovalue	
6) Phenol	6.90	94	54719	4.704	ng/ul#	81
44) Dimethylphthalate	13.80	163	144288	4.345	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA M\DATA\BM120817\
Data File : BM013269.D
Acq On : 08 Dec 2017 15:32
Operator : SJ/JU
Sample : I6759-08
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9A16

Quant Time: Dec 08 17:10:21 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 08 16:56:30 2017
Response via : Initial Calibration





#6

Phenol

Concen: 4.704 ng/ul

RT: 6.90 min Scan# 648

Delta R.T. -0.00 min

Lab File: BM013269.D

Acq: 08 Dec 2017 15:32

Instrument :

BNA_M

ClientSampleId :

F9A16


Tot Ion: 94 Resp: 54719

Ion Ratio Lower Upper

94 100

65 31.3 28.2 42.4




66 39.8 47.2 70.8#



Abundance Ion 94.00 (93.70 to 94.70): BM013445.D (-639) (-)

Ion 65.00 (64.70 to 65.70): BM013445.D (-639) (-)

Ion 66.00 (65.70 to 66.70): BM013445.D (-639) (-)



#44

Dimethylphthalate

Concen: 4.345 ng/ul

RT: 13.80 min Scan# 1821

Delta R.T. -0.00 min

Lab File: BM013269.D

Acq: 08 Dec 2017 15:32


Tgt Ion: 163 Resp: 144288

Ion Ratio Lower Upper

163 100

194 4.8 3.5 5.3

164 10.5 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): BM013445.D (-1811) (-)

Ion 194.00 (193.70 to 194.70): BM013445.D (-1811) (-)

Ion 164.00 (163.70 to 164.70): BM013445.D (-1811) (-)

