

Data Path : Z:\HPCHEM1\BNA M\DATA\BM120915\
 Data File : BM003442.D
 Acq On : 10 Dec 2015 08:53
 Operator : UM/IZ
 Sample : G4690-04
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Dec 10 11:26:25 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 09 18:52:47 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	71561	20.00	ng	0.00
21) Naphthalene-d8	10.51	136	324941	20.00	ng	0.00
38) Acenaphthene-d10	14.37	164	188998	20.00	ng	0.00
63) Phenanthrene-d10	17.12	188	375468	20.00	ng	0.00
75) Chrysene-d12	21.32	240	330069	20.00	ng	0.00
86) Perylene-d12	23.57	264	314772	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	236116	58.66	ng	0.00
7) Phenol-d6	6.89	99	199087	35.62	ng	0.00
23) Nitrobenzene-d5	8.88	82	484749	92.50	ng	0.00
41) 2,4,6-Tribromophenol	15.87	330	260203	137.85	ng	0.00
44) 2-Fluorobiphenyl	12.99	172	1214449	87.55	ng	0.00
78) Terphenyl-d14	19.76	244	1216287	86.90	ng	0.00
Target Compounds						
49) Dimethylphthalate	13.83	163	86671	5.56	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM120915\
Data File : BM003442.D
Acq On : 10 Dec 2015 08:53
Operator : UM/IZ
Sample : G4690-04
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Dec 10 11:26:25 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 09 18:52:47 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.72 min Scan# 788
Delta R.T. -0.00 min
Lab File: BM003442.D
Acq: 10 Dec 2015 08:53

Instrument :
BNA_M
ClientSampled :

Tot Ion:152 Resp: 71561
Ion Ratio Lower Upper
152 100
150 158.3 119.5 179.3
115 59.7 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 58.66 ng
RT: 5.30 min Scan# 377
Delta R.T. 0.00 min
Lab File: BM003442.D
Acq: 10 Dec 2015 08:53

Tgt Ion:112 Resp: 236116
Ion Ratio Lower Upper
112 100
64 49.8 38.6 57.8
63 26.0 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 35.62 ng

RT: 6.89 min Scan# 646

Delta R.T. -0.01 min

Lab File: BM003442.D

Acq: 10 Dec 2015 08:53

Instrument :

BNA_M

ClientSampleId :





Tot Ion: 99 Resp: 199087

Ion Ratio Lower Upper

99 100

42 13.3 11.0 16.4

71 32.2 23.4 35.2



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.51 min Scan# 1262

Delta R.T. -0.01 min

Lab File: BM003442.D

Acq: 10 Dec 2015 08:53

Tgt Ion: 136 Resp: 324941




Ion Ratio Lower Upper


136 100

137 11.0 8.7 13.1

54 5.9 4.6 6.8

68 5.8 3.7 5.5#









#23
 Nitrobenzene-d5
 Concen: 92.50 ng
 RT: 8.88 min Scan# 985
 Delta R.T. -0.00 min
 Lab File: BM003442.D
 Acq: 10 Dec 2015 08:53




Instrument :
 BNA_M
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
82	100		
128	47.7	32.8	49.2
54	40.2	40.6	60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.37 min Scan# 1919
 Delta R.T. 0.00 min
 Lab File: BM003442.D
 Acq: 10 Dec 2015 08:53

Tgt Ion	Ratio	Lower	Upper
164	100		
162	100.8	82.4	123.6
160	45.3	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: 137.85 ng
 RT: 15.87 min Scan# 2173
 Delta R.T. -0.00 min
 Lab File: BM003442.D
 Acq: 10 Dec 2015 08:53

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.3	0.0	0.0#
141	44.0	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 87.55 ng
 RT: 12.99 min Scan# 1684
 Delta R.T. -0.00 min
 Lab File: BM003442.D
 Acq: 10 Dec 2015 08:53

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.3	28.5	42.7
170	23.4	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 5.56 ng

RT: 13.83 min Scan# 1826

Delta R.T. -0.01 min

Lab File: BM003442.D

Acq: 10 Dec 2015 08:53

Instrument :

BNA_M

ClientSampleId :


Tot Ion:163 Resp: 86671

Ion Ratio Lower Upper

163 100

194 3.7 2.7 4.1




164 10.0 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.12 min Scan# 2386

Delta R.T. 0.00 min

Lab File: BM003442.D

Acq: 10 Dec 2015 08:53


Tgt Ion:188 Resp: 375468

Ion Ratio Lower Upper

188 100

94 9.2 8.7 13.1



80 9.6 9.3 13.9




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.32 min Scan# 3099

Delta R.T. -0.01 min

Lab File: BM003442.D

Acq: 10 Dec 2015 08:53

Instrument :

BNA_M

ClientSampleId :


Tot Ion:240 Resp: 330069

Ion Ratio Lower Upper

240 100

120 11.5 8.2 12.2




236 26.0 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 86.90 ng

RT: 19.76 min Scan# 2834

Delta R.T. -0.00 min

Lab File: BM003442.D

Acq: 10 Dec 2015 08:53


Tgt Ion:244 Resp: 1216287

Ion Ratio Lower Upper

244 100

212 8.0 4.9 7.3#



122 11.3 6.2 9.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 23.57 min Scan# 3482
Delta R.T. -0.01 min
Lab File: BM003442.D
Acq: 10 Dec 2015 08:53

Instrument :
BNA_M
ClientSampleId :

Tot Ion: 264 Resp: 314772

Ion	Ratio	Lower	Upper
264	100		
260	23.7	18.6	27.8
265	21.2	17.3	25.9

