

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM120915\
 Data File : BM003424.D
 Acq On : 09 Dec 2015 22:06
 Operator : UM/IZ
 Sample : G4696-01
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 GMW-04

Quant Time: Dec 10 00:27:27 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM120915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 09 18:52:47 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	59252	20.00	ng	0.00
21) Naphthalene-d8	10.51	136	247216	20.00	ng	0.00
38) Acenaphthene-d10	14.37	164	132996	20.00	ng	0.00
63) Phenanthrene-d10	17.12	188	284875	20.00	ng	0.00
75) Chrysene-d12	21.32	240	296145	20.00	ng	0.00
86) Perylene-d12	23.57	264	284255	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	231771	69.54	ng	0.00
7) Phenol-d6	6.89	99	185745	40.14	ng	0.00
23) Nitrobenzene-d5	8.88	82	386919	97.04	ng	0.00
41) 2,4,6-Tribromophenol	15.87	330	189612	142.76	ng	0.00
44) 2-Fluorobiphenyl	12.99	172	940810	96.38	ng	0.00
78) Terphenyl-d14	19.76	244	1074874	85.60	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM120915\
Data File : BM003424.D
Acq On : 09 Dec 2015 22:06
Operator : UM/IZ
Sample : G4696-01
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
GMW-04

Quant Time: Dec 10 00:27:27 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM120915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 09 18:52:47 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.72 min Scan# 788
 Delta R.T. -0.00 min
 Lab File: BM003424.D
 Acq: 09 Dec 2015 22:06

Instrument :
 BNA_M
 ClientSampleId :
 GMW-04

Tgt Ion:152 Resp: 59252
 Ion Ratio Lower Upper
 152 100
 150 159.4 119.5 179.3
 115 58.3 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5
 2-Fluorophenol
 Concen: 69.54 ng
 RT: 5.30 min Scan# 377
 Delta R.T. 0.00 min
 Lab File: BM003424.D
 Acq: 09 Dec 2015 22:06

Tgt Ion:112 Resp: 231771
 Ion Ratio Lower Upper
 112 100
 64 50.1 38.6 57.8
 63 26.0 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 40.14 ng

RT: 6.89 min Scan# 646

Delta R.T. -0.01 min

Lab File: BM003424.D

Acq: 09 Dec 2015 22:06

Instrument :

BNA_M

ClientSampleId :

GMW-04


Tgt Ion: 99 Resp: 185745

Ion Ratio Lower Upper

99 100

42 13.6 11.0 16.4

71 32.5 23.4 35.2






Abundance Ion 99.00 (98.70 to 99.70): BM003414.D (-639) (-)

Ion 42.00 (41.70 to 42.70): BM003414.D (-639) (-)

Ion 71.00 (70.70 to 71.70): BM003414.D (-639) (-)

Time--> 6.80 6.85 6.90 6.95



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.51 min Scan# 1262

Delta R.T. -0.01 min

Lab File: BM003424.D

Acq: 09 Dec 2015 22:06

Tgt Ion: 136 Resp: 247216


Ion Ratio Lower Upper

136 100

137 11.0 8.7 13.1

54 5.8 4.6 6.8

68 5.8 3.7 5.5#





Abundance Ion 136.00 (135.70 to 136.70): BM003414.D (-1255) (-)


Ion 137.00 (136.70 to 137.70): BM003414.D (-1255) (-)

Ion 54.00 (53.70 to 54.70): BM003414.D (-1255) (-)

Ion 68.00 (67.70 to 68.70): BM003414.D (-1255) (-)

Time--> 10.50 10.60





#23

Nitrobenzene-d5

Concen: 97.04 ng

RT: 8.88 min Scan# 985

Delta R.T. -0.00 min

Lab File: BM003424.D

Acq: 09 Dec 2015 22:06

Instrument :

BNA_M

ClientSampled :

GMW-04


Tgt Ion: 82 Resp: 386919

Ion Ratio Lower Upper

82 100

128 46.9 32.8 49.2




54 39.6 40.6 60.8#



Abundance Ion 82.00 (81.70 to 82.70): BM003414.D (-978) (-)

Ion 128.00 (127.70 to 128.70): BM003414.D (-978) (-)

Ion 54.00 (53.70 to 54.70): BM003414.D (-978) (-)



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.37 min Scan# 1919

Delta R.T. -0.00 min

Lab File: BM003424.D

Acq: 09 Dec 2015 22:06


Tgt Ion: 164 Resp: 132996

Ion Ratio Lower Upper

164 100

162 101.2 82.4 123.6



160 45.1 35.8 53.6



Abundance Ion 164.00 (163.70 to 164.70): BM003414.D (-1912) (-)

Ion 162.00 (161.70 to 162.70): BM003414.D (-1912) (-)

Ion 160.00 (159.70 to 160.70): BM003414.D (-1912) (-)









#41
 2,4,6-Tribromophenol
 Concen: 142.76 ng
 RT: 15.87 min Scan# 2173
 Delta R.T. -0.00 min
 Lab File: BM003424.D
 Acq: 09 Dec 2015 22:06




Instrument :
 BNA_M
 ClientSampleId :
 GMW-04


Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.5	0.0	0.0#
141	42.9	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: 96.38 ng
 RT: 12.99 min Scan# 1684
 Delta R.T. -0.00 min
 Lab File: BM003424.D
 Acq: 09 Dec 2015 22:06

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.5	42.7
170	23.3	18.8	28.2









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.12 min Scan# 2386
Delta R.T. -0.00 min
Lab File: BM003424.D
Acq: 09 Dec 2015 22:06




Instrument :
BNA_M
ClientSampled :
GMW-04


Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.1	8.7	13.1
80	9.4	9.3	13.9



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.32 min Scan# 3099
Delta R.T. -0.01 min
Lab File: BM003424.D
Acq: 09 Dec 2015 22:06

Tgt Ion	Ratio	Lower	Upper
240	100		
120	11.5	8.2	12.2
236	25.6	20.0	30.0





#78

Terphenyl-d14

Concen: 85.60 ng

RT: 19.76 min Scan# 2834

Delta R.T. -0.00 min

Lab File: BM003424.D

Acq: 09 Dec 2015 22:06

Instrument :

BNA_M

ClientSampled :

GMW-04


Tgt Ion:244 Resp: 1074874

Ion Ratio Lower Upper

244 100

212 7.8 4.9 7.3#




122 11.3 6.2 9.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.57 min Scan# 3482

Delta R.T. -0.01 min

Lab File: BM003424.D

Acq: 09 Dec 2015 22:06


Tgt Ion:264 Resp: 284255

Ion Ratio Lower Upper

264 100

260 23.3 18.6 27.8

265 20.6 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

