

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM120915\
 Data File : BM003433.D
 Acq On : 10 Dec 2015 03:30
 Operator : UM/IZ
 Sample : PB87152BL
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB87152BL

Quant Time: Dec 10 05:46:51 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM120915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 09 18:52:47 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	68755	20.00	ng	0.00
21) Naphthalene-d8	10.51	136	281365	20.00	ng	0.00
38) Acenaphthene-d10	14.37	164	148373	20.00	ng	0.00
63) Phenanthrene-d10	17.12	188	293424	20.00	ng	0.00
75) Chrysene-d12	21.31	240	280806	20.00	ng	-0.01
86) Perylene-d12	23.57	264	288282	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	510286	131.95	ng	0.00
7) Phenol-d6	6.89	99	652052	121.42	ng	0.00
23) Nitrobenzene-d5	8.88	82	376383	82.94	ng	0.00
41) 2,4,6-Tribromophenol	15.87	330	171528	115.76	ng	0.00
44) 2-Fluorobiphenyl	12.99	172	918295	84.32	ng	0.00
78) Terphenyl-d14	19.76	244	900197	75.60	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM120915\
Data File : BM003433.D
Acq On : 10 Dec 2015 03:30
Operator : UM/IZ
Sample : PB87152BL
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB87152BL

Quant Time: Dec 10 05:46:51 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM120915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 09 18:52:47 2015
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.72 min Scan# 788
Delta R.T. -0.00 min
Lab File: BM003433.D
Acq: 10 Dec 2015 03:30

Instrument :
BNA_M
ClientSampleId :
PB87152BL




Tgt Ion:152 Resp: 68755
Ion Ratio Lower Upper
152 100
150 157.6 119.5 179.3
115 59.9 43.0 64.4



#5

2-Fluorophenol
Concen: 131.95 ng
RT: 5.30 min Scan# 377
Delta R.T. 0.00 min
Lab File: BM003433.D
Acq: 10 Dec 2015 03:30

Tgt Ion:112 Resp: 510286
Ion Ratio Lower Upper
112 100
64 50.3 38.6 57.8
63 26.3 19.3 28.9





#7

Phenol-d6

Concen: 121.42 ng

RT: 6.89 min Scan# 647

Delta R.T. -0.00 min

Lab File: BM003433.D

Acq: 10 Dec 2015 03:30

Instrument :

BNA_M

ClientSampled :

PB87152BL


Tgt Ion: 99 Resp: 652052

Ion Ratio Lower Upper

99 100

42 13.3 11.0 16.4



71 32.8 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BM003433.D (-630) (-)

Ion 42.00 (41.70 to 42.70): BM003433.D (-630) (-)

Ion 71.00 (70.70 to 71.70): BM003433.D (-630) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.51 min Scan# 1262

Delta R.T. -0.01 min

Lab File: BM003433.D

Acq: 10 Dec 2015 03:30

Tgt Ion: 136 Resp: 281365


Ion Ratio Lower Upper

136 100

137 10.8 8.7 13.1

54 5.9 4.6 6.8

68 5.6 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM003433.D (-1246) (-)

Ion 137.00 (136.70 to 137.70): BM003433.D (-1246) (-)

Ion 54.00 (53.70 to 54.70): BM003433.D (-1246) (-)

Ion 68.00 (67.70 to 68.70): BM003433.D (-1246) (-)









#23
 Nitrobenzene-d5
 Concen: 82.94 ng
 RT: 8.88 min Scan# 985
 Delta R.T. -0.00 min
 Lab File: BM003433.D
 Acq: 10 Dec 2015 03:30




Instrument :
 BNA_M
 ClientSampleId :
 PB87152BL

Tgt Ion	Ratio	Lower	Upper
82	100		
128	47.2	32.8	49.2
54	40.3	40.6	60.8#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.37 min Scan# 1919
 Delta R.T. -0.00 min
 Lab File: BM003433.D
 Acq: 10 Dec 2015 03:30

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.6	82.4	123.6
160	46.4	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: 115.76 ng
 RT: 15.87 min Scan# 2173
 Delta R.T. -0.00 min
 Lab File: BM003433.D
 Acq: 10 Dec 2015 03:30




Instrument :
 BNA_M
 ClientSampleId :
 PB87152BL


Tgt Ion:330 Resp: 171528
 Ion Ratio Lower Upper
 330 100
 332 96.3 0.0 0.0#
 141 43.1 0.0 0.0#



#44
 2-Fluorobiphenyl
 Concen: 84.32 ng
 RT: 12.99 min Scan# 1684
 Delta R.T. -0.00 min
 Lab File: BM003433.D
 Acq: 10 Dec 2015 03:30

Tgt Ion:172 Resp: 918295
 Ion Ratio Lower Upper
 172 100
 171 34.6 28.5 42.7
 170 23.2 18.8 28.2









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.12 min Scan# 2386
Delta R.T. -0.00 min
Lab File: BM003433.D
Acq: 10 Dec 2015 03:30




Instrument :
BNA_M
ClientSampled :
PB87152BL


Tgt Ion:188 Resp: 293424
Ion Ratio Lower Upper
188 100
94 9.1 8.7 13.1
80 9.5 9.3 13.9



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.31 min Scan# 3098
Delta R.T. -0.01 min
Lab File: BM003433.D
Acq: 10 Dec 2015 03:30

Tgt Ion:240 Resp: 280806
Ion Ratio Lower Upper
240 100
120 11.8 8.2 12.2
236 26.1 20.0 30.0





#78

Terphenyl-d14

Concen: 75.60 ng

RT: 19.76 min Scan# 2834

Delta R.T. -0.00 min

Lab File: BM003433.D

Acq: 10 Dec 2015 03:30

Instrument :

BNA_M

ClientSampleId :

PB87152BL


Tgt Ion:244 Resp: 900197

Ion Ratio Lower Upper

244 100

212 7.8 4.9 7.3#




122 11.3 6.2 9.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.57 min Scan# 3482

Delta R.T. -0.01 min

Lab File: BM003433.D

Acq: 10 Dec 2015 03:30


Tgt Ion:264 Resp: 288282

Ion Ratio Lower Upper

264 100

260 24.0 18.6 27.8

265 21.0 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

