

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM120915\
 Data File : BM003445.D
 Acq On : 10 Dec 2015 10:41
 Operator : UM/IZ
 Sample : G4690-07
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MW-29

Quant Time: Dec 10 11:26:56 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM120915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 09 18:52:47 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	76490	20.00	ng	0.00
21) Naphthalene-d8	10.51	136	352221	20.00	ng	0.00
38) Acenaphthene-d10	14.37	164	218930	20.00	ng	0.00
63) Phenanthrene-d10	17.12	188	516886	20.00	ng	0.00
75) Chrysene-d12	21.32	240	498680	20.00	ng	0.00
86) Perylene-d12	23.57	264	404178	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.30	112	275531	64.04	ng	0.00
7) Phenol-d6	6.89	99	240365	40.23	ng	0.00
23) Nitrobenzene-d5	8.88	82	495058	87.15	ng	0.00
41) 2,4,6-Tribromophenol	15.87	330	327009	149.56	ng	0.00
44) 2-Fluorobiphenyl	12.99	172	1316754	81.94	ng	0.00
78) Terphenyl-d14	19.76	244	1818249	85.99	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM120915\
Data File : BM003445.D
Acq On : 10 Dec 2015 10:41
Operator : UM/IZ
Sample : G4690-07
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MW-29

Quant Time: Dec 10 11:26:56 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM120915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 09 18:52:47 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.72 min Scan# 788
 Delta R.T. -0.00 min
 Lab File: BM003445.D
 Acq: 10 Dec 2015 10:41

Instrument :
 BNA_M
 ClientSampleId :
 MW-29

Tgt Ion:152 Resp: 76490
 Ion Ratio Lower Upper
 152 100
 150 160.7 119.5 179.3
 115 59.2 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 64.04 ng
 RT: 5.30 min Scan# 377
 Delta R.T. 0.00 min
 Lab File: BM003445.D
 Acq: 10 Dec 2015 10:41

Tgt Ion:112 Resp: 275531
 Ion Ratio Lower Upper
 112 100
 64 49.5 38.6 57.8
 63 25.7 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 40.23 ng

RT: 6.89 min Scan# 647

Delta R.T. -0.00 min

Lab File: BM003445.D

Acq: 10 Dec 2015 10:41

Instrument :

BNA_M

ClientSampleId :

MW-29


Tgt Ion: 99 Resp: 240365

Ion Ratio Lower Upper

99 100

42 13.1 11.0 16.4

71 32.0 23.4 35.2






Abundance Ion 99.00 (98.70 to 99.70): BM003414.D (-639) (-)

Ion 42.00 (41.70 to 42.70): BM003414.D (-639) (-)

Ion 71.00 (70.70 to 71.70): BM003414.D (-639) (-)

6.89



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.51 min Scan# 1262

Delta R.T. -0.01 min

Lab File: BM003445.D

Acq: 10 Dec 2015 10:41

Tgt Ion: 136 Resp: 352221


Ion Ratio Lower Upper

136 100

137 10.8 8.7 13.1

54 5.8 4.6 6.8

68 5.5 3.7 5.5





Abundance Ion 136.00 (135.70 to 136.70): BM003414.D (-1255) (-)


Ion 137.00 (136.70 to 137.70): BM003414.D (-1255) (-)

Ion 54.00 (53.70 to 54.70): BM003414.D (-1255) (-)

Ion 68.00 (67.70 to 68.70): BM003414.D (-1255) (-)

10.51









#23
Nitrobenzene-d5
Concen: 87.15 ng
RT: 8.88 min Scan# 985
Delta R.T. -0.00 min
Lab File: BM003445.D
Acq: 10 Dec 2015 10:41




Instrument :
BNA_M
ClientSampleId :
MW-29

Tgt Ion	Ratio	Lower	Upper
82	100		
128	47.2	32.8	49.2
54	39.8	40.6	60.8#



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.37 min Scan# 1919
Delta R.T. -0.00 min
Lab File: BM003445.D
Acq: 10 Dec 2015 10:41

Tgt Ion	Ratio	Lower	Upper
164	100		
162	101.3	82.4	123.6
160	45.4	35.8	53.6





#41

2,4,6-Tribromophenol

Concen: 149.56 ng

RT: 15.87 min Scan# 2173

Delta R.T. -0.00 min

Lab File: BM003445.D

Acq: 10 Dec 2015 10:41

Instrument :

BNA_M

ClientSampleId :

MW-29


Tgt Ion:330 Resp: 327009

Ion Ratio Lower Upper

330 100

332 96.7 0.0 0.0#




141 43.2 0.0 0.0#



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 81.94 ng

RT: 12.99 min Scan# 1684

Delta R.T. -0.00 min

Lab File: BM003445.D

Acq: 10 Dec 2015 10:41


Tgt Ion:172 Resp: 1316754

Ion Ratio Lower Upper

172 100

171 35.1 28.5 42.7



170 23.5 18.8 28.2




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.12 min Scan# 2386
Delta R.T. -0.00 min
Lab File: BM003445.D
Acq: 10 Dec 2015 10:41

Instrument :
BNA_M
ClientSampled :
MW-29

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.9	8.7	13.1
80	9.6	9.3	13.9




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM
Ion 80.00 (79.70 to 80.70): BM






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.32 min Scan# 3099
Delta R.T. -0.01 min
Lab File: BM003445.D
Acq: 10 Dec 2015 10:41

Tgt Ion	Ratio	Lower	Upper
240	100		
120	12.1	8.2	12.2
236	26.3	20.0	30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 85.99 ng

RT: 19.76 min Scan# 2834

Delta R.T. -0.00 min

Lab File: BM003445.D

Acq: 10 Dec 2015 10:41

Instrument :

BNA_M

ClientSampleId :

MW-29


Tgt Ion:244 Resp: 1818249

Ion Ratio Lower Upper

244 100

212 8.2 4.9 7.3#




122 11.6 6.2 9.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.57 min Scan# 3483

Delta R.T. -0.00 min

Lab File: BM003445.D

Acq: 10 Dec 2015 10:41


Tgt Ion:264 Resp: 404178

Ion Ratio Lower Upper

264 100

260 23.6 18.6 27.8

265 21.0 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

