

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM121219\
 Data File : BM024058.D
 Acq On : 12 Dec 2019 14:46
 Operator : JU
 Sample : K6088-17
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0BP5

Quant Time: Dec 13 03:12:08 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM112719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Dec 07 04:26:57 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.47	152	424478	20.00	ng/ul	0.00
18) Naphthalene-d8	10.24	136	1780835	20.00	ng/ul	-0.01
36) Acenaphthene-d10	14.13	164	1084807	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.89	188	2171509	20.00	ng/ul	0.00
78) Chrysene-d12	21.10	240	1713335	20.00	ng/ul	0.00
86) Perylene-d12	23.23	264	1959088	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.03	96	26952	2.83	ng/uL	0.00
5) Phenol-d5	6.66	99	468512	12.59	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.82	67	317246	14.66	ng/ul	0.00
9) 2-Chlorophenol-d4	7.01	132	385012	13.39	ng/ul	0.00
13) 4-Methylphenol-d8	8.19	113	366474	12.48	ng/ul	0.00
19) Nitrobenzene-d5	8.63	128	185917	13.45	ng/ul	0.00
22) 2-Nitrophenol-d4	9.34	143	196334	12.50	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.88	165	365375	12.28	ng/ul	0.00
29) 4-Chloroaniline-d4	10.39	131	470107	14.40	ng/ul	0.00
44) Dimethylphthalate-d6	13.56	166	1373987	16.30	ng/ul	0.00
47) Acenaphthylene-d8	13.82	160	1482415	15.01	ng/ul	0.00
52) 4-Nitrophenol-d4	14.37	143	134282	9.48	ng/ul	0.00
58) Fluorene-d10	15.13	176	1125277	15.86	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.28	200	142176	10.43	ng/ul	0.00
71) Anthracene-d10	16.99	188	1708406	16.47	ng/ul	0.00
79) Pyrene-d10	19.29	212	1809542	20.44	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.10	264	1893623	18.29	ng/ul	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
6) Phenol	6.69	94	105891	2.767	ng/ul	97
45) Dimethylphthalate	13.60	163	497996	6.036	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM121219\
Data File : BM024058.D
Acq On : 12 Dec 2019 14:46
Operator : JU
Sample : K6088-17
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0BP5

Quant Time: Dec 13 03:12:08 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM112719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Dec 07 04:26:57 2019
Response via : Initial Calibration









#6

Phenol

Concen: 2.767 ng/ul
 RT: 6.69 min Scan# 647
 Delta R.T. -0.01 min
 Lab File: BM024058.D
 Acq: 12 Dec 2019 14:46

Instrument :
 BNA_M
 ClientSampleId :
 C0BP5

Tgt Ion: 94 Resp: 105891
 Ion Ratio Lower Upper
 94 100
 65 28.3 21.7 32.5
 66 37.7 28.8 43.2



#45

Dimethylphthalate

Concen: 6.036 ng/ul
 RT: 13.60 min Scan# 1822
 Delta R.T. -0.01 min
 Lab File: BM024058.D
 Acq: 12 Dec 2019 14:46

Tgt Ion: 163 Resp: 497996
 Ion Ratio Lower Upper
 163 100
 194 3.9 3.3 4.9
 164 10.1 7.9 11.9

