

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121219\
 Data File : BM024095.D
 Acq On : 13 Dec 2019 17:12
 Operator : JU
 Sample : K6167-16
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BFQT8

Quant Time: Dec 14 00:30:28 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM112719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Dec 14 00:26:31 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.47	152	347101	20.00	ng/ul	0.00
18) Naphthalene-d8	10.24	136	1366892	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.13	164	745882	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.88	188	1425102	20.00	ng/ul	0.00
78) Chrysene-d12	21.09	240	1355194	20.00	ng/ul	0.00
86) Perylene-d12	23.23	264	1664543	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.03	96	65464	8.39	ng/uL	0.00
5) Phenol-d5	6.67	99	236005	7.76	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.82	67	517854	29.27	ng/ul	0.00
9) 2-Chlorophenol-d4	7.01	132	577008	24.54	ng/ul	0.00
13) 4-Methylphenol-d8	8.19	113	406495	16.94	ng/ul	0.00
19) Nitrobenzene-d5	8.62	128	313549	29.55	ng/ul	0.00
22) 2-Nitrophenol-d4	9.34	143	354476	29.40	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.87	165	610166	26.72	ng/ul	0.00
29) 4-Chloroaniline-d4	10.42	131	29121	1.16	ng/ul	0.03
44) Dimethylphthalate-d6	13.55	166	1837496	31.71	ng/ul	0.00
47) Acenaphthylene-d8	13.82	160	2229341	32.82	ng/ul	0.00
52) 4-Nitrophenol-d4	14.38	143	59265	6.08	ng/ul	0.01
58) Fluorene-d10	15.13	176	1575613	32.31	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.27	200	245106	27.40	ng/ul	0.00
71) Anthracene-d10	16.98	188	2249561	33.05	ng/ul	0.00
79) Pyrene-d10	19.29	212	2397648	34.24	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.10	264	2939732	33.41	ng/ul	0.00


Target Compounds				Ovalue	
45) Dimethylphthalate	13.60	163	77397	1.364	ng/ul# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121219\
Data File : BM024095.D
Acq On : 13 Dec 2019 17:12
Operator : JU
Sample : K6167-16
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BFQT8

Quant Time: Dec 14 00:30:28 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM112719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Dec 14 00:26:31 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.364 ng/ul

RT: 13.60 min Scan# 1821

Delta R.T. -0.01 min

Lab File: BM024095.D

Acq: 13 Dec 2019 17:12

Instrument :

BNA_M

ClientSampleId :

BFQT8


Tot Ion:163 Resp: 77397

Ion Ratio Lower Upper

163 100

194 5.2 3.3 4.9#

164 11.6 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

