


Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA M\DATA\BM121417\
Data File : BM013408.D
Acq On : 14 Dec 2017 18:46
Operator : SJ/JU
Sample : I6900-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Dec 19 17:25:37 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 15 04:56:09 2017
Response via : Initial Calibration

Instrument :
BNA_M
Client Sampled :
F9C02

Manual Integrations
APPROVED

Sohil
12/15/2017 6:48:33 PM



Data Path : Z:\HPCHEM1\BNA_M\DATA\BM121417\
Quantitation Report (Qedit)




Data File : BM013408.D
Acq On : 14 Dec 2017 18:46
Operator : SJ/JU
Sample : I6900-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Dec 15 04:56:29 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM113017.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 15 04:56:09 2017
Response via : Initial Calibration

Instrument :
BNA_M
ClientSampleId :
F9C02

Manual Integrations
APPROVED

Sohil
12/15/2017 6:48:33 PM



TIC: BM013408.D

(29) 4-Chloroaniline-d4 (S)
10.604min (+0.006) 0.69ng/ul
response 8201

Ion	Exp%	Act%
131.00	100	100
133.00	31.40	39.32#
69.00	24.30	16.28#
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM121417\
Quantitation Report (Qedit)




Data File : BM013408.D
Acq On : 14 Dec 2017 18:46
Operator : SJ/JU
Sample : I6900-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Dec 15 04:56:29 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM113017.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 15 04:56:09 2017
Response via : Initial Calibration

Instrument :
BNA_M
ClientSampleId :
F9C02

Manual Integrations
APPROVED

Sohil
12/15/2017 6:48:33 PM



TIC: BM013408.D

(29) 4-Chloroaniline-d4 (S)

10.604min (+0.006) 0.84ng/ul m

response 9989

Ion Exp% Act%

131.00 100 100

133.00 31.40 39.32#

69.00 24.30 16.28#

0.00 0.00 0.00

SJU 12/15/17

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA M\DATA\BM121417\
 Data File : BM013408.D
 Acq On : 14 Dec 2017 18:46
 Operator : SJ/JU
 Sample : I6900-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Dec 19 17:25:37 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM113017.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 15 04:56:09 2017
 Response via : Initial Calibration

Instrument :
 BNA_M
 ClientSampleId :
 F9C02

Manual Integrations
 APPROVED

Sohil
 12/15/2017 6:48:33 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	173536	20.00	ng/ul	0.00
18) Naphthalene-d8	10.46	136	740730	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.32	164	467364	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.07	188	1130307	20.00	ng/ul	0.00
75) Chrysene-d12	21.26	240	1360117	20.00	ng/ul	0.00
83) Perylene-d12	23.49	264	1343831	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.22	96	20599	5.88	ng/uL	0.00
5) Phenol-d5	6.86	99	67785	4.51	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.02	67	238065	27.80	ng/ul	0.00
9) 2-Chlorophenol-d4	7.21	132	246336	21.00	ng/ul	0.00
13) 4-Methylphenol-d8	8.38	113	147623	11.51	ng/ul	0.00
19) Nitrobenzene-d5	8.83	128	175376	29.86	ng/ul	0.00
22) 2-Nitrophenol-d4	9.55	143	185212	29.46	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.08	165	319446	24.66	ng/ul	0.00
29) 4-Chloroaniline-d4	10.60	131	9989m	0.84	ng/ul	0.00
43) Dimethylphthalate-d6	13.74	166	1244008	29.91	ng/ul	0.00
46) Acenaphthylene-d8	14.01	160	1500745	29.24	ng/ul	0.00
51) 4-Nitrophenol-d4	14.54	143	26100	3.61	ng/ul	0.00
57) Fluorene-d10	15.32	176	1056175	29.53	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.45	200	189875	26.70	ng/ul	0.00
70) Anthracene-d10	17.17	188	1706447	30.14	ng/ul	0.00
76) Pyrene-d10	19.47	212	1980191	29.22	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.34	264	2030046	29.66	ng/ul	0.00

Target Compounds Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed