

Quantitation Report (QT Reviewed)


Data Path : Z:\HPCHEM1\BNA_M\Data\BM121515\
 Data File : BM003570.D
 Acq On : 16 Dec 2015 04:07
 Operator : UM/IZ
 Sample : G4734-20
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4KY1

Manual Integrations
 APPROVED

MMdadoda
 12/16/2015 6:39:13 PM

Quant Time: Dec 16 18:27:27 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-SIM-BM121515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 16 05:49:57 2015
 Response via : Initial Calibration



Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA_M\Data\BM121515\
 Data File : BM003570.D
 Acq On : 16 Dec 2015 04:07
 Operator : UM/IZ
 Sample : G4734-20
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4KY1

Quant Time: Dec 16 17:34:20 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-SIM-BM121515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 16 05:49:57 2015
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMdadoda
 12/16/2015 6:39:13 PM



(12) Phenanthrene-d10 (I)

17.211min (+0.103) 0.40ng/ul

response 1180924

Ion	Exp%	Act%
188.00	100	100
94.00	11.70	5.22#
80.00	11.90	3.56#
0.00	0.00	0.00

Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA_M\Data\BM121515\
 Data File : BM003570.D
 Acq On : 16 Dec 2015 04:07
 Operator : UM/IZ
 Sample : G4734-20
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4KY1

Manual Integrations
 APPROVED

MMdadoda
 12/16/2015 6:39:13 PM

Quant Time: Dec 16 17:34:20 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-SIM-BM121515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 16 05:49:57 2015
 Response via : Initial Calibration



(12) Phenanthrene-d10 (I)

17.108min (+0.000) 0.40ng/ul m

response 20842

Ion	Exp%	Act%
188.00	100	100
94.00	11.70	7.02#
80.00	11.90	6.48#
0.00	0.00	0.00

U.M
 12/17/15

Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA_M\Data\BM121515\
 Data File : BM003570.D
 Acq On : 16 Dec 2015 04:07
 Operator : UM/IZ
 Sample : G4734-20
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4KY1

Manual Integrations
 APPROVED

MMdadoda
 12/16/2015 6:39:13 PM

Quant Time: Dec 16 18:25:55 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-SIM-BM121515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 16 05:49:57 2015
 Response via : Initial Calibration



(22) Perylene-d12 (I)

23.420min (-0.149) 0.40ng/ul

response 994273

Ion	Exp%	Act%
264.00	100	100
260.00	25.60	20.02#
265.00	38.20	22.59#
0.00	0.00	0.00

Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA_M\Data\BM121515\
 Data File : BM003570.D
 Acq On : 16 Dec 2015 04:07
 Operator : UM/IZ
 Sample : G4734-20
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 Client Sampled :
 A4KY1

Manual Integrations
 APPROVED

MMdadoda
 12/16/2015 6:39:13 PM

Quant Time: Dec 16 18:25:55 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-SIM-BM121515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 16 05:49:57 2015
 Response via : Initial Calibration



(22) Perylene-d12 (I)

23.556min (-0.014) 0.40ng/ul m U.M

response 13144

12/17/15

Ion	Exp%	Act%
264.00	100	100
260.00	25.60	26.08
265.00	38.20	30.48#
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : Z:\HPCHEM1\BNA_M\Data\BM121515\
 Data File : BM003570.D
 Acq On : 16 Dec 2015 04:07
 Operator : UM/IZ
 Sample : G4734-20
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4KY1

Manual Integrations
 APPROVED

MMdadoda
 12/16/2015 6:39:13 PM

Quant Time: Dec 16 18:27:27 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-SIM-BM121515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 16 05:49:57 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	4932	0.40	ng/ul	0.00
4) Naphthalene-d8	10.50	136	20035	0.40	ng/ul	0.00
8) Acenaphthene-d10	14.37	164	10722	0.40	ng/ul	0.00
12) Phenanthrene-d10	17.11	188	20842m	0.40	ng/ul	0.00
18) Chrysene-d12	21.30	240	17531	0.40	ng/ul	-0.01
22) Perylene-d12	23.56	264	13144m	0.40	ng/ul	-0.01

U.M
 12/17/15

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
2) 1,4-Dioxane-d8	0.00	96	0d	0.00	ng/uL	
6) 2-Methylnaphthalene-d10	12.10	152	6952	0.29	ng/ul	0.00
16) Fluoranthene-d10	19.14	212	12253	0.28	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
5) Naphthalene	10.55	128	659	0.01	ng/ul#	67
13) Pentachlorophenol	16.78	266	129	0.04	ng/ul	92
21) Chrysene	21.35	228	1486	0.03	ng/ul#	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed