

Data Path : Z:\HPCHEM1\BNA M\DATA\BM121515\
 Data File : BM003571.D
 Acq On : 16 Dec 2015 04:43
 Operator : UM/IZ
 Sample : G4734-21
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4KY2

Manual Integrations
 APPROVED

MMdadoda
 12/16/2015 6:39:14 PM

Quant Time: Dec 16 18:30:33 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-SIM-BM121515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 16 05:49:57 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	5078	0.40	ng/ul	0.00
4) Naphthalene-d8	10.50	136	20972	0.40	ng/ul	0.00
8) Acenaphthene-d10	14.37	164	12279	0.40	ng/ul	0.00
12) Phenanthrene-d10	17.11	188	25867m	0.40	ng/ul	0.00
18) Chrysene-d12	21.30	240	23921	0.40	ng/ul	-0.01
22) Perylene-d12	23.56	264	16737m	0.40	ng/ul	-0.01
System Monitoring Compounds						
2) 1,4-Dioxane-d8	0.00	96	0d	0.00	ng/uL	
6) 2-Methylnaphthalene-d10	12.10	152	8239	0.33	ng/ul	0.00
16) Fluoranthene-d10	19.14	212	19127	0.35	ng/ul	0.00
Target Compounds						
21) Chrysene	21.35	228	1501	0.02	ng/ul#	Ovalue 86

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA M\DATA\BM121515\
Data File : BM003571.D
Acq On : 16 Dec 2015 04:43
Operator : UM/IZ
Sample : G4734-21
Misc :
ALS Vial : 21 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
A4KY2

Manual Integrations
APPROVED

MMdadoda
12/16/2015 6:39:14 PM

Quant Time: Dec 16 18:30:33 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-SIM-BM121515.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 16 05:49:57 2015
Response via : Initial Calibration





#21
 Chrysene
 Concen: 0.02 ng/ul
 RT: 21.35 min Scan# 1341
 Delta R.T. -0.00 min
 Lab File: BM003571.D
 Acq: 16 Dec 2015 04:43

Instrument :
 BNA_M
 ClientSampleId :
 A4KY2

Tot Ion:	228	Resp:	1501
Ion Ratio	Lower	Upper	
228	100		
226	34.4	21.2	31.8#
229	27.4	17.0	25.6#

Manual Integrations
 APPROVED

MMdadoda
 12/16/2015 6:39:14 PM

