

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM121522\
 Data File : BM038057.D
 Acq On : 16 Dec 2022 07:14
 Operator : CG/JU
 Sample : N5984-05
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0LC9

Quant Time: Dec 16 08:00:41 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM121522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 15 21:53:17 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.059	152	6519	0.400	ng/ul	0.00
4) Naphthalene-d8	10.873	136	20809	0.400	ng/ul	# 0.00
9) Acenaphthene-d10	14.685	164	15413	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.426	188	32232	0.400	ng/ul	# 0.00
17) Chrysene-d12	21.583	240	22865	0.400	ng/ul	0.00
23) Perylene-d12	24.041	264	21246	0.400	ng/ul	# 0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.406	96	25261	2.835	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.451	152	9002	0.296	ng/ul	0.00
18) Fluoranthene-d10	19.436	212	21657	0.261	ng/ul	0.00
Target Compounds						
					Qvalue	
7) 2-Methylnaphthalene	12.522	142	3601	0.093	ng/ul	96
8) 1-Methylnaphthalene	12.742	142	1433	0.036	ng/ul	96
14) Pentachlorophenol	17.092	266	5048733	378.311	ng/ul	100
15) Phenanthrene	17.468	178	3363	0.031	ng/ul#	1
16) Anthracene	17.557	178	8318	0.083	ng/ul#	15
19) Fluoranthene	19.464	202	4242	0.036	ng/ul#	33
20) Pyrene	19.831	202	97193	0.806	ng/ul#	96
22) Chrysene	21.600	228	8041	0.081	ng/ul#	71

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM121522\
Data File : BM038057.D
Acq On : 16 Dec 2022 07:14
Operator : CG/JU
Sample : N5984-05
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
COLC9

Quant Time: Dec 16 08:00:41 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM121522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 15 21:53:17 2022
Response via : Initial Calibration

