

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121818\
 Data File : BM018272.D
 Acq On : 18 Dec 2018 15:46
 Operator : JU/SJ
 Sample : J6440-08
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 COMP-4

Quant Time: Dec 18 16:58:48 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM121518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 15 21:39:37 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.49	152	136247	20.00	ng	-0.02
21) Naphthalene-d8	10.25	136	516409	20.00	ng	-0.02
39) Acenaphthene-d10	14.14	164	266054	20.00	ng	-0.02
64) Phenanthrene-d10	16.91	188	486154	20.00	ng	-0.01
76) Chrysene-d12	21.13	240	421259	20.00	ng	-0.01
87) Perylene-d12	23.29	264	477377	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.12	112	787443	96.55	ng	0.00
7) Phenol-d6	6.69	99	910389	80.31	ng	-0.01
23) Nitrobenzene-d5	8.65	82	908577	90.25	ng	-0.02
42) 2,4,6-Tribromophenol	15.66	330	418208	107.10	ng	-0.01
45) 2-Fluorobiphenyl	12.75	172	1826466	88.92	ng	-0.02
79) Terphenyl-d14	19.57	244	1774961	95.29	ng	0.00
Target Compounds						
20) 3+4-Methylphenols	8.28	107	40120	3.572	ng	91
50) Dimethylphthalate	13.62	163	170517	7.709	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121818\
Data File : BM018272.D
Acq On : 18 Dec 2018 15:46
Operator : JU/SJ
Sample : J6440-08
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
COMP-4

Quant Time: Dec 18 16:58:48 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM121518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Dec 15 21:39:37 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.49 min Scan# 782
 Delta R.T. -0.02 min
 Lab File: BM018272.D
 Acq: 18 Dec 2018 15:46

Instrument :
 BNA_M
 ClientSampleId :
 COMP-4

Tot Ion:152 Resp: 136247
 Ion Ratio Lower Upper
 152 100
 150 150.0 116.1 174.1
 115 65.5 44.6 67.0




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 96.546 ng
 RT: 5.12 min Scan# 380
 Delta R.T. -0.01 min
 Lab File: BM018272.D
 Acq: 18 Dec 2018 15:46

Tgt Ion:112 Resp: 787443
 Ion Ratio Lower Upper
 112 100
 64 58.8 45.4 68.2
 63 33.1 24.0 36.0



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 80.307 ng

RT: 6.69 min Scan# 647

Delta R.T. -0.01 min

Lab File: BM018272.D

Acq: 18 Dec 2018 15:46

Instrument :

BNA_M

ClientSampleId :

COMP-4





Tot Ion: 99 Resp: 910389

Ion Ratio Lower Upper

99 100

42 16.0 12.3 18.5

71 39.1 30.2 45.2



#20

3+4-Methylphenols

Concen: 3.572 ng

RT: 8.28 min Scan# 917

Delta R.T. -0.01 min

Lab File: BM018272.D

Acq: 18 Dec 2018 15:46

Tgt Ion: 107 Resp: 40120




Ion Ratio Lower Upper


107 100

108 79.4 67.4 107.4

77 39.7 15.7 55.7

79 25.3 13.3 53.3









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.25 min Scan# 1252
Delta R.T. -0.02 min
Lab File: BM018272.D
Acq: 18 Dec 2018 15:46

Instrument :
BNA_M
ClientSampleId :
COMP-4

Tot Ion:136	Resp:	516409	
Ion Ratio	Lower	Upper	
136 100			
137 11.1	9.2	13.8	
54 6.7	5.2	7.8	
68 6.1	5.0	7.6	




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BM
Ion 68.00 (67.70 to 68.70): BM






#23
Nitrobenzene-d5
Concen: 90.247 ng
RT: 8.65 min Scan# 979
Delta R.T. -0.02 min
Lab File: BM018272.D
Acq: 18 Dec 2018 15:46

Tgt	Ion: 82	Resp:	908577
Ion	Ratio	Lower	Upper
82	100		
128	37.3	33.4	50.2
54	43.3	33.4	50.2



Abundance Ion 82.00 (81.70 to 82.70): BM
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BM





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.14 min Scan# 1914

Delta R.T. -0.02 min

Lab File: BM018272.D

Acq: 18 Dec 2018 15:46

Instrument :

BNA_M

ClientSampleId :

COMP-4



Tot Ion:164 Resp: 266054

Ion Ratio Lower Upper

164 100

162 106.3 81.8 122.6



160 45.0 34.6 51.8



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 107.097 ng

RT: 15.66 min Scan# 2171

Delta R.T. -0.01 min

Lab File: BM018272.D

Acq: 18 Dec 2018 15:46



Tgt Ion:330 Resp: 418208

Ion Ratio Lower Upper

330 100

332 98.0 78.6 118.0


141 38.3 27.1 40.7




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 88.918 ng
 RT: 12.75 min Scan# 1677
 Delta R.T. -0.02 min
 Lab File: BM018272.D
 Acq: 18 Dec 2018 15:46

Instrument :
 BNA_M
 ClientSampleId :
 COMP-4

Tot Ion:172 Resp: 1826466




Ion	Ratio	Lower	Upper
172	100		
171	35.0	28.3	42.5
170	22.6	18.1	27.1



#50
 Dimethylphthalate
 Concen: 7.709 ng
 RT: 13.62 min Scan# 1825
 Delta R.T. -0.02 min
 Lab File: BM018272.D
 Acq: 18 Dec 2018 15:46

Tgt Ion:163 Resp: 170517

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.1	4.7
164	9.1	7.9	11.9









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.91 min Scan# 2384
Delta R.T. -0.01 min
Lab File: BM018272.D
Acq: 18 Dec 2018 15:46

Instrument :
BNA_M
ClientSampleId :
COMP-4

Tot Ion:188 Resp: 486154
Ion Ratio Lower Upper
188 100
94 9.7 8.0 12.0
80 10.7 9.0 13.6




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM
Ion 80.00 (79.70 to 80.70): BM






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.13 min Scan# 3102
Delta R.T. -0.01 min
Lab File: BM018272.D
Acq: 18 Dec 2018 15:46

Tgt Ion:240 Resp: 421259
Ion Ratio Lower Upper
240 100
120 9.3 8.2 12.2
236 24.6 20.3 30.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 95.294 ng

RT: 19.57 min Scan# 2836

Delta R.T. -0.01 min

Lab File: BM018272.D

Acq: 18 Dec 2018 15:46

Instrument :

BNA_M

ClientSampleId :

COMP-4


Tot Ion:244 Resp: 1774961

Ion Ratio Lower Upper

244 100

212 7.1 5.8 8.8




122 9.9 9.0 13.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.29 min Scan# 3469

Delta R.T. -0.01 min

Lab File: BM018272.D

Acq: 18 Dec 2018 15:46


Tgt Ion:264 Resp: 477377

Ion Ratio Lower Upper

264 100

260 22.8 17.5 26.3

265 20.5 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

