

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM122021\
 Data File : BM033536.D
 Acq On : 20 Dec 2021 12:44
 Operator : CG/JU
 Sample : PB141308TB
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB141308TB

Quant Time: Dec 21 03:58:32 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM121621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 21 03:57:10 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.925	152	32925	20.000	ng	0.00
21) Naphthalene-d8	10.730	136	132163	20.000	ng	# 0.00
39) Acenaphthene-d10	14.571	164	87605	20.000	ng	0.00
64) Phenanthrene-d10	17.318	188	174321	20.000	ng	# 0.00
76) Chrysene-d12	21.494	240	129023	20.000	ng	# 0.00
86) Perylene-d12	23.900	264	114680	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.490	112	286900	150.359	ng	0.00
7) Phenol-d6	7.095	99	366536	143.141	ng	0.00
23) Nitrobenzene-d5	9.095	82	293629	95.395	ng	0.00
42) 2,4,6-Tribromophenol	16.060	330	134953	136.944	ng	0.00
45) 2-Fluorobiphenyl	13.195	172	596798	94.236	ng	0.00
79) Terphenyl-d14	19.942	244	779105	95.066	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM122021\
Data File : BM033536.D
Acq On : 20 Dec 2021 12:44
Operator : CG/JU
Sample : PB141308TB
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB141308TB

Quant Time: Dec 21 03:58:32 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM121621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 21 03:57:10 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.925 min Scan# 79
Delta R.T. 0.006 min
Lab File: BM033536.D
Acq: 20 Dec 2021 12:44




Instrument :
BNA_M
ClientSampleId :
PB141308TB


Tgt Ion:152 Resp: 32925
Ion Ratio Lower Upper
152 100
150 149.0 128.9 193.3
115 66.9 53.0 79.6



#5
2-Fluorophenol
Concen: 150.359 ng
RT: 5.490 min Scan# 383
Delta R.T. 0.006 min
Lab File: BM033536.D
Acq: 20 Dec 2021 12:44

Tgt Ion:112 Resp: 286900
Ion Ratio Lower Upper
112 100
64 71.4 55.5 83.3
63 47.2 31.3 46.9#









#7
Phenol-d6
Concen: 143.141 ng
RT: 7.095 min Scan# 61
Delta R.T. 0.006 min
Lab File: BM033536.D
Acq: 20 Dec 2021 12:44




Instrument :
BNA_M
ClientSampleId :
PB141308TB


Tgt Ion: 99 Resp: 366536
Ion Ratio Lower Upper
99 100
42 32.0 20.3 30.5#
71 55.0 34.5 51.7#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.730 min Scan# 1274
Delta R.T. -0.000 min
Lab File: BM033536.D
Acq: 20 Dec 2021 12:44

Tgt Ion: 136 Resp: 132163
Ion Ratio Lower Upper
136 100
137 11.6 8.6 13.0
54 12.4 8.3 12.5
68 4.4 5.0 7.6#









#23
Nitrobenzene-d5
Concen: 95.395 ng
RT: 9.095 min Scan# 91
Delta R.T. -0.000 min
Lab File: BM033536.D
Acq: 20 Dec 2021 12:44




Instrument :
BNA_M
ClientSampleId :
PB141308TB


Tgt Ion: 82 Resp: 293629
Ion Ratio Lower Upper
82 100
128 33.9 28.1 42.1
54 68.6 46.1 69.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.571 min Scan# 1927
Delta R.T. 0.006 min
Lab File: BM033536.D
Acq: 20 Dec 2021 12:44

Tgt Ion: 164 Resp: 87605
Ion Ratio Lower Upper
164 100
162 102.3 79.7 119.5
160 47.9 34.2 51.4









#42
2,4,6-Tribromophenol
Concen: 136.944 ng
RT: 16.060 min Scan# 2180
Delta R.T. -0.000 min
Lab File: BM033536.D
Acq: 20 Dec 2021 12:44




Instrument :
BNA_M
ClientSampleId :
PB141308TB


Tgt Ion:330 Resp: 134953
Ion Ratio Lower Upper
330 100
332 96.9 76.5 114.7
141 55.6 35.9 53.9#



#45
2-Fluorobiphenyl
Concen: 94.236 ng
RT: 13.195 min Scan# 1693
Delta R.T. -0.000 min
Lab File: BM033536.D
Acq: 20 Dec 2021 12:44

Tgt Ion:172 Resp: 596798
Ion Ratio Lower Upper
172 100
171 35.8 27.2 40.8
170 23.8 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.318 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM033536.D
Acq: 20 Dec 2021 12:44




Instrument :
BNA_M
ClientSampleId :
PB141308TB


Tgt Ion:188 Resp: 174321
Ion Ratio Lower Upper
188 100
94 7.3 7.5 11.3#
80 8.8 8.9 13.3#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.494 min Scan# 3104
Delta R.T. -0.000 min
Lab File: BM033536.D
Acq: 20 Dec 2021 12:44

Tgt Ion:240 Resp: 129023
Ion Ratio Lower Upper
240 100
120 7.1 7.8 11.6#
236 26.3 20.3 30.5









#79
 Terphenyl-d14
 Concen: 95.066 ng
 RT: 19.942 min Scan# 21
 Delta R.T. 0.006 min
 Lab File: BM033536.D
 Acq: 20 Dec 2021 12:44

Instrument :
 BNA_M
 ClientSampleId :
 PB141308TB

Tgt Ion:244 Resp: 779105
 Ion Ratio Lower Upper
 244 100
 212 8.4 5.9 8.9
 122 8.1 8.4 12.6#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.900 min Scan# 3513
 Delta R.T. -0.000 min
 Lab File: BM033536.D
 Acq: 20 Dec 2021 12:44

Tgt Ion:264 Resp: 114680
 Ion Ratio Lower Upper
 264 100
 260 23.6 17.7 26.5
 265 22.6 17.7 26.5

