

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM122022\  
 Data File : BM038142.D  
 Acq On : 20 Dec 2022 19:50  
 Operator : CG/JU  
 Sample : N6008-16  
 Misc :  
 ALS Vial : 9 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 DBXX8

Quant Time: Dec 21 00:16:45 2022  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM120722.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Wed Dec 21 00:11:56 2022  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| -----                         |        |      |          |        |       |          |
| Internal Standards            |        |      |          |        |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 8.045  | 152  | 162287   | 20.000 | ng/ul | 0.00     |
| 20) Naphthalene-d8            | 10.863 | 136  | 719745   | 20.000 | ng/ul | 0.00     |
| 38) Acenaphthene-d10          | 14.674 | 164  | 452046   | 20.000 | ng/ul | 0.00     |
| 64) Phenanthrene-d10          | 17.409 | 188  | 971294   | 20.000 | ng/ul | 0.00     |
| 79) Chrysene-d12              | 21.574 | 240  | 813473   | 20.000 | ng/ul | 0.00     |
| 88) Perylene-d12              | 24.027 | 264  | 736152   | 20.000 | ng/ul | 0.00     |
| System Monitoring Compounds   |        |      |          |        |       |          |
| 3) 1,4-Dioxane-d8             | 3.398  | 96   | 6245     | 1.747  | ng/uL | 0.00     |
| 4) Pyridine-d5                | 3.834  | 84   | 156510   | 14.761 | ng/ul | 0.00     |
| 7) Phenol-d5                  | 7.204  | 99   | 454117   | 34.435 | ng/ul | 0.00     |
| 9) Bis-(2-Chloroethyl)eth...  | 7.369  | 67   | 187715   | 23.376 | ng/ul | 0.00     |
| 11) 2-Chlorophenol-d4         | 7.575  | 132  | 353182   | 32.647 | ng/ul | 0.00     |
| 15) 4-Methylphenol-d8         | 8.757  | 113  | 415757   | 40.388 | ng/ul | 0.00     |
| 21) Nitrobenzene-d5           | 9.216  | 128  | 192488   | 33.778 | ng/ul | 0.00     |
| 24) 2-Nitrophenol-d4          | 9.939  | 143  | 237608   | 39.787 | ng/ul | 0.00     |
| 28) 2,4-Dichlorophenol-d3     | 10.480 | 165  | 481834   | 42.478 | ng/ul | 0.00     |
| 31) 4-Chloroaniline-d4        | 11.004 | 131  | 393655   | 25.141 | ng/ul | 0.00     |
| 46) Dimethylphthalate-d6      | 14.080 | 166  | 1537647  | 47.712 | ng/ul | 0.00     |
| 49) Acenaphthylene-d8         | 14.368 | 160  | 1795270  | 45.579 | ng/ul | 0.00     |
| 54) 4-Nitrophenol-d4          | 14.868 | 143  | 259938   | 47.326 | ng/ul | 0.00     |
| 60) Fluorene-d10              | 15.662 | 176  | 1366034  | 47.576 | ng/ul | 0.00     |
| 65) 4,6-Dinitro-2-methylph... | 15.780 | 200  | 212173   | 40.858 | ng/ul | 0.00     |
| 73) Anthracene-d10            | 17.509 | 188  | 2122408  | 46.820 | ng/ul | 0.00     |
| 81) Pyrene-d10                | 19.792 | 212  | 2445078  | 50.037 | ng/ul | 0.00     |
| 92) Benzo(a)pyrene-d12        | 23.874 | 264  | 1770921  | 48.163 | ng/ul | 0.00     |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM122022\  
Data File : BM038142.D  
Acq On : 20 Dec 2022 19:50  
Operator : CG/JU  
Sample : N6008-16  
Misc :  
ALS Vial : 9 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
DBXX8

Quant Time: Dec 21 00:16:45 2022  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM120722.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Wed Dec 21 00:11:56 2022  
Response via : Initial Calibration

