

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122120\
 Data File : BM028215.D
 Acq On : 21 Dec 2020 19:16
 Operator : JU/CG
 Sample : L5110-03
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A54L4

Quant Time: Dec 22 00:27:09 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 22 00:19:09 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.20	152	157378	20.00	ng/ul	0.00
18) Naphthalene-d8	11.03	136	677268	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.83	164	393469	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.55	188	783652	20.00	ng/ul	0.00
78) Chrysene-d12	21.66	240	610833	20.00	ng/ul	0.00
86) Perylene-d12	24.03	264	540342	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.42	96	6509	1.64	ng/uL	0.00
5) Phenol-d5	7.34	99	131701	9.93	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.52	67	84478	10.06	ng/ul	0.00
9) 2-Chlorophenol-d4	7.72	132	113918	10.19	ng/ul	0.00
13) 4-Methylphenol-d8	8.90	113	106105	9.81	ng/ul	0.00
19) Nitrobenzene-d5	9.37	128	51394	9.68	ng/ul	0.00
22) 2-Nitrophenol-d4	10.10	143	53772	9.94	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.64	165	101423	9.27	ng/ul	0.00
29) 4-Chloroaniline-d4	11.16	131	136987	10.56	ng/ul	0.00
44) Dimethylphthalate-d6	14.23	166	312083	10.30	ng/ul	0.00
47) Acenaphthylene-d8	14.53	160	388432	10.21	ng/ul	0.00
52) 4-Nitrophenol-d4	15.00	143	36118	6.55	ng/ul	0.00
58) Fluorene-d10	15.81	176	263970	9.73	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.92	200	29332	6.29	ng/ul	0.00
71) Anthracene-d10	17.64	188	393644	10.12	ng/ul	0.00
79) Pyrene-d10	19.90	212	420878	12.36	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.88	264	329959	11.09	ng/ul	0.00


Target Compounds					Ovalue	
45) Dimethylphthalate	14.27	163	43828	1.415	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122120\
Data File : BM028215.D
Acq On : 21 Dec 2020 19:16
Operator : JU/CG
Sample : L5110-03
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A54L4

Quant Time: Dec 22 00:27:09 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 22 00:19:09 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.415 ng/ul

RT: 14.27 min Scan# 1885

Delta R.T. -0.00 min

Lab File: BM028215.D

Acq: 21 Dec 2020 19:16

Instrument :

BNA_M

ClientSampleId :

A54L4


Tot Ion:163 Resp: 43828

Ion Ratio Lower Upper

163 100

194 4.6 3.3 4.9

164 11.5 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

