

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122120\
 Data File : BM028229.D
 Acq On : 22 Dec 2020 04:20
 Operator : JU/CG
 Sample : L5110-21
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A54N0

Quant Time: Dec 22 05:07:30 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 22 03:04:48 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.20	152	160311	20.00	ng/ul	0.00
18) Naphthalene-d8	11.03	136	660870	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.83	164	363140	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.54	188	680957	20.00	ng/ul	0.00
78) Chrysene-d12	21.66	240	569152	20.00	ng/ul	0.00
86) Perylene-d12	24.02	264	566361	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.41	96	13890	3.44	ng/uL	0.00
5) Phenol-d5	7.33	99	245949	18.21	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.51	67	153908	17.99	ng/ul	0.00
9) 2-Chlorophenol-d4	7.72	132	212237	18.64	ng/ul	0.00
13) 4-Methylphenol-d8	8.90	113	198999	18.06	ng/ul	0.00
19) Nitrobenzene-d5	9.37	128	96655	18.65	ng/ul	0.00
22) 2-Nitrophenol-d4	10.10	143	103723	19.66	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.64	165	186121	17.42	ng/ul	0.00
29) 4-Chloroaniline-d4	11.16	131	266111	21.02	ng/ul	0.00
44) Dimethylphthalate-d6	14.23	166	524595	18.75	ng/ul	0.00
47) Acenaphthylene-d8	14.52	160	679940	19.37	ng/ul	0.00
52) 4-Nitrophenol-d4	14.99	143	74037	14.55	ng/ul	0.00
58) Fluorene-d10	15.81	176	438279	17.51	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.92	200	58201	14.35	ng/ul	0.00
71) Anthracene-d10	17.64	188	621778	18.40	ng/ul	0.00
79) Pyrene-d10	19.90	212	630049	19.85	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.87	264	585965	18.79	ng/ul	0.00
Target Compounds						
6) Phenol	7.36	94	18868	1.398	ng/ul	96
45) Dimethylphthalate	14.27	163	47713	1.669	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122120\
Data File : BM028229.D
Acq On : 22 Dec 2020 04:20
Operator : JU/CG
Sample : L5110-21
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A54N0

Quant Time: Dec 22 05:07:30 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 22 03:04:48 2020
Response via : Initial Calibration





#6

Phenol

Concen: 1.398 ng/ul

RT: 7.36 min Scan# 710

Delta R.T. -0.01 min

Lab File: BM028229.D

Acq: 22 Dec 2020 04:20

Instrument :

BNA_M

ClientSampleId :

A54N0


Tot Ion: 94 Resp: 18868

Ion Ratio Lower Upper

94 100

65 29.3 25.4 38.0




66 36.7 31.5 47.3



Abundance Ion 94.00 (93.70 to 94.70): BM028229.D (-703) (-)

Ion 65.00 (64.70 to 65.70): BM028229.D (-703) (-)

Ion 66.00 (65.70 to 66.70): BM028229.D (-703) (-)



#45

Dimethylphthalate

Concen: 1.669 ng/ul

RT: 14.27 min Scan# 1884

Delta R.T. -0.01 min

Lab File: BM028229.D

Acq: 22 Dec 2020 04:20


Tgt Ion:163 Resp: 47713

Ion Ratio Lower Upper

163 100

194 4.5 3.3 4.9

164 9.9 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): BM028229.D (-1851) (-)

Ion 194.00 (193.70 to 194.70): BM028229.D (-1851) (-)

Ion 164.00 (163.70 to 164.70): BM028229.D (-1851) (-)

