

Data Path : Z:\HPCHEM1\BNA M\Data\BM122315\
 Data File : BM003742.D
 Acq On : 23 Dec 2015 11:44
 Operator : UM/SJ
 Sample : G4940-05
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Dec 23 14:24:06 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 09 18:52:47 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	43388	20.00	ng	-0.03
21) Naphthalene-d8	10.48	136	170940	20.00	ng	-0.04
38) Acenaphthene-d10	14.35	164	85318	20.00	ng	-0.03
63) Phenanthrene-d10	17.09	188	177955	20.00	ng	-0.03
75) Chrysene-d12	21.29	240	184269	20.00	ng	-0.03
86) Perylene-d12	23.54	264	185120	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.28	112	381282	156.24	ng	-0.02
7) Phenol-d6	6.87	99	483387	142.64	ng	-0.02
23) Nitrobenzene-d5	8.85	82	285307	103.49	ng	-0.03
41) 2,4,6-Tribromophenol	15.84	330	108470	127.30	ng	-0.03
44) 2-Fluorobiphenyl	12.96	172	578162	92.33	ng	-0.04
78) Terphenyl-d14	19.73	244	576419	73.77	ng	-0.03
Target Compounds						
49) Dimethylphthalate	13.80	163	93256	13.26	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\Data\BM122315\
Data File : BM003742.D
Acq On : 23 Dec 2015 11:44
Operator : UM/SJ
Sample : G4940-05
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Dec 23 14:24:06 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM120915.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 09 18:52:47 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.69 min Scan# 783
Delta R.T. -0.03 min
Lab File: BM003742.D
Acq: 23 Dec 2015 11:44

Instrument :
BNA_M
ClientSampleId :

Tot Ion:152 Resp: 43388
Ion Ratio Lower Upper
152 100
150 155.1 119.5 179.3
115 59.7 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 156.24 ng
RT: 5.28 min Scan# 373
Delta R.T. -0.02 min
Lab File: BM003742.D
Acq: 23 Dec 2015 11:44

Tgt Ion:112 Resp: 381282
Ion Ratio Lower Upper
112 100
64 51.9 38.6 57.8
63 26.9 19.3 28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 142.64 ng

RT: 6.87 min Scan# 643

Delta R.T. -0.02 min

Lab File: BM003742.D

Acq: 23 Dec 2015 11:44

Instrument :

BNA_M

ClientSampleId :


Tot Ion: 99 Resp: 483387

Ion Ratio Lower Upper

99 100

42 14.1 11.0 16.4




71 33.2 23.4 35.2



Abundance Ion 99.00 (98.70 to 99.70): BM0

Ion 42.00 (41.70 to 42.70): BM0

Ion 71.00 (70.70 to 71.70): BM0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.48 min Scan# 1257

Delta R.T. -0.04 min

Lab File: BM003742.D

Acq: 23 Dec 2015 11:44

Tgt Ion: 136 Resp: 170940


Ion Ratio Lower Upper

136 100

137 10.8 8.7 13.1

54 6.1 4.6 6.8

68 6.1 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BM0

Ion 68.00 (67.70 to 68.70): BM0






#23
Nitrobenzene-d5
Concen: 103.49 ng
RT: 8.85 min Scan# 980
Delta R.T. -0.03 min
Lab File: BM003742.D
Acq: 23 Dec 2015 11:44

Instrument :
BNA_M
ClientSampled :




Tot Ion	82	Resp	285307
Ion Ratio	100	Lower	Upper
128	45.7	32.8	49.2
54	41.4	40.6	60.8



Abundance Ion 82.00 (81.70 to 82.70): BM003742.D (-968) (-)


Ion 128.00 (127.70 to 128.70): BM003742.D (-968) (-)

Ion 54.00 (53.70 to 54.70): BM003742.D (-968) (-)



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.35 min Scan# 1914
Delta R.T. -0.03 min
Lab File: BM003742.D
Acq: 23 Dec 2015 11:44



Tgt Ion	164	Resp	85318
Ion Ratio	100	Lower	Upper
162	102.4	82.4	123.6
160	46.2	35.8	53.6




Abundance Ion 164.00 (163.70 to 164.70): BM003742.D (-1902) (-)

Ion 162.00 (161.70 to 162.70): BM003742.D (-1902) (-)

Ion 160.00 (159.70 to 160.70): BM003742.D (-1902) (-)





#41

2,4,6-Tribromophenol

Concen: 127.30 ng

RT: 15.84 min Scan# 2168

Delta R.T. -0.03 min

Lab File: BM003742.D

Acq: 23 Dec 2015 11:44

Instrument :

BNA_M

ClientSampleId :


Tot Ion:330 Resp: 108470

Ion Ratio Lower Upper




330 100

332 96.6 0.0 0.0#

141 43.8 0.0 0.0#



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 92.33 ng

RT: 12.96 min Scan# 1678

Delta R.T. -0.04 min

Lab File: BM003742.D

Acq: 23 Dec 2015 11:44


Tgt Ion:172 Resp: 578162

Ion Ratio Lower Upper



172 100


171 34.9 28.5 42.7

170 23.2 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 13.26 ng
RT: 13.80 min Scan# 1821
Delta R.T. -0.04 min
Lab File: BM003742.D
Acq: 23 Dec 2015 11:44




Instrument :
BNA_M
ClientSampleId :


Tot Ion:163 Resp: 93256
Ion Ratio Lower Upper
163 100
194 3.9 2.7 4.1
164 10.1 8.2 12.2



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.09 min Scan# 2381
Delta R.T. -0.03 min
Lab File: BM003742.D
Acq: 23 Dec 2015 11:44

Tgt Ion:188 Resp: 177955
Ion Ratio Lower Upper
188 100
94 9.4 8.7 13.1
80 11.0 9.3 13.9





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.29 min Scan# 3095

Delta R.T. -0.03 min

Lab File: BM003742.D

Acq: 23 Dec 2015 11:44

Instrument :

BNA_M

ClientSampleId :


Tot Ion:240 Resp: 184269

Ion Ratio Lower Upper

240 100

120 12.2 8.2 12.2




236 26.2 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 73.77 ng

RT: 19.73 min Scan# 2829

Delta R.T. -0.03 min

Lab File: BM003742.D

Acq: 23 Dec 2015 11:44


Tgt Ion:244 Resp: 576419

Ion Ratio Lower Upper

244 100

212 7.7 4.9 7.3#



122 12.6 6.2 9.4#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 23.54 min Scan# 3477
 Delta R.T. -0.04 min
 Lab File: BM003742.D
 Acq: 23 Dec 2015 11:44

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion:	264	Resp:	185120
Ion Ratio	Lower	Upper	
264	100		
260	23.7	18.6	27.8
265	21.5	17.3	25.9

