

Data File : BM024225.D
Acq On : 23 Dec 2019 20:47
Operator : JU
Sample : K6200-07
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BFF25

Quant Time: Dec 24 03:32:30 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 24 03:29:49 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.43	152	217761	20.00	ng/ul	0.00
18) Naphthalene-d8	10.20	136	942319	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.09	164	610203	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.85	188	1304152	20.00	ng/ul	0.00
78) Chrysene-d12	21.07	240	1279801	20.00	ng/ul	0.00
86) Perylene-d12	23.20	264	1514607	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.00	96	24419	4.95	ng/uL	0.00
5) Phenol-d5	6.63	99	139495	6.77	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.79	67	359468	29.07	ng/ul	0.00
9) 2-Chlorophenol-d4	6.97	132	349733	23.78	ng/ul	0.00
13) 4-Methylphenol-d8	8.16	113	243858	14.47	ng/ul	0.00
19) Nitrobenzene-d5	8.59	128	196005	28.95	ng/ul	0.00
22) 2-Nitrophenol-d4	9.30	143	205162	27.56	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.84	165	367498	25.39	ng/ul	0.00
29) 4-Chloroaniline-d4	10.40	131	8294	0.47	ng/ul	0.04
44) Dimethylphthalate-d6	13.52	166	1464096	32.45	ng/ul	0.00
47) Acenaphthylene-d8	13.79	160	1596323	29.52	ng/ul	0.00
52) 4-Nitrophenol-d4	14.37	143	23829	2.94	ng/ul	0.03
58) Fluorene-d10	15.10	176	1267181	32.03	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.25	200	186128	23.40	ng/ul	0.00
71) Anthracene-d10	16.95	188	1881688	31.71	ng/ul	0.00
79) Pyrene-d10	19.26	212	2210008	36.25	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.06	264	2598521	34.54	ng/ul	0.00


Target Compounds					Qvalue	
45) Dimethylphthalate	13.57	163	63211	1.348	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BM024225.D
Acq On : 23 Dec 2019 20:47
Operator : JU
Sample : K6200-07
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BFF25

Quant Time: Dec 24 03:32:30 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 24 03:29:49 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.348 ng/ul

RT: 13.57 min Scan# 1816

Delta R.T. -0.00 min

Lab File: BM024225.D

Acq: 23 Dec 2019 20:47

Instrument :

BNA_M

ClientSampleId :

BFF25


Tgt Ion:163 Resp: 63211

Ion Ratio Lower Upper

163 100

194 3.8 3.2 4.8

164 10.9 7.8 11.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

