

Data File : BM024228.D
Acq On : 23 Dec 2019 22:35
Operator : JU
Sample : K6200-11
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BFF35

Quant Time: Dec 24 03:32:46 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 24 03:29:49 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.43	152	249060	20.00	ng/ul	0.00
18) Naphthalene-d8	10.20	136	1066183	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.09	164	671257	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.85	188	1410129	20.00	ng/ul	0.00
78) Chrysene-d12	21.07	240	1309531	20.00	ng/ul	0.00
86) Perylene-d12	23.19	264	1511750	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	2.99	96	31772	5.64	ng/uL	0.00
5) Phenol-d5	6.63	99	166035	7.04	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.79	67	412027	29.13	ng/ul	0.00
9) 2-Chlorophenol-d4	6.97	132	413417	24.58	ng/ul	0.00
13) 4-Methylphenol-d8	8.16	113	287710	14.92	ng/ul	0.00
19) Nitrobenzene-d5	8.59	128	238933	31.19	ng/ul	0.00
22) 2-Nitrophenol-d4	9.30	143	261557	31.05	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.84	165	448831	27.41	ng/ul	0.00
29) 4-Chloroaniline-d4	10.39	131	16018	0.81	ng/ul	0.03
44) Dimethylphthalate-d6	13.52	166	1702996	34.31	ng/ul	0.00
47) Acenaphthylene-d8	13.78	160	1937337	32.57	ng/ul	0.00
52) 4-Nitrophenol-d4	14.36	143	32094	3.60	ng/ul	0.02
58) Fluorene-d10	15.10	176	1452139	33.37	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.25	200	215754	25.08	ng/ul	0.00
71) Anthracene-d10	16.95	188	2122652	33.08	ng/ul	0.00
79) Pyrene-d10	19.26	212	2334790	37.43	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.06	264	2605892	34.70	ng/ul	0.00


Target Compounds					Qvalue	
45) Dimethylphthalate	13.57	163	183202	3.551	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BM024228.D
Acq On : 23 Dec 2019 22:35
Operator : JU
Sample : K6200-11
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BFF35

Quant Time: Dec 24 03:32:46 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 24 03:29:49 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 3.551 ng/ul

RT: 13.57 min Scan# 1816

Delta R.T. -0.00 min

Lab File: BM024228.D

Acq: 23 Dec 2019 22:35

Instrument :

BNA_M

ClientSampleId :

BFF35


Tgt Ion:163 Resp: 183202

Ion Ratio Lower Upper

163 100

194 3.4 3.2 4.8

164 10.0 7.8 11.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

