

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM122324\
 Data File : BM049180.D
 Acq On : 24 Dec 2024 12:21
 Operator : RC/JU
 Sample : P5333-09
 Misc :
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 E2912

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 12/25/2024
 Supervised By :mohammad ahmed 12/26/2024

Quant Time: Dec 24 21:40:04 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM121824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 18 15:33:13 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.548	152	7132	0.400	ng/ul	-0.02
4) Naphthalene-d8	10.309	136	22563	0.400	ng/ul	#-0.02
9) Acenaphthene-d10	14.183	164	12909	0.400	ng/ul	-0.02
13) Phenanthrene-d10	16.934	188	29905	0.400	ng/ul	-0.02
17) Chrysene-d12	21.137	240	25851	0.400	ng/ul	0.00
23) Perylene-d12	23.291	264	24350m	0.400	ng/ul	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.143	96	25434	3.092	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.910	152	5173	0.171	ng/ul	-0.02
18) Fluoranthene-d10	18.969	212	9513	0.130	ng/ul	-0.01
Target Compounds						
					Qvalue	
5) Naphthalene	10.359	128	17417	0.308	ng/ul	97
7) 2-Methylnaphthalene	11.981	142	10572	0.295	ng/ul	95
8) 1-Methylnaphthalene	12.207	142	8673	0.237	ng/ul	99
10) Acenaphthylene	13.905	152	5400	0.101	ng/ul#	58
11) Acenaphthene	14.248	153	11648	0.298	ng/ul	100
12) Fluorene	15.242	166	12876	0.292	ng/ul#	97
15) Phenanthrene	16.976	178	427823	5.477	ng/ul	98
16) Anthracene	17.065	178	30268	0.422	ng/ul	98
19) Fluoranthene	19.002	202	504353	5.396	ng/ul	98
20) Pyrene	19.364	202	371736	3.729	ng/ul	99
21) Benzo(a)anthracene	21.119	228	149953	1.668	ng/ul	97
22) Chrysene	21.172	228	186904	1.937	ng/ul	97
24) Benzo(b)fluoranthene	22.650	252	202534m	2.603	ng/ul	
25) Benzo(k)fluoranthene	22.688	252	69851m	0.818	ng/ul	
26) Benzo(a)pyrene	23.194	252	109091	1.462	ng/ul#	90
27) Indeno(1,2,3-cd)pyrene	25.423	276	89188	0.845	ng/ul#	93
28) Dibenzo(a,h)anthracene	25.430	278	23094	0.282	ng/ul#	89
29) Benzo(g,h,i)perylene	26.074	276	90577	1.067	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM122324\
Data File : BM049180.D
Acq On : 24 Dec 2024 12:21
Operator : RC/JU
Sample : P5333-09
Misc :
ALS Vial : 44 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
E2912

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/25/2024
Supervised By :mohammad ahmed 12/26/2024

Quant Time: Dec 24 21:40:04 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM121824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 18 15:33:13 2024
Response via : Initial Calibration

